San Bernardino County

Zip Code Profiles of Selected Maternal Health and Infant Death Data 1989-1993



Prepared by: San Bernardino County, Department of Public Health Program Analysis and Statistics September, 1995

Acknowledgments

This report was prepared by Eugene Jenkins of the Program Analysis and Statistics Section. Others contributing to this report include Thomas J. Prendergast, Jr., M.D., Director of Public Health and Colleen Tracy, M.P.H., Program Analysis and Statis tics program manager. Also, clerical support from Laura Dobbs is gratefully acknowledged.

The California Department of Health Services, Center for Health Statistics was the original source for the County and State of the raw data used in this report. Any analyses, interpretations, or conclusions, are the author's.

Users are welcome to reproduce or quote this document in whole or in part provided that acknowledgment is given. Suggested citation: Zip Code Profiles of Selected Maternal and Infant Death Data, 1989-1993, San Bernardino County Department of Public Health, San Bernardino, California, September, 1995.

Inquiries regarding this report should be directed to:

Department of Public Health Program Analysis & Statistics 351 N. Mountain View Ave. San Bernardino, CA 92415-0010 (909) 387-6770

TABLE OF CONTENTS

Introduction	1					1
Low I Very I Late o Live I Live I	lino County Co Birthweight Low Birthweigh or No Prenatal O Births to Mothe Births to Mothe Mortality	ht Care rs 17 and Your	nger			5 6 7 8 9 10 11
Zip Code Su	mmary and M	aps				12
Appendix A	(San Bernardi	ino County Pro	ofile)			
Appendix B	(Zip Code Pro	files)				
91701 91709 91710 91730 91739 91761 91762 91763	91764 91786 92252 92277 92278 92284 92301	92307 92308 92310 92311 92314 92316 92324	92325 92335 92336 92345 92346 92354 92356	92359 92371 92373 92374 92376 92392 92399	92401 92404 92405 92407 92408 92410 92411	

Appendix C (City/Area Profiles by Region)

<u>Desert</u>	East Valley	East Valley (cont.)
Adelanto	Big Bear	San Bernardino
Apple Valley	Bloomington	Yucaipa
Barstow	Colton	West Valley
Fort Irwin	Crestline	Alta Loma
Hesperia	Highland	Chino
Joshua Tree	Lake Arrowhead	Etiwanda
Phelan	Loma Linda	Fontana
Twentynine Palms Base	Mentone	Montclair
Twentynine Palms City	Redlands	Ontario
Victorville	Rialto	Rancho Cucamonga
Yucca Valley	Running Springs	Upland

Introduction

The main purpose of this report is to examine various maternal health and infant death data in San Bernardino County at the zip code level. The variables are: 1) total live births, 2) low birthweight live births, 3) very low birthweight live births, 4) month mother entered into prenatal care, 5) live births to teen mothers, and 6) infant mortality. Because rates at the zip code level are often unreliable due to the small numbers of events, a five-year period, 1989-1993, has been selected for review.

The rural nature of most of San Bernardino County results in several zip codes with small numbers of live births reported annually. After examining the number of live births reported at the zip code level, an annual average of 90 live births was selected as the cut-off point. Forty-three (43) zip codes had 90 or more. The number of births reported annually dropped sharply for zip codes with fewer than 90. Although the zip codes with small numbers of live births are not reported individually, the figures are included in the County totals and, in most cases, city/area totals.

Race and Ethnic detail is provided for the following three mutually exclusive groups: black, non-Hispanic; white, non-Hispanic; and Hispanic. These groups are referred to as black, white, and Hispanic in this report. Live births in these three groups accounted for slightly more than 95 percent of all San Bernardino County live births over the review period. The race/ethnicity used in this report is that reported by the mother on the certificate of live birth.

Small Numbers

Even though there may be several hundred births reported annually in a given zip code, the rates (or percentages) calculated may still be unreliable due to the small number of events in the numerator, especially at the race/ethnicity level. Rates calculated with fewer than 20 events are considered unreliable and should be interpreted with caution. In these cases it is recommended that more than one year be considered. This can be done by either looking at all five years of annual rates provided or using the five-year rate. (It should be noted that the five-year rate is not an average of the five annual rates, but rather the sum of the five years of data divided by the sum of the five years of denominator data, multiplied by 100.)

Zip Code and City/Area Profiles

Data at the zip code level has been provided for the 43 San Bernardino County zip codes listed in Table 1. The zip code profiles are presented in Appendix B.

Data at the city/area level is presented in Appendix C, sorted by city name. A complete list of these areas is shown in Table 2. Each profile consists of one or more zip codes as described below.

C Cities listed in Table 1 with only one zip code are listed by the associated city name.

- C Cities with more than one zip code include combined data from all zip codes for that city.
- C Communities too small (ie. fewer than 90 births annually) to be included in the zip code profiles are grouped with other small, neighboring communities. These areas are listed under the name of the larger community. The communities in this category are shown in Table 3 with the zip codes and community names that are combined to define the area.

Since zip codes do not generally follow city boundaries, the group of zip codes is referred to as an area, not a city. For example, all of the City of San Bernardino zip codes make up the San Bernardino area.

Table 1
Zip Codes Selected for Analysis
[sorted by zip code]

Zip Code	City	Zip Code	City
91701	Alta Loma	92325*	Crestline
91709	Chino	92335	Fontana
91710	Chino	92336	Fontana
91730	Rancho Cucamonga	92345	Hesperia
91739	Etiwanda	92346	Highland
91761	Ontario	92354	Loma Linda
91762	Ontario	92356	Lucerne Valley
91763	Montclair	92359	Mentone
91764	Ontario	92371	Phelan
91786	Upland	92373	Redlands
92252	Joshua Tree	92374	Redlands
92277	Twentynine Palms	92376	Rialto
92278	Twentynine Palms	92392	Victorville
92284	Yucca Valley	92399	Yucaipa
92301	Adelanto	92401	San Bernardino
92307	Apple Valley	92404	San Bernardino
92308	Apple Valley	92405	San Bernardino
92310	Fort Irwin	92407	San Bernardino
92311	Barstow	92408	San Bernardino
92314	Big Bear City	92410	San Bernardino
92316	Bloomington	92411	San Bernardino
92324	Colton		

^(*) Post office box zip code. Some data may be for non-residents of area.

Table 2 Zip Codes Grouped into City/Areas

City/Area	Zip Code(s)
Adelanto Area	92301
Alta Loma Area	91737, 91701
Apple Valley Area	92307, 92308
Barstow Area	92311, 92312 ¹
Big Bear Area*	92333 ¹ , 92315 ¹ , 92314, 92386
Bloomington Area	92316
Chino Area	91708 ¹ , 91709, 91710
Colton Area	92324
Crestline Area*	92391 ¹ , 92378 ¹ , 92322 ¹ , 92325 ¹
Etiwanda Area	91739
Fontana Area	92337, 92334 ¹ , 92335, 92336
Fort Irwin Area	92310
Hesperia Area	92345
Highland Area	92346
Joshua Tree Area	92252
Lake Arrowhead Area*	92385 ¹ , 92326 ¹ , 92321 ¹ , 92317 ¹ , 92352 ¹
Loma Linda Area	92350 ² , 92354, 92357 ²
Mentone Area	92359
Montclair Area	91763
Needles Area	92363
Ontario Area	91761, 91762, 91764
Phelan Area*	92372, 923291, 92371
Redlands Area	92373, 92374, 92375 ¹
Rialto Area	92376, 923771
Running Springs Area*	92341 ¹ , 92382 ¹
Rancho Cucamonga Area	91729 ¹ , 91730
San Bernardino Area	92401, 92402 ¹ , 92403, 92404, 92405, 92406 ¹ , 92407, 92408,
	92409, 92410, 92411, 92412 ¹ , 92413 ¹ , 92414 ² , 92415 ² ,
	92416 ² , 92417 ² , 92418 ² , 92420 ² , 92423 ¹ , 92424 ² , 92427 ¹
Twentynine Palms (Base)	92278
Twentynine Palms Area (City)	92277
Upland Area	91784, 91785 ¹ , 91786
Victorville Area	92392, 92393 ¹ , 92394
Yucaipa Area	92399
Yucca Valley Area	92284, 92285 ¹ , 92286 ¹

^{*}See Table 3 for further details regarding these areas. ¹Post office box zip codes. Some data may be for non-residents of area. ²Unique zip codes (i.e. zip codes assigned to hospitals, universities, etc.).

Table 3
Cities/Communities Associated with Community Areas

Zip Code	Community	Zip Code	Community			
Big Bear Are	a	Lake Arrowhead Area (continued)				
92333	Fawnskin	92326	Crest Park			
92315	Big Bear Lake	92321	Cedar Glen			
92314	Big Bear City	92317	Blue Jay			
92386	Big Bear City	92352	Lake Arrowhead			
Crestline Are	ea	Phelan Area				
92391	Twin Peaks	92372	Pinon Hills			
92378	Rimforest	92329	Phelan			
92322	Cedarpines Park	92371	Phelan			
92325	Crestline	Running Sprin	ngs Area			
Lake Arrowh	nead Area	92341	Green Valley Lake			
92385	Skyforest	92382	Running Springs			

Note: This table lists five areas from Table 2 that consist of more than one city/community.

San Bernardino County Compared to California

In the following pages San Bernardino County's experience is compared to California for the maternal health and infant death data selected for analysis in the zip code profiles. County and State data is provided for the same five-year period (1989-1993) so comparisons can be made. For each of the variables, the overall rates are displayed Figures 2 through 7. Data by race/ethnicity are shown, along with the overall rates, in Tables 4 through 9.

For each of the variables studied, San Bernardino County's overall rates were worse than the state figures every year of the review period (figures 2 through 7). With a few exceptions, the rates for the same variables by race/ethnicity of mother were worse than the state as well (tables 4 through 9). It is interesting to note that the State and County overall rates, for each variable, follow similar trends from 1989 to 1993.

Due to the high interest in infant mortality, Figure 1 has been included to show the United States, California, and San Bernardino County trends in infant mortality in the years leading up to the five-year review period. From 1970 until 1983 San Bernardino County's infant mortality rate was below the national rate. Then, for eight of the next nine years, the county rate was as high or higher than the United States rate. In 1993, the county rate dropped below the national rate.




Figure 1

Low Birthweight Live Births (under 2500 grams)

The San Bernardino County percentage of low birthweight live births is consistently higher than the State rate each year of the review period (figure 2). The County and the State had slightly lower rates in 1993 than 1989. In San Bernardino County, Hispanics and whites had rates as high or higher than the State each year. Blacks, however, had slightly lower rates than the state the first four years (table 4).




Figure 2

Race/Ethnicity	Year								
of Mother	1989	1990	1991	1992	1993				
State of Californ	ia								
Total	6.1	5.8	5.8	5.9	6.0				
Black	13.8	12.5	12.7	12.8	12.7				
Hispanic	5.3	5.2	5.2	5.3	5.4				
White	5.3	5.1	5.0	5.2	5.3				
San Bernardino (County								
Total	6.8	6.5	6.3	6.5	6.6				
Black	12.6	11.3	12.2	12.5	12.9				
Hispanic	6.1	6.0	5.2	5.8	5.7				
White	6.2	6.0	5.9	5.8	6.2				

Table 4

Very Low Birthweight (under 1500 grams)

San Bernardino County had a higher percentage of very low birthweight live births than California every year from 1989 to 1993 (figure 3). Both the County and State experienced higher rates of very low birthweight in 1989 than any subsequent year. At the race/ethnicity level, the percentage of low birthweight live births in the County was as high or higher than the state every year, except for blacks, in 1989 (table 5).




Figure 3

Race/Ethnicity			Year		
of Mother	1989	1990	1991	1992	1993
State of Californ	ia				
Total	1.1	1.0	1.0	1.1	1.0
Black	3.0	2.7	2.7	2.9	2.8
Hispanic	0.9	0.9	0.9	0.9	0.9
White	0.9	0.8	0.9	0.9	0.9
San Bernardino (County				
Total	1.3	1.2	1.1	1.2	1.2
Black	2.7	2.9	2.7	3.3	2.9
Hispanic	1.3	1.0	0.9	0.9	1.1
White	1.0	1.0	1.0	1.0	1.1

Table 5

Late or No Prenatal Care

Both San Bernardino County and California appear to have experienced downward trends in the percentage of mothers receiving late or no prenatal care (figure 4). The San Bernardino County rate for black mothers was higher than the corresponding State rate each year except 1992 (table 6). The County rate for Hispanics was as high or higher than the state four of the five years. The rate for whites, however, was substantially higher than the California rate for whites all five years.




Figure 4

Race/Ethnicity	Year							
of Mother	1989	1990	1991	1992	1993			
State of Californ	ia							
Total	7.2	7.0	6.3	5.3	5.0			
Black	8.5	7.5	6.8	6.3	5.8			
Hispanic	11.5	11.0	9.7	7.8	7.0			
White	3.8	3.6	3.2	2.7	2.9			
San Bernardino (County							
Total	8.3	8.8	7.0	5.6	6.7			
Black	9.6	9.8	8.3	5.8	6.8			
Hispanic	12.1	13.4	9.7	7.6	8.8			
White	5.7	6.1	4.7	3.8	4.8			

Table 6

Live Births to Mothers 17 and Younger

The percentage of live births to mothers 17 and younger increased each year of the review period in San Bernardino County and the State (figure 5). Again, San Bernardino County had a higher proportion than California each of the five years. The proportion of live births to black mothers in San Bernardino County was slightly lower than the State proportion for blacks the first four years (table 7). The proportion for both Hispanics and whites in San Bernardino County were higher than the corresponding State proportions all five years.




Figure 5

Race/Ethnicity	Year								
of Mother	1989	1990	1991	1992	1993				
State of Californ	ia								
Total	4.1	4.3	4.5	4.6	4.8				
Black	7.9	7.5	7.7	7.8	7.8				
Hispanic	6.0	6.2	6.3	6.4	6.6				
White	2.3	2.4	2.5	2.5	2.6				
San Bernardino (County								
Total	4.7	4.8	5.3	5.4	5.7				
Black	7.8	6.9	7.6	7.0	8.2				
Hispanic	6.6	6.7	7.1	7.2	7.2				
White	3.3	3.6	3.7	3.7	4.0				

Table 7

Live Births to Mothers 19 and Younger

The percentage of live births to teens in California and San Bernardino County was higher in 1993 than 1989 (figure 6). The trends lines for the two jurisdictions nearly parallel each other. Both increase each year except from 1991 to 1992 when the State proportion does not change and the County proportion drops slightly. The proportion for blacks in San Bernardino County was higher than the State proportion for blacks each year except 1989 (table 8). Proportions for Hispanics and whites in San Bernardino County were higher than the state proportions all five years. Hispanic proportions, however, were only slightly higher, while the white proportions were much higher every year.




Figure 6

Race/Ethnicity			Year		
of Mother	1989	1990	1991	1992	1993
State of Californ	ia				
Total	11.4	11.6	11.8	11.8	12.0
Black	19.0	18.2	17.6	17.7	18.0
Hispanic	15.5	15.7	16.0	16.0	16.1
White	7.8	7.7	7.6	7.4	7.5
San Bernardino (County				
Total	13.2	13.5	13.9	13.8	14.4
Black	18.1	18.4	18.5	17.9	18.9
Hispanic	16.3	16.8	16.8	17.3	17.4
White	11.0	11.3	11.5	10.8	11.2

Table 8

Infant Mortality

The infant mortality rates for both California and San Bernardino County declined each year from 1989 to 1993 (figure 7). The San Bernardino County rate declined 26.9 percent, while the California rate declined 20 percent over the same time period. The County's rate for all three race/ethnicity groups was higher than the State rate each year of the review period (table 9).




Figure 7

Race/Ethnicity	Year								
of Mother	1989	1990	1991	1992	1993				
State of Californ	ia								
Total	8.5	7.9	7.5	6.9	6.8				
Black	19.2	16.7	16.4	16.7	15.5				
Hispanic	7.6	7.4	7.1	6.4	6.4				
White	7.8	7.4	7.0	6.3	6.2				
San Bernardino (County								
Total	10.8	9.9	9.3	8.6	7.9				
Black	24.0	21.0	20.3	16.8	17.1				
Hispanic	10.9	9.2	7.9	8.2	6.8				
White	9.2	9.0	8.6	7.3	7.5				

Table 9

Zip Code Summary

The 43 San Bernardino County zip codes are summarized in Table 10 on the following page. The five-year rates (or percentages) for each of the maternal health variables detailed in the zip code profiles are listed and ranked in the table. The highest rate is ranked 1 and the lowest rate is ranked 43. Table 10 is sorted in zip code order. Table 11 is the same table sorted by infant mortality rate. Again, the highest infant mortality rate is ranked 1 and the lowest infant mortality rate is ranked 43.

It is important to keep in mind when interpreting the rates, comparing one zip code to another, or comparing zip code rates to the County or State rates, a small change in the number of events may change the rate and the rank order of the rate or percentage. This is especially true of the smaller zip codes. For comparison, the number of live births and infant deaths for the five-year period have been listed for each zip code. It is recommended that when comparisons are made between zip codes, the zip code profiles be referenced to see the actual number of events used to calculate the rate. The larger the number of events, the more reliable the rate.

As noted in both tables, very low birthweight (<1500 grams) is a subset of low birthweight (<2500 grams). Consequently, the rates for these two variables are expected to be related. Similarly, the percentage of live births to mothers under age 18 is a subset of live births to mothers under age 20. These two variables will also be related.

The zip codes with the highest percentages of low and very low birthweight live births, live births to mothers receiving late or no prenatal care, and live births to mothers under age 18 or under age 20 can be easily identified in Table 10. The correlation of these same variables with infant mortality can be seen in Table 11. The zip codes with the highest infant mortality rates tend to also have the highest percentages (and ranks) of variables being studied.

Table 10 Summary Rank* of Maternal Health Variables, Sorted by Zip Code Selected San Bernardino County Zip Codes, 1989-1993

Zip	Infant	Live	V	LBW	LI	3W	Late/N	o Care	Mom	s <18	Mon	ns <20	IMR/1	000 LB
Code	Deaths	Births	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	Rate	Rank
91701	32	3,809	1.1	25	5.7	35	2.3	40	2.5	38	7.4	40	8.4	25
91709	21	4,556	0.7	38	4.0	42	1.5	43	1.6	40	4.7	43	4.6	41
91710	46	6,877	1.0	30	5.3	40	5.2	31	4.3	29	12.4	27	6.7	37
91730	46	5,408	1.3	14	5.6	38	3.8	38	3.3	35	10.1	34	8.5	23
91739	1	868	0.6	41	3.3	43	2.7	39	1.6	40	5.5	42	1.2	43
91761	77	7,650	0.8	37	5.5	39	7.6	18	4.9	24	13.5	25	10.1	14
91762	56	5,695	1.2	17	6.1	29	6.4	21	4.8	25	13.7	23	9.8	16
91763	23	3,261	1.2	17	6.4	24	6.3	23	6.1	9	15.5	14	7.1	36
91764	48	5,795	1.1	25	6.1	29	8.1	15	5.9	12	15.1	15	8.3	26
91786	42	5,626	1.2	17	6.7	17	4.1	37	3.8	32	10.8	33	7.5	32
92252	8	587	1.2	17	7.7	7	9.2	11	3.9	30	14.0	19	13.6	3
92277	18	2,060	0.9	33	6.5	21	8.0	16	6.1	9	19.6	2	8.7	22
92278	15	1,513	0.7	38	5.2	41	2.0	41	1.4	42	10.9	32	9.9	15
92284	13	1,367	1.7	4	7.2	11	9.6	9	5.2	21	15.9	13	9.5	18
92301	12	1,452	1.1	25	6.9	13	10.4	8	5.8	13	17.8	6	8.3	26
92307	21	2,824	1.0	30	6.9	13	5.3	30	5.6	18	14.8	17	7.4	33
92308	16	2,004	1.2	17	6.1	29	5.2	31	5.1	23	13.6	24	8.0	29
92310	7	1,098	1.0	30	5.8	33	2.0	41	1.0	43	7.3	41	6.4	38
92311	33	3,867	1.2	17	7.0	12	8.9	12	6.9	5	18.7	4	8.5	23
92314	7	556	0.4	43	7.6	8	7.4	19	3.8	32	11.2	30	12.6	6
92316	33	2,455	1.7	4	6.4	24	10.5	7	6.2	8	17.2	8	13.4	4
92324	71	6,814	1.5	6	6.7	17	8.5	14	5.5	19	13.8	21	10.4	11
92325	3	784	1.1	25	6.3	27	4.6	35	4.6	27	9.8	36	3.8	42
92335	126	13,013	1.2	17	6.5	21	9.5	10	5.4	20	14.3	18	9.7	17
92336	24	3,154	0.9	33	5.7	35	4.7	33	4.5	28	11.2	30	7.6	30
92345	40	5,281	0.9	33	6.4	24	5.8	26	5.8	13	15.0	16	7.6	30
92346	34	3,750	1.4	10	7.6	8	6.4	21	5.2	21	12.7	26	9.1	20
92354	16	1,448	1.5	6	6.5	21	5.5	29	3.4	34	8.8	38	11.0	10
92356	11	460	2.6	1	10.4	1	14.4	3	5.7	17	16.5	10	23.9	1
92359	5	542	0.7	38	5.7	35	6.3	23	2.4	39	9.2	37	9.2	19
92371	7	1,139	1.1	25	6.8	16	7.0	20	5.8	13	13.9	20	6.1	39
92373	17	2,343	1.2	17	6.0	32	4.7	33	2.7	37	8.4	39	7.3	35
92374	18	2,964	0.9	33	5.8	33	5.7	27	4.8	25	12.3	28	6.1	39
92376	88	8,605	1.4	10	6.7	17	7.7	17	6.3	7	16.0	12	10.2	13
92392	53	5,883	1.3	14	6.6	20	6.3	23	5.8	13	13.8	21	9.0	21
92399	19	2,579	0.6	41	6.2	28	5.7	27	3.9	30	11.7	29	7.4	33
92401	4	496	1.4	10	8.1	4	15.0	1	9.5	2	19.2	3	8.1	28
92404	63	5,581	1.3	14	7.9	6	8.9	12	6.6	6	16.7	9	11.3	8
92405	53	5,140	1.4	10	7.4	10	11.0	5	7.6	3	17.8	6	10.3	12
92407	33	2,984	1.5	6	6.9	13	4.4	36	3.2	36	9.9	35	11.1	9
92408	21	1,832	2.0	2	9.3	2	10.8	6	6.1	9	16.3	11	11.5	7
92410	91	7,142	1.5	6	8.1	4	13.3	4	7.5	4	18.0	5	12.7	5
92411	58	3,463	1.8	3	9.0	3	14.5	2	10.2	1	22.1	1	16.7	2

^(*) Ranks are based on the percentage or rate of each variable. The highest rate was ranked 1; the lowest rate was ranked 43.

Notes: 1) Very low birthweight (VLBW) are live births under 1500 grams. 2) Low birthweight (LBW) are all live births under 2500 grams. 3) Late/No Care represents mother's beginning prenatal care in the 3rd trimester or not receiving any prenatal care. 4) The categories Moms < 18 and Moms < 20 refer to live births to mothers under 18 and 20 years, respectively. 5) Because the very low birthweight counts are a subset of low birthweight, the percentages and ranks are expected to be correlated. The same is true of the two variables by mothers age. 6) It is important to consider the magnitude of the numbers used to calculate the rates or percentages. Rates calculated with small numbers are highly unreliable.

Source: California Department of Health Services, Master Birth and Death Files, 1989-1993.


Table 11
Summary Rank* of Maternal Health Variables, Sorted by IMR
Selected San Bernardino County Zip Codes, 1989-1993

Zip	Infant	Live	V	LBW	Ll	BW	Late/l	No Care	Mon	ıs <18	Mor	ns <20	IMR/1	000 LB
Code	Deaths	Births	%	Rank	%	Rank	%	Rank	%	Rank	%	Rank	Rate	Rank
92356	11	460	2.6	1	10.4	1	14.4	3	5.7	17	16.5	10	23.9	1
92411	58	3,463	1.8	3	9.0	3	14.5	2	10.2	1	22.1	1	16.7	2
92252	8	587	1.2	17	7.7	7	9.2	11	3.9	30	14.0	19	13.6	3
92316	33	2,455	1.7	4	6.4	24	10.5	7	6.2	8	17.2	8	13.4	4
92410	91	7,142	1.5	6	8.1	4	13.3	4	7.5	4	18.0	5	12.7	5
92314	7	556	0.4	43	7.6	8	7.4	19	3.8	32	11.2	30	12.6	6
92408	21	1,832	2.0	2	9.3	2	10.8	6	6.1	9	16.3	11	11.5	7
92404	63	5,581	1.3	14	7.9	6	8.9	12	6.6	6	16.7	9	11.3	8
92407	33	2,984	1.5	6	6.9	13	4.4	36	3.2	36	9.9	35	11.1	9
92354	16	1,448	1.5	6	6.5	21	5.5	29	3.4	34	8.8	38	11.0	10
92324	71	6,814	1.5	6	6.7	17	8.5	14	5.5	19	13.8	21	10.4	11
92405	53	5,140	1.4	10	7.4	10	11.0	5	7.6	3	17.8	6	10.3	12
92376	88	8,605	1.4	10	6.7	17	7.7	17	6.3	7	16.0	12	10.2	13
91761	77	7,650	0.8	37	5.5	39	7.6	18	4.9	24	13.5	25	10.1	14
92278	15	1,513	0.7	38	5.2	41	2.0	41	1.4	42	10.9	32	9.9	15
91762 92335	56	5,695	1.2	17 17	6.1	29	6.4	21	4.8	25	13.7	23	9.8	16 17
92335	126	13,013	1.2		6.5 7.2	21	9.5	10 9	5.4 5.2	20	14.3	18	9.7 9.5	
	13	1,367 542	1.7	4	7.2 5.7	11 35	9.6	_		21	15.9	13 37	9.5 9.2	18
92359	5	-	0.7	38	_		6.3	23	2.4	39	9.2	_	-	19
92346 92392	34 53	3,750 5,883	1.4	10 14	7.6 6.6	8	6.4	21 23	5.2 5.8	21 13	12.7 13.8	26 21	9.1 9.0	20 21
92392	53 18	2,060	0.9	33	6.5	20 21	8.0	23 16	5.6 6.1	9	19.6	21	9.0 8.7	21
91730	46	5,408	1.3	14	5.6	38	3.8	38	3.3	35	10.1	34	8.5	23
92311	33	3,867	1.2	17	7.0	12	8.9	12	6.9	5	18.7	4	8.5	23
91701	32	3,809	1.1	25	5.7	35	2.3	40	2.5	38	7.4	40	8.4	25
92301	12	1,452	1.1	25	6.9	13	10.4	8	5.8	13	17.8	6	8.3	26
91764	48	5,795	1.1	25	6.1	29	8.1	15	5.9	12	15.1	15	8.3	26
92401	4	496	1.4	10	8.1	4	15.0	1	9.5	2	19.2	3	8.1	28
92308	16	2,004	1.2	17	6.1	29	5.2	31	5.1	23	13.6	24	8.0	29
92345	40	5,281	0.9	33	6.4	24	5.8	26	5.8	13	15.0	16	7.6	30
92336	24	3,154	0.9	33	5.7	35	4.7	33	4.5	28	11.2	30	7.6	30
91786	42	5,626	1.2	17	6.7	17	4.1	37	3.8	32	10.8	33	7.5	32
92307	21	2,824	1.0	30	6.9	13	5.3	30	5.6	18	14.8	17	7.4	33
92399	19	2,579	0.6	41	6.2	28	5.7	27	3.9	30	11.7	29	7.4	33
92373	17	2,343	1.2	17	6.0	32	4.7	33	2.7	37	8.4	39	7.3	35
91763	23	3,261	1.2	17	6.4	24	6.3	23	6.1	9	15.5	14	7.1	36
91710	46	6,877	1.0	30	5.3	40	5.2	31	4.3	29	12.4	27	6.7	37
92310	7	1,098	1.0	30	5.8	33	2.0	41	1.0	43	7.3	41	6.4	38
92374	18	2,964	0.9	33	5.8	33	5.7	27	4.8	25	12.3	28	6.1	39
92371	7	1,139	1.1	25	6.8	16	7.0	20	5.8	13	13.9	20	6.1	39
91709	21	4,556	0.7	38	4.0	42	1.5	43	1.6	40	4.7	43	4.6	41
92325	3	784	1.1	25	6.3	27	4.6	35	4.6	27	9.8	36	3.8	42
91739	1	868	0.6	41	3.3	43	2.7	39	1.6	40	5.5	42	1.2	43

 $^{(*) \} Ranks \ are \ based \ on \ the \ percentage \ or \ rate \ of \ each \ variable. \ The \ highest \ rate \ was \ ranked \ 1; \ the \ lowest \ rate \ was \ ranked \ 43.$

Notes: 1) Very low birthweight (VLBW) are live births under 1500 grams. 2) Low birthweight (LBW) are all live births under 2500 grams. 3) Late/No Care represents mother's beginning prenatal care in the 3rd trimester or not receiving any prenatal care. 4) The categories Moms < 18 and Moms < 20 refer to live births to mothers under 18 and 20 years, respectively. 5) Because the very low birthweight counts are a subset of low birthweight, the percentages and ranks are expected to be correlated. The same is true of the two variables by mothers age. 6) It is important to consider the magnitude of the numbers used to calculate the rates or percentages. Rates calculated with small numbers are highly unreliable.

Source: California Department of Health Services, Master Birth and Death Files, 1989-1993.



San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data, San Bernardino County, 1989-1993

					YEAR			Five-Yea
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			30,584	33,393	33,021	32,821	32,249	
Black, No	n-Hispanio	c	2,787	2,859	3,103	3,148	3,044	
Hispanic			9,547	11,027	12,541	13,114	13,751	
White, No	n-Hispani	c	16,786	17,925	15,661	14,741	13,658	
Other/Unl	known		1,464	1,582	1,716	1,818	1,796	
		Live Births (<1500 grams)	, -	,	, -	,	,	
Number:		Ethnicities (397	387	369	402	401	
		on-Hispanic	74	82	85	104	88	
	Hispanic		125	112	110	123	145	
	White, N	on-Hispanic	175	178	153	147	148	
Percent:	All Race/I	Ethnicities	1.3	1.2	1.1	1.2	1.2	1.2
		on-Hispanic	2.7	2.9	2.7	3.3	2.9	2.9
	Hispanic		1.3	1.0	0.9	0.9	1.1	1.0
		on-Hispanic	1.0	1.0	1.0	1.0	1.1	1.0
		Births (<2500 grams)						
Number:		Ethnicities	2,086	2,177	2,076	2,138	2,129	
		on-Hispanic	350	323	380	392	392	
	Hispanic		586	662	655	756	780	
		on-Hispanic	1,049	1,078	927	859	841	
Percent:		Ethnicities	6.8	6.5	6.3	6.5	6.6	6.5
		on-Hispanic	12.6	11.3	12.2	12.5	12.9	12.3
	Hispanic	on-Hispanic	6.1 6.2	6.0	5.2	5.8 5.8	5.7 6.2	5.7
		•	0.2	6.0	5.9	5.8	6.2	6.0
All Race/E		re, by Trimester 1st Trimester	20.976	22,506	22 240	22 071	22 002	
All Race/E	umiciues.	2nd Trimester	20,876 7,060	7,857	23,318 7,267	23,971 6,798	22,903 6,956	
		3rd Trimester	1,676	1,995	1,524	1,242	1,449	
		None	842	952	774	586	687	
		Unknown	130	83	138	224	254	
		Percent Late or No Care	8.3	8.8	7.0	5.6	6.7	7.3
Black, Nor	n-Hispanic:	1st Trimester	1,707	1,794	2,103	2,244	2,136	
,	,	2nd Trimester	810	777	732	697	683	
		3rd Trimester	167	185	143	98	130	
		None	99	93	112	84	77	
		Unknown	4	10	13	25	18	
		Percent Late or No Care	9.6	9.8	8.3	5.8	6.8	8.0
Hispanic:		1st Trimester	5,585	6,247	7,688	8,490	8,754	
		2nd Trimester	2,768	3,280	3,568	3,510	3,668	
		3rd Trimester	774	1,028	852	724	854	
		None	373	443	360	269	338	
		Unknown	47	29	73	121	137	
		Percent Late or No Care	12.1	13.4	9.7	7.6	8.8	10.1

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data, San Bernardino County, 1989-1993


				YEAR			Five-Year		
		1989	1990	1991	1992	1993	Rate(1)		
Entry Into Prenatal Car	e, by Trimester (continued)								
White, Non-Hispanic:	1st Trimester	12,584	13,337	12,240	11,864	10,665			
	2nd Trimester	3,177	3,460	2,652	2,259	2,279			
	3rd Trimester	634	709	453	346	390			
	None	323	386	275	213	257			
	Unknown	68	33	41	59	67			
	Percent Late or No Care	5.7	6.1	4.7	3.8	4.8	5.1		
Live Births to Teenage									
All Race/Ethnicities:	17 and younger	1,448	1,604	1,748	1,759	1,834			
	18-19	2,579	2,891	2,843	2,780	2,799			
	Percent of Births to Mothers <18	4.7	4.8	5.3	5.4	5.7	5.2		
	Percent of Births to Mothers <20	13.2	13.5	13.9	13.8	14.4	13.8		
Black, Non-Hispanic:	17 and younger	218	196	236	220	249			
Black, Non Inopanie.	18-19	286	331	338	343	325			
	Percent of Births to Mothers <18		6.9	7.6		8.2	7.5		
	Percent of Births to Mothers < 20	_	18.4	7.6 18.5	7.0 17.9	0.2 18.9	7.5 18.4		
		_					10.4		
Hispanic:	17 and younger	632	734	891	949	989			
	18-19	927	1,116	1,219	1,318	1,409			
	Percent of Births to Mothers <18	6.6	6.7	7.1	7.2	7.2	7.0		
	Percent of Births to Mothers <20	16.3	16.8	16.8	17.3	17.4	17.0		
White, Non-Hispanic:	17 and younger	562	644	587	549	542			
, , , , , , , , , , , , , , , , , , , ,	18-19	1,277	1,382	1,213	1,047	985			
	Percent of Births to Mothers <18		3.6	3.7	3.7	4.0	3.7		
	Percent of Births to Mothers <20		11.3	11.5	10.8	11.2	11.2		
Infant Deaths									
Total		329	329	306	282	255			
Neonatal		200	201	190	172	157			
Post-Neonatal		129	128	116	110	98			
Disab Nan Ilianania		07	00	00	50	50			
Black, Non-Hispanic Neonatal		67 40	60 40	63 35	53 37	52 39			
Post-Neonatal		40 27	20	28	16	13			
i Ost-Neonatai		21	20	20	10	13			
Mananta		404	404	00	400	٥,			
Hispanic		104	101	99	108	94 54			
Neonatal Post-Neonatal		71 33	59 42	68 31	61 47	54 40			
r usi-ineunaidi		33	42	31	41	40			
White, Non-Hispanic		154	161	135	108	103			
Neonatal		85	98	80	65	61			
Post-Neonatal		69	63	55	43	42			
222.230.000					.0				
Infant Mortality Rate (p	er 1000 live births)	10.8	9.9	9.3	8.6	7.9	9.3		
mant mortanty hate (p	v. 1900 lite Mittidj	10.0	٥.٥	ال. ت	0.0	1.3	5.5		

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death



San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91701, 1989-1993

		1989	1990	YEAR 1991	1992	1993	Five-Year
Live Blad		1969	1990	1991	1992	1333	Rate(1)
Live Births Total		770	898	900	641	608	
	C Total Live Births	772 2.52	2.69	890 2.70	1.95	1.89	2.35
							2.00
Black, Non-Hi	spanic C Black, Non-Hispanic Live Births	37 1.33	46 1.61	60 1.93	42 1.33	43 1.41	1.53
	5 black, North hispanic Live bittis						1.55
Hispanic	2 Hispania Liva Dintha	133	133	161	139	115	1 1 1
	C Hispanic Live Births	1.39	1.21	1.28	1.06	0.84	1.14
White, Non-Hi		541	637	576	397	394	0.00
	C White, Non-Hispanic Live Births	3.22	3.55	3.68	2.69	2.88	3.23
Other/Unknow	<u>m</u>	61	82	93	63	56	
	eight Live Births (<1500 grams)						
	Race/Ethnicities	3	10	9	14	4	
	ack, Non-Hispanic	0 2	1 0	0 2	2 2	0	
	spanic nite, Non-Hispanic	∠ 1	9	6	9	4	
	•	-				-	4.4
	Race/Ethnicities ack, Non-Hispanic	0.4 0.0	1.1 2.2	1.0 0.0	2.2 4.8	0.7 0.0	1.1 1.3
	spanic	1.5	0.0	1.2	1.4	0.0	0.9
	nite, Non-Hispanic	0.2	1.4	1.0	2.3	1.0	1.1
	Live Births (<2500 grams)						
	Race/Ethnicities	46	54	50	35	33	
	nck, Non-Hispanic	1	8	7	2	3	
	spanic	6	5	7	7	4	
Wh	nite, Non-Hispanic	37	34	28	24	21	
	Race/Ethnicities	6.0	6.0	5.6	5.5	5.4	5.7
	ick, Non-Hispanic	2.7	17.4	11.7	4.8	7.0	9.2
	spanic	4.5	3.8	4.3	5.0	3.5	4.3
	nite, Non-Hispanic	6.8	5.3	4.9	6.0	5.3	5.7
All Race/Ethnic	tal Care, by Trimester ities: 1st Trimester	656	764	763	541	504	
All Nace/Lulling	2nd Trimester	87	123	109	83	82	
	3rd Trimester	21	6	14	11	19	
	None	3	4	2	5	2	
	Unknown	5	1	2	1	1	
	Percent Late or No Care	3.1	1.1	1.8	2.5	3.5	2.3
Black, Non-His	panic: 1st Trimester	31	33	48	35	35	
2.66.1, 1.61.1.1.6	2nd Trimester	5	13	9	7	7	
	3rd Trimester	1	0	2	0	1	
	None	0	0	0	0	0	
	Unknown	0	0	1	0	0	
	Percent Late or No Care	2.7	0.0	3.4	0.0	2.3	1.8
Hispanic:	1st Trimester	102	107	131	112	87	
•	2nd Trimester	20	24	26	24	22	
	3rd Trimester	9	2	3	3	4	
	None	1	0	1	0	1	
	Unknown	1	0	0	0	1	
	Percent Late or No Care	7.6	1.5	2.5	2.2	4.4	3.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91701, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		473	556	508	341	333	
	2nd Trimester	53	75	60	45	49	
	3rd Trimester None	10 2	3 3	7 1	6 5	11 1	
	Unknown	3	0	0	0	0	
	Percent Late or No Care	2.2	0.9	1.4	2.8	3.0	1.9
Live Births to Teenage			0.0		2.0	0.0	110
All Race/Ethnicities:	17 and younger	23	15	18	18	21	
	18-19	32	33	41	41	39	
	Percent of Births to Mothers <18	3.0	1.7	2.0	2.8	3.5	2.5
	Percent of Births to Mothers <20	7.1	5.3	6.6	9.2	9.9	7.4
Black, Non-Hispanic:	17 and younger	0	0	2	2	1	
,	18-19	2	2	8	3	5	
	Percent of Births to Mothers <18	0.0	0.0	3.3	4.8	2.3	2.2
	Percent of Births to Mothers <20	5.4	4.3	16.7	11.9	14.0	11.0
Hispanic:	17 and younger	10	6	7	7	5	
	18-19	6	5	6	19	11	
	Percent of Births to Mothers <18	7.5	4.5	4.3	5.0	4.3	5.1
	Percent of Births to Mothers <20	12.0	8.3	8.1	18.7	13.9	12.0
White, Non-Hispanic:	17 and younger	12	9	8	8	15	
	18-19	22	24	27	18	22	
	Percent of Births to Mothers <18	2.2	1.4	1.4	2.0	3.8	2.0
	Percent of Births to Mothers <20	6.3	5.2	6.1	6.5	9.4	6.5
Infant Deaths		_	_	_	_		
Total Neonatal		7 5	9 6	7 6	7 7	2 2	
Post-Neonatal		2	3	1	0	0	
Percent of SBC I	nfant Deaths	2.13	2.74	2.29	2.48	0.78	2.13
							2.10
Black, Non-Hispanic Neonatal		0 0	1 1	0 0	1 1	0	
Post-Neonatal		0	0	0	0	0	
	Black, Non-Hisp. Infant Deaths	0.00	1.67	0.00	1.89	0.00	0.68
Hispanic	,	1	2	3	2	0	
Neonatal		1	1	2	2	0	
Post-Neonatal		0	1	1	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.96	1.98	3.03	1.85	0.00	1.58
White, Non-Hispanic	:	4	6	3	3	2	
Neonatal		2	4	3	3	2	
Post-Neonatal		2	2	0	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	2.60	3.73	2.22	2.78	1.94	2.72
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.4

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91709, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			723	870	931	1,014	1,018	
Percent o	f SBC Tota	I Live Births	2.36	2.61	2.82	3.09	3.16	2.81
	n-Hispanio		19	26	36	36	31	
	f SBC Blac	k, Non-Hispanic Live Births	0.68	0.91	1.16	1.14	1.02	0.99
Hispanic	4 ODO 11:	ania Liva Dintha	112	148	185	217	251	4.50
		anic Live Births	1.17	1.34	1.48	1.65	1.83	1.52
	on-Hispani f SBC Whit	c te, Non-Hispanic Live Births	536 3.19	579 3.23	575 3.67	574 3.89	559 4.09	3.58
Other/Un		c, Non mapanic Live binns	56	117	135	187	177	3.30
		Live Births (<1500 grams)		117	133	107	177	
Number:		Ethnicities	13	4	8	4	4	
	Black, No	on-Hispanic	1	1	1	1	0	
	Hispanic		3	0	0	2	1	
		on-Hispanic	8	3	6	0	2	
Percent:		Ethnicities	1.8	0.5	0.9	0.4	0.4	0.7
	Hispanic	on-Hispanic	5.3 2.7	3.8 0.0	2.8 0.0	2.8 0.9	0.0 0.4	2.7 0.7
	•	on-Hispanic	1.5	0.5	1.0	0.0	0.4	0.7
Low Birthwe		Births (<2500 grams)						
Number:		Ethnicities	34	39	35	38	37	
	Black, No Hispanic	on-Hispanic	1 5	3 7	4 4	6 7	1 12	
		on-Hispanic	27	19	22	, 19	17	
Percent:		: Ethnicities	4.7	4.5	3.8	3.7	3.6	4.0
1 01001111		on-Hispanic	5.3	11.5	11.1	16.7	3.2	10.1
	Hispanic		4.5	4.7	2.2	3.2	4.8	3.8
.		on-Hispanic	5.0	3.3	3.8	3.3	3.0	3.7
All Race/E		re, by Trimester 1st Trimester	635	789	821	903	921	
All Nacc/L	.tririloitics.	2nd Trimester	76	67	92	96	75	
		3rd Trimester	5	10	11	10	14	
		None	3 4	3 1	3 4	3 2	7 1	
		Unknown	•	-			-	4.5
_,		Percent Late or No Care	1.1	1.5	1.5	1.3	2.1	1.5
Black, Nor	n-Hispanic:	1st Trimester 2nd Trimester	16 3	21	30	34	28	
		3rd Trimester	0	3 1	6 0	2 0	2 1	
		None	0	1	0	0	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	0.0	7.7	0.0	0.0	3.2	2.0
Hispanic:		1st Trimester	87	131	154	172	221	
		2nd Trimester	21	15	25	39	23	
		3rd Trimester None	2 2	1 1	3 1	4 2	5 2	
		Unknown	0	0	2	0	0	
		Percent Late or No Care	3.6	1.4	2.2	2.8	2.8	2.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91709, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		482	533	517	530	505	
	2nd Trimester	46	39	49	38	42	
	3rd Trimester None	3 1	6 1	6 2	4 1	7 4	
	Unknown	4	0	1	1	1	
	Percent Late or No Care	0.8	1.2	1.4	0.9	2.0	1.2
_ive Births to Teenage		0.0					
All Race/Ethnicities:	17 and younger	7	18	16	22	9	
	18-19	21	27	31	26	39	
	Percent of Births to Mothers <18	1.0	2.1	1.7	2.2	0.9	1.6
	Percent of Births to Mothers <20	3.9	5.2	5.0	4.7	4.7	4.7
Black, Non-Hispanic:	17 and younger	0	1	1	0	1	
	18-19	0	1	2	0	0	
	Percent of Births to Mothers <18	0.0	3.8	2.8	0.0	3.2	2.0
	Percent of Births to Mothers <20	0.0	7.7	8.3	0.0	3.2	4.1
Hispanic:	17 and younger	5	4	5	9	4	
	18-19	5	10	10	8	20	
	Percent of Births to Mothers <18	4.5	2.7	2.7	4.1	1.6	3.0
	Percent of Births to Mothers <20	8.9	9.5	8.1	7.8	9.6	8.8
White, Non-Hispanic:	17 and younger	2	13	10	10	4	
	18-19	15	16	16	16	15	
	Percent of Births to Mothers <18	0.4	2.2	1.7	1.7	0.7	1.4
	Percent of Births to Mothers <20	3.2	5.0	4.5	4.5	3.4	4.1
Infant Deaths		_		•			
Total Neonatal		7 5	4 2	6 5	3 2	1 0	
Post-Neonatal		2	2	1	1	1	
Percent of SBC I	nfant Deaths	2.13	1.22	1.96	1.06	0.39	1.40
		1	1				
Black, Non-Hispanic Neonatal		1	1	0 0	0 0	0	
Post-Neonatal		0	0	0	Ö	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	1.49	1.67	0.00	0.00	0.00	0.68
Hispanic	-	1	0	0	1	1	
Neonatal		1	0	0	1	0	
Post-Neonatal		0	0	0	0	1	
Percent of SBC I	Hispanic Infant Deaths	0.96	0.00	0.00	0.93	1.06	0.59
White, Non-Hispanic		5	2	5	1	0	
Neonatal		3	0	4	1	0	
Post-Neonatal		2	2	1	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	3.25	1.24	3.70	0.93	0.00	1.97
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	4.6

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91710, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			1,317	1,417	1,405	1,389	1,349	
Percent o	f SBC Tota	l Live Births	4.31	4.24	4.25	4.23	4.18	4.24
	n-Hispani		53	56	52	52	52	
Percent o	f SBC Blac	k, Non-Hispanic Live Births	1.90	1.96	1.68	1.65	1.71	1.77
Hispanic			464	547	663	688	741	
Percent o	f SBC Hisp	anic Live Births	4.86	4.96	5.29	5.25	5.39	5.17
-	on-Hispani		749	759	627	587	493	
Percent o	f SBC Whit	te, Non-Hispanic Live Births	4.46	4.23	4.00	3.98	3.61	4.08
Other/Un	known		51	55	63	62	63	
-		Live Births (<1500 grams)						
Number:		Ethnicities	20	11	14	10	17	
		on-Hispanic	3	3	2	1	3	
	Hispanic White N	on-Hispanic	6 11	0 8	6 6	3 5	9 4	
Davassate		·						4.0
Percent:		Ethnicities on-Hispanic	1.5 5.7	0.8 5.4	1.0 3.8	0.7 1.9	1.3 5.8	1.0 4.5
	Hispanic	•	1.3	0.0	0.9	0.4	1.2	0.8
	•	on-Hispanic	1.5	1.1	1.0	0.9	0.8	1.1
Low Birthwe		Births (<2500 grams)						
Number:		Ethnicities	77	68	69	80	69	
		on-Hispanic	7	9	9	3	6	
	Hispanic		24	28	22	42	37	
		on-Hispanic	42	30	34	30	22	
Percent:		Ethnicities	5.8	4.8	4.9	5.8	5.1	5.3
		on-Hispanic	13.2	16.1	17.3	5.8	11.5	12.8
	Hispanic White N	on-Hispanic	5.2 5.6	5.1 4.0	3.3 5.4	6.1 5.1	5.0 4.5	4.9 4.9
Entry Into P		re, by Trimester	0.0	7.0	0.4	0.1	7.0	7.5
All Race/E		1st Trimester	945	1080	1041	1063	1003	
, teles, =		2nd Trimester	288	253	301	260	271	
		3rd Trimester	64	54	50	49	50	
		None	15	26	12	17	20	
		Unknown	5	4	1	0	5	
		Percent Late or No Care	6.0	5.7	4.4	4.8	5.2	5.2
Black, Nor	n-Hispanic:	1st Trimester	40	40	35	44	39	
•	•	2nd Trimester	11	13	13	8	9	
		3rd Trimester	1	2	3	0	3	
		None	1	1	1	0	1	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	3.8	5.4	7.7	0.0	7.7	4.9
Hispanic:		1st Trimester	272	362	430	446	506	
		2nd Trimester	144	131	187	197	189	
		3rd Trimester	35	32	34	34	32	
		None Unknown	10 3	19 3	11 1	11 0	12 2	
		Percent Late or No Care	9.8	9.4	6.8	6.5	6.0	7.4

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91710, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		593	632	522	517	407	
	2nd Trimester	123	100	95	50	67	
	3rd Trimester None	27	20	10 0	14	13	
	Unknown	4 2	6 1	0	6 0	5 1	
	Percent Late or No Care	4.1	3.4	1.6	3.4	3.7	3.3
Live Births to Teenage		7.1	3.4	1.0	5.4	3.7	3.3
All Race/Ethnicities:	17 and younger	56	58	61	66	54	
	18-19	112	121	106	102	117	
	Percent of Births to Mothers <18	4.3	4.1	4.3	4.8	4.0	4.3
	Percent of Births to Mothers <20	12.8	12.6	11.9	12.1	12.7	12.4
Black, Non-Hispanic:	17 and younger	3	4	2	3	1	
	18-19	7	5	3	2	6	
	Percent of Births to Mothers <18	5.7	7.1	3.8	5.8	1.9	4.9
	Percent of Births to Mothers <20	18.9	16.1	9.6	9.6	13.5	13.6
Hispanic:	17 and younger	33	30	43	39	40	
	18-19	42	65	64	66	74	
	Percent of Births to Mothers <18	7.1	5.5	6.5	5.7	5.4	6.0
	Percent of Births to Mothers <20	16.2	17.4	16.1	15.3	15.4	16.0
White, Non-Hispanic:	17 and younger	19	24	15	23	10	
	18-19	62	49	37	33	36	
	Percent of Births to Mothers <18	2.5	3.2	2.4	3.9	2.0	2.8
	Percent of Births to Mothers <20	10.8	9.6	8.3	9.5	9.3	9.6
Infant Deaths Total		13	3	9	14	7	
Neonatal		11	1	5	9	6	
Post-Neonatal		2	2	4	5	1	
Percent of SBC I	nfant Deaths	3.95	0.91	2.94	4.96	2.75	3.06
Black, Non-Hispanic		2	2	1	2	1	
Neonatal		1	1	0	2	1	
Post-Neonatal		1	1	1	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	2.99	3.33	1.59	3.77	1.92	2.71
Hispanic		7	1	4	5	4	
Neonatal		6	0	3	3	4	
Post-Neonatal		1	1	1	2	0	
Percent of SBC I	Hispanic Infant Deaths	6.73	0.99	4.04	4.63	4.26	4.15
White, Non-Hispanic	:	4	0	4	6	1	
Neonatal		4	0	2	4	0	
Post-Neonatal		0	0	2	2	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	2.60	0.00	2.96	5.56	0.97	2.27
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	6.7

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91730, 1989-1993

		1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births		1303	1330	1331	1332	1333	Nate(1)
Total		1,034	1,079	1,140	1,076	1,079	
	C Total Live Births	3.38	3.23	3.45	3.28	3.35	3.34
Black, Non-H	isnanic	75	78	95	89	95	
	C Black, Non-Hispanic Live Births	2.69	2.73	3.06	2.83	3.12	2.89
Hispanic		260	300	359	334	341	
	C Hispanic Live Births	2.72	2.72	2.86	2.55	2.48	2.66
	·						2.00
White, Non-F	C White, Non-Hispanic Live Births	635 3.78	641 3.58	606 3.87	560 3.80	557 4.08	3.81
	·						0.01
Other/Unkno		64	60	80	93	86	
	veight Live Births (<1500 grams) Race/Ethnicities	0	10	18	1.1	19	
	ack, Non-Hispanic	8 0	4	7	14 2	19	
	ispanic	5	1	4	4	3	
	hite, Non-Hispanic	3	4	3	3	11	
	Race/Ethnicities	0.8	0.9	1.6	1.3	1.8	1.3
	ack, Non-Hispanic	0.0	5.1	7.4	2.2	2.1	3.5
	ispanic .	1.9	0.3	1.1	1.2	0.9	1.1
V	hite, Non-Hispanic	0.5	0.6	0.5	0.5	2.0	0.8
	t Live Births (<2500 grams)						
	Race/Ethnicities	44	67	69	59	63	
	ack, Non-Hispanic	7	11	18	8	15	
	spanic 'hite, Non-Hispanic	11 22	14 36	19 24	17 21	13 28	
	•						
	Race/Ethnicities	4.3 9.3	6.2 14.1	6.1 18.9	5.5	5.8	5.6 13.7
	ack, Non-Hispanic ispanic	9.3 4.2	4.7	5.3	9.0 5.1	15.8 3.8	4.6
	hite, Non-Hispanic	3.5	5.6	4.0	3.8	5.0	4.4
	atal Care, by Trimester						
All Race/Ethni		788	837	883	856	863	
	2nd Trimester	198	196	207	194	173	
	3rd Trimester	37	35	35	16	32	
	None	9	11	13	8	9	
	Unknown	2	0	2	2	2	
	Percent Late or No Care	4.5	4.3	4.2	2.2	3.8	3.8
Black, Non-Hi	spanic: 1st Trimester	49	59	70	69	83	
	2nd Trimester	23	18	21	18	8	
	3rd Trimester	3	1	1	1	2	
	None	0	0	2	1	2	
	Unknown	0	0	1	0	0	
	Percent Late or No Care	4.0	1.3	3.2	2.2	4.2	3.0
Hispanic:	1st Trimester	169	200	237	270	247	
	2nd Trimester	69	74	94	58	77	
	3rd Trimester	15	18	18	2	13	
	None	6	8	10	3 1	4	
	Unknown	1	0	0	-	0	
	Percent Late or No Care	8.1	8.7	7.8	1.5	5.0	6.1

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91730, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		525	532	514	451	468	
	2nd Trimester	92	95	79	96	70	
	3rd Trimester None	15 2	12 2	11 1	8 4	14	
	Unknown	1	0	1	1	3 2	
	Percent Late or No Care	2.7	2.2	2.0	2.1	3.1	2.4
Live Births to Teenage		2.1	2.2	2.0	Z. I	3.1	2.4
All Race/Ethnicities:	17 and younger	23	25	46	44	40	
	18-19	65	77	80	68	78	
	Percent of Births to Mothers <18	2.2	2.3	4.0	4.1	3.7	3.3
	Percent of Births to Mothers <20	8.5	9.5	11.1	10.4	10.9	10.1
Black, Non-Hispanic:	17 and younger	3	0	8	4	2	
	18-19	6	10	8	5	7	
	Percent of Births to Mothers <18	4.0	0.0	8.4	4.5	2.1	3.9
	Percent of Births to Mothers <20	12.0	12.8	16.8	10.1	9.5	12.3
Hispanic:	17 and younger	10	10	21	17	17	
	18-19	22	27	36	36	36	
	Percent of Births to Mothers <18	3.8	3.3	5.8	5.1	5.0	4.7
	Percent of Births to Mothers <20	12.3	12.3	15.9	15.9	15.5	14.6
White, Non-Hispanic:	17 and younger	10	15	16	23	18	
	18-19	32	39	34	22	33	
	Percent of Births to Mothers <18	1.6	2.3	2.6	4.1	3.2	2.7
	Percent of Births to Mothers <20	6.6	8.4	8.3	8.0	9.2	8.1
Infant Deaths		0	0	40	40	7	
Total Neonatal		9 5	8 5	12 4	10 6	7 3	
Post-Neonatal		4	3	8	4	4	
Percent of SBC I	nfant Deaths	2.74	2.43	3.92	3.55	2.75	3.06
Black, Non-Hispanic		0	0	7	1	1	
Neonatal		0	0	1	1	0	
Post-Neonatal		0	0	6	0	1	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	11.11	1.89	1.92	3.05
Hispanic	-	3	1	2	3	3	
Neonatal		2	Ö	1	2	1	
Post-Neonatal		1	1	1	1	2	
Percent of SBC I	Hispanic Infant Deaths	2.88	0.99	2.02	2.78	3.19	2.37
White, Non-Hispanic	:	6	6	2	5	3	
Neonatal		3	4	2	2	2	
Post-Neonatal		3	2	0	3	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	3.90	3.73	1.48	4.63	2.91	3.33
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.5

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91739, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			194	178	163	180	153	
Percent o	f SBC Tota	l Live Births	0.63	0.53	0.49	0.55	0.47	0.54
Black, No	n-Hispanio	C	7	5	5	5	12	
Percent o	f SBC Blac	k, Non-Hispanic Live Births	0.25	0.17	0.16	0.16	0.39	0.23
Hispanic			27	36	32	38	42	
Percent o	f SBC Hisp	anic Live Births	0.28	0.33	0.26	0.29	0.31	0.29
•	n-Hispani		153	127	115	123	89	
Percent o	f SBC Whit	te, Non-Hispanic Live Births	0.91	0.71	0.73	0.83	0.65	0.77
Other/Un	known		7	10	11	14	10	
-		Live Births (<1500 grams)	_			_		
Number:		Ethnicities	1	1	0	2 0	1	
	Hispanic	on-Hispanic	0 1	0 1	0 0	0	0 0	
		on-Hispanic	0	0	0	2	1	
Percent:		Ethnicities	0.5	0.6	0.0	1.1	0.7	0.6
. 5.55111.		on-Hispanic	0.0	0.0	0.0	0.0	0.0	0.0
	Hispanic	·	3.7	2.8	0.0	0.0	0.0	1.1
		on-Hispanic	0.0	0.0	0.0	1.6	1.1	0.5
		Births (<2500 grams)				_	_	
Number:		Ethnicities	6	4	6	9	4 1	
	Hispanic	on-Hispanic	0 1	0 3	0 1	0 3	0	
		on-Hispanic	5	1	3	4	2	
Percent:	All Race/l	Ethnicities	3.1	2.2	3.7	5.0	2.6	3.3
		on-Hispanic	0.0	0.0	0.0	0.0	8.3	2.9
	Hispanic		3.7	8.3	3.1	7.9	0.0	4.6
		on-Hispanic	3.3	0.8	2.6	3.3	2.2	2.5
		re, by Trimester	470	4.40	400	4.40	404	
All Race/E	tnnicities:	1st Trimester 2nd Trimester	172 19	148 23	139 20	148 26	131 13	
		3rd Trimester	2	6	20	4	7	
		None	0	0	0	1	1	
		Unknown	1	1	2	1	1	
		Percent Late or No Care	1.0	3.4	1.2	2.8	5.3	2.7
Black, Nor	n-Hispanic:	1st Trimester	7	3	4	5	9	
, -	•	2nd Trimester	0	2	1	0	1	
		3rd Trimester	0	0	0	0	2	
		None Unknown	0 0	0 0	0 0	0 0	0	
			-		_	•	_	
		Percent Late or No Care	0.0	0.0	0.0	0.0	16.7	5.9
Hispanic:		1st Trimester	22	28	27	28	39	
		2nd Trimester 3rd Trimester	5	7	5	7	1	
		None	0 0	1 0	0 0	2 1	2 0	
		Unknown	0	0	0	0	0	

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91739, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	138	111	99	107	78	
·	2nd Trimester	14	12	14	14	7	
	3rd Trimester	1	4	1	1	2	
	None	0	0	1	1	1	
	Unknown	0	0	0	0	1	
	Percent Late or No Care	0.7	3.1	1.7	1.6	3.4	2.0
Live Births to Teenage	Mothers						
All Race/Ethnicities:	17 and younger	1	5	2	2	4	
	18-19	8	9	6	6	5	
	Percent of Births to Mothers <18	0.5	2.8	1.2	1.1	2.6	1.6
	Percent of Births to Mothers <20	4.6	7.9	4.9	4.4	5.9	5.5
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	
ыаск, пон-піврапіс.	17 and younger 18-19	0	0	0	0	0	
		_	_	_	_	_	
	Percent of Births to Mothers <18	0.0	0.0	0.0	0.0	0.0	0.0
	Percent of Births to Mothers <20	0.0	0.0	0.0	0.0	0.0	0.0
Hispanic:	17 and younger	1	4	1	0	3	
	18-19	1	3	2	3	3	
	Percent of Births to Mothers <18	3.7	11.1	3.1	0.0	7.1	5.1
	Percent of Births to Mothers <20	7.4	19.4	9.4	7.9	14.3	12.0
White New Hieronia	17 and younger	0	1	1	2	1	
White, Non-Hispanic:	17 and younger 18-19	7	6	4	2	1	
				-		_	
	Percent of Births to Mothers <18	0.0	0.8	0.9	1.6	1.1	0.8
	Percent of Births to Mothers <20	4.6	5.5	4.3	3.3	2.2	4.1
nfant Deaths		0	0	0	0	4	
Total Neonatal		0 0	0 0	0 0	0 0	1 1	
Post-Neonatal		0	0	0	0	0	
	(_	_		_	_	0.07
Percent of SBC I	infant Deaths	0.00	0.00	0.00	0.00	0.39	0.07
Black, Non-Hispanic	:	0	0	0	0	1	
Neonatal		0	0	0	0	1	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	1.92	0.34
Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	Ö	0	Ö	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic	·	0.00	_	_	_	_	0.00
Neonatal	•	0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
	Alleite New Hier L.C. (B. 1)	-	_		_	_	0.00
	White, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	1.2 *

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91761, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			1,507	1,625	1,537	1,519	1,462	
Percent o	f SBC Tota	l Live Births	4.93	4.87	4.65	4.63	4.53	4.72
	n-Hispanio		80	97	95	97	84	
	f SBC Blac	k, Non-Hispanic Live Births	2.87	3.39	3.06	3.08	2.76	3.03
Hispanic	4 ODO 1 15-m	ania Liva Dintha	764	817	890	908	909	7.45
		anic Live Births	8.00	7.41	7.10	6.92	6.61	7.15
•	on-Hispanio	c te, Non-Hispanic Live Births	614 3.66	646 3.60	479 3.06	447 3.03	406 2.97	3.29
Other/Un		e, Non-i lispanic Live billis	49	65	73	67	63	5.29
		Live Births (<1500 grams)	49	00	13	07	03	
Number:		Ethnicities	10	20	17	7	9	
		on-Hispanic	1	1	1	2	1	
	Hispanic		6	9	10	2	3	
		on-Hispanic	3	9	5	2	5	
Percent:		Ethnicities	0.7	1.2	1.1	0.5	0.6	0.8
		on-Hispanic	1.3 0.8	1.0	1.1	2.1 0.2	1.2 0.3	1.3 0.7
	Hispanic White, N	on-Hispanic	0.6	1.1 1.4	1.1 1.0	0.2	1.2	0.7
Low Birthwe		Births (<2500 grams)						
Number:		Ethnicities	70	95	97	80	82	
		on-Hispanic	9	10	18	16	10	
	Hispanic	on-Hispanic	35 26	41 37	46 29	44 15	42 28	
5 .		·						
Percent:		Ethnicities on-Hispanic	4.6 11.3	5.8 10.3	6.3 18.9	5.3 16.5	5.6 11.9	5.5 13.9
	Hispanic		4.6	5.0	5.2	4.8	4.6	4.9
	•	on-Hispanic	4.2	5.7	6.1	3.4	6.9	5.2
		re, by Trimester						
All Race/E	thnicities:	1st Trimester	1033	1099	1023	1070	1043	
		2nd Trimester 3rd Trimester	355 67	392 95	397 82	342 78	302 81	
		None	45	39	32	29	31	
		Unknown	7	0	3	0	5	
		Percent Late or No Care	7.5	8.2	7.4	7.0	7.7	7.6
Black. Nor	n-Hispanic:	1st Trimester	53	74	61	63	67	
,	.,	2nd Trimester	20	18	25	27	12	
		3rd Trimester	5	5	6	5	5	
		None Unknown	2 0	0 0	3 0	2 0	0	
			-		_	_	_	- ^
		Percent Late or No Care	8.8	5.2	9.5	7.2	6.0	7.3
Hispanic:		1st Trimester	438	468	518	587	585	
		2nd Trimester 3rd Trimester	233 51	249 67	292 60	243 56	232 63	
		None	39	33	20	22	25	
		Unknown	3	0	0	0	4	
		Percent Late or No Care	11.8	12.2	9.0	8.6	9.7	10.2

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91761, 1989-1993

				YEAR			Five-Yea
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	501	506	386	374	347	
	2nd Trimester	96	112	68	56	44	
	3rd Trimester	9	22	14	13	8	
	None	4	6	8	4	6	
	Unknown	4	0	3	0	1	
	Percent Late or No Care	2.1	4.3	4.6	3.8	3.5	3.6
Live Births to Teenage	Mothers						
All Race/Ethnicities:	17 and younger	65	78	80	74	79	
	18-19	120	130	143	133	131	
	Percent of Births to Mothers <18	4.3	4.8	5.2	4.9	5.4	4.9
	Percent of Births to Mothers <20	12.3	12.8	14.5	13.6	14.4	13.5
Black, Non-Hispanic:	17 and younger	4	3	6	7	8	
Black, Non Thopanic.	18-19	7	11	9	9	8	
		-		_	_	_	0.0
	Percent of Births to Mothers <18	5.0	3.1	6.3	7.2	9.5	6.2
	Percent of Births to Mothers <20	13.8	14.4	15.8	16.5	19.0	15.9
Hispanic:	17 and younger	44	56	62	51	55	
	18-19	70	72	97	97	101	
	Percent of Births to Mothers <18	5.8	6.9	7.0	5.6	6.1	6.3
	Percent of Births to Mothers <20	14.9	15.7	17.9	16.3	17.2	16.4
White, Non-Hispanic:	17 and younger	16	18	10	13	16	
write, rion mapanio.	18-19	42	44	36	24	20	
							0.0
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	2.6 9.4	2.8 9.6	2.1 9.6	2.9 8.3	3.9 8.9	2.8 9.2
Infant Deaths	1 ercent of Bittis to Mothers \20	3.4	9.0	3.0	0.5	0.9	3.2
Infant Deaths Total		10	21	16	12	0	
Neonatal		18 7	14	16 8	13 6	9 5	
Post-Neonatal		11	7	8	7	4	
	lefant Daatha		-			-	F 40
Percent of SBC I	Infant Deaths	5.47	6.38	5.23	4.61	3.53	5.13
Black, Non-Hispanic		2	3	4	4	0	
Neonatal		1	1	1	2	0	
Post-Neonatal		1	2	3	2	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	2.99	5.00	6.35	7.55	0.00	4.41
Hispanic		11	10	8	6	5	
Neonatal		4	6	5	3	3	
Post-Neonatal		7	4	3	3	2	
	Hispanic Infant Deaths	10.58	9.90	8.08	5.56	5.32	7.91
White, Non-Hispanic	·						7.0
Neonatal	•	5 2	8 7	4 2	3 1	3 2	
Post-Neonatal		3	1	2	2	1	
	Mhite Neg Hier Jefert Deeth		•	_	_	•	0.40
	White, Non-Hisp. Infant Deaths	3.25	4.97	2.96	2.78	2.91	3.48
Infant Mortality Rate (p	er 1000 live births)	*	12.9	*	*	*	10.1

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91762, 1989-1993

		1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births		1909	1990	1331	1334	1933	Naie(1)
Total		932	1,143	1,207	1,200	1,213	
Percent of SBC Total Live Births		3.05	3.42	3.66	3.66	3.76	3.51
Black, Non-Hispanic		67	70	85	84	81	
Percent of SBC Black, Non-Hispanic Live Births		2.40	2.45	2.74	2.67	2.66	2.59
Hispanic		387	514	638	676	722	
Percent of SBC Hispanic Live Births		4.05	4.66	5.09	5.15	5.25	4.90
White, Non-Hispanic		438	516	433	387	354	
Percent of SBC White, Non-Hispanic L	ive Rirths	430 2.61	2.88	433 2.76	2.63	2.59	2.70
·	IVC DITTIO						2.70
Other/Unknown	• `	40	43	51	53	56	
Very Low Birthweight Live Births (<1500 Number: All Race/Ethnicities	o grams)	5	19	16	14	15	
Black, Non-Hispanic		0	3	3	5	15	
Hispanic		5	9	8	2	10	
White, Non-Hispanic		0	7	5	5	2	
Percent: All Race/Ethnicities		0.5	1.7	1.3	1.2	1.2	1.2
Black, Non-Hispanic		0.0	4.3	3.5	6.0	1.2	3.1
Hispanic		1.3	1.8	1.3	0.3	1.4	1.2
White, Non-Hispanic		0.0	1.4	1.2	1.3	0.6	0.9
Low Birthweight Live Births (<2500 grain	ms)						
Number: All Race/Ethnicities		46	77	76	83	64	
Black, Non-Hispanic		5 18	7 37	14 32	17 35	9 36	
Hispanic White, Non-Hispanic		22	37 32	32 29	28	14	
·							6.4
Percent: All Race/Ethnicities Black, Non-Hispanic		4.9 7.5	6.7 10.0	6.3 16.5	6.9 20.2	5.3 11.1	6.1 13.4
Hispanic		4.7	7.2	5.0	5.2	5.0	5.4
White, Non-Hispanic		5.0	6.2	6.7	7.2	4.0	5.9
Entry Into Prenatal Care, by Trimester							
All Race/Ethnicities: 1st Trimester		638	798	825	840	869	
2nd Trimester		228	248	312	288	265	
3rd Trimester		48	56	46	52	55	
None Unknown		14 4	35 6	23 1	15 5	21 3	
			_	-	_		
Percent Late or	No Care	6.7	8.0	5.7	5.6	6.3	6.4
Black, Non-Hispanic: 1st Trimester		41	45	63	65	64	
2nd Trimester		20	19	17	17	13	
3rd Trimester		4	2	2	1	3	
None Unknown		2 0	4 0	3 0	1 0	1 0	
	. N O	_	_			_	. .
Percent Late or	No Care	9.0	8.6	5.9	2.4	4.9	5.9
Hispanic: 1st Trimester		233	310	369	433	485	
2nd Trimester		117	141	218	191	178	
3rd Trimester None		25 9	40 20	37 13	41 Ω	43 15	
Unknown		3	3	13	8 3	15	
	. No Core					-	0.0
Percent Late or	NO Care	8.9	11.7	7.8	7.3	8.0	8.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91762, 1989-1993

		YEAR					Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		337	412	350	310	274	
	2nd Trimester	80	81	70	63	65	
	3rd Trimester None	18 2	11 10	7 6	7 5	8 5	
	Unknown	1	2	0	2	2	
	Percent Late or No Care	4.6	4.1	3.0	3.1	3.7	3.7
Live Births to Teenage		4.0		0.0	0	0.7	0
All Race/Ethnicities:	17 and younger	52	51	49	61	62	
	18-19	87	101	110	104	101	
	Percent of Births to Mothers <18	5.6	4.5	4.1	5.1	5.1	4.8
	Percent of Births to Mothers <20	14.9	13.3	13.2	13.8	13.4	13.7
Black, Non-Hispanic:	17 and younger	8	6	0	7	5	
	18-19	3	9	8	10	16	
	Percent of Births to Mothers <18	11.9	8.6	0.0	8.3	6.2	6.7
	Percent of Births to Mothers <20	16.4	21.4	9.4	20.2	25.9	18.6
Hispanic:	17 and younger	27	36	34	43	44	
	18-19	45	50	68	63	59	
	Percent of Births to Mothers <18	7.0	7.0	5.3	6.4	6.1	6.3
	Percent of Births to Mothers <20	18.6	16.7	16.0	15.7	14.3	16.0
White, Non-Hispanic:	17 and younger	16	9	14	10	13	
	18-19	35	40	34	31	25	
	Percent of Births to Mothers <18	3.7	1.7	3.2	2.6	3.7	2.9
	Percent of Births to Mothers <20	11.6	9.5	11.1	10.6	10.7	10.7
Infant Deaths		40	40	40	0	40	
Total Neonatal		10 6	12 8	13 9	9 6	12 7	
Post-Neonatal		4	4	4	3	5	
Percent of SBC I	nfant Deaths	3.04	3.65	4.25	3.19	4.71	3.73
Black, Non-Hispanic		2	3	1	2	2	
Neonatal		1	3	1	1	2	
Post-Neonatal		1	0	0	1	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	2.99	5.00	1.59	3.77	3.85	3.39
Hispanic		4	7	7	2	9	
Neonatal		4	5	5	1	4	
Post-Neonatal		0	2	2	1	5	
Percent of SBC I	Hispanic Infant Deaths	3.85	6.93	7.07	1.85	9.57	5.73
White, Non-Hispanic	:	4	2	5	5	1	
Neonatal		1	0	3	4	1	
Post-Neonatal		3	2	2	1	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	2.60	1.24	3.70	4.63	0.97	2.57
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	9.8

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91763, 1989-1993

	4000	4000	YEAR	4000	4000	Five-Year
	1989	1990	1991	1992	1993	Rate(1)
Live Births			.			
Total Percent of SBC Total Live Births	612 2.00	598 1.70	692 2.10	692 2.11	667 2.07	2.04
		1.79				2.01
Black, Non-Hispanic	60	69	75	58	46	0.00
Percent of SBC Black, Non-Hispanic Live Births	2.15	2.41	2.42	1.84	1.51	2.06
Hispanic	268	264	374	414	433	
Percent of SBC Hispanic Live Births	2.81	2.39	2.98	3.16	3.15	2.92
White, Non-Hispanic	248	224	194	172	143	
Percent of SBC White, Non-Hispanic Live Births	1.48	1.25	1.24	1.17	1.05	1.25
Other/Unknown	36	41	49	48	45	
Very Low Birthweight Live Births (<1500 grams)						
Number: All Race/Ethnicities	9	12	1	9	7	
Black, Non-Hispanic	2	4	0	1	0	
Hispanic White, Non-Hispanic	4 1	7 1	0 1	6 2	6 1	
·	-	-	-		-	
Percent: All Race/Ethnicities	1.5	2.0	0.1	1.3	1.0	1.2
Black, Non-Hispanic Hispanic	3.3 1.5	5.8 2.7	0.0 0.0	1.7 1.4	0.0 1.4	2.3 1.3
White, Non-Hispanic	0.4	0.4	0.5	1.4	0.7	0.6
Low Birthweight Live Births (<2500 grams)	.	<u> </u>	0.0			0.0
Number: All Race/Ethnicities	51	42	37	41	38	
Black, Non-Hispanic	8	7	5	8	9	
Hispanic	22	19	22	22	23	
White, Non-Hispanic	17	12	7	9	5	
Percent: All Race/Ethnicities	8.3	7.0	5.3	5.9	5.7	6.4
Black, Non-Hispanic	13.3	10.1	6.7	13.8	19.6	12.0
Hispanic	8.2	7.2	5.9	5.3	5.3	6.2
White, Non-Hispanic	6.9	5.4	3.6	5.2	3.5	5.1
Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester	418	393	494	475	497	
2nd Trimester	156	393 155	494 154	475 178	129	
3rd Trimester	28	35	34	28	33	
None	9	14	9	9	6	
Unknown	1	1	1	2	2	
Percent Late or No Care	6.1	8.2	6.2	5.4	5.9	6.3
Black, Non-Hispanic: 1st Trimester	40	44	52	43	36	
2nd Trimester	17	18	16	15	8	
3rd Trimester	2	6	4	0	2	
None	1	1	2	0	0	
Unknown	0	0	1	0	0	
Percent Late or No Care	5.0	10.1	8.1	0.0	4.3	5.9
Hispanic: 1st Trimester	174	157	255	255	309	
2nd Trimester	77	82	96	128	94	
3rd Trimester	13	18	21	22	25	
None	4	6	2	7	3	
Unknown	0	1	0	2	2	
Percent Late or No Care	6.3	9.1	6.1	7.0	6.5	6.9

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91763, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		176	163	148	141	116	
	2nd Trimester	56	47	37	24	20	
	3rd Trimester None	11 4	10 4	5 4	6 1	5 2	
	Unknown	4 1	0	0	0	0	
	Percent Late or No Care	6.1	6.3	4.6	4.1	4.9	5.3
Live Births to Teenage		0.1	0.3	4.0	4.1	4.9	5.3
All Race/Ethnicities:	17 and younger	32	29	46	46	46	
	18-19	60	57	66	65	57	
	Percent of Births to Mothers <18	5.2	4.8	6.6	6.6	6.9	6.1
	Percent of Births to Mothers <20	15.0	14.4	16.2	16.0	15.4	15.5
Black, Non-Hispanic:	17 and younger	5	5	7	5	5	
	18-19	9	10	5	9	4	
	Percent of Births to Mothers <18	8.3	7.2	9.3	8.6	10.9	8.8
	Percent of Births to Mothers <20	23.3	21.7	16.0	24.1	19.6	20.8
Hispanic:	17 and younger	19	15	27	36	32	
	18-19	26	30	36	43	44	
	Percent of Births to Mothers <18	7.1	5.7	7.2	8.7	7.4	7.4
	Percent of Births to Mothers <20	16.8	17.0	16.8	19.1	17.6	17.6
White, Non-Hispanic:	17 and younger	8	9	12	5	9	
	18-19	23	16	18	11	7	
	Percent of Births to Mothers <18	3.2	4.0	6.2	2.9	6.3	4.4
	Percent of Births to Mothers <20	12.5	11.2	15.5	9.3	11.2	12.0
Infant Deaths		_	_	•			
Total Neonatal		5 2	7 4	6 3	1 0	4 4	
Post-Neonatal		3	3	3	1	0	
Percent of SBC I	nfant Deaths	1.52	2.13	1.96	0.35	1.57	1.53
							1.00
Black, Non-Hispanic Neonatal		0 0	1 1	1 0	0 0	0	
Post-Neonatal		0	0	1	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	1.67	1.59	0.00	0.00	0.68
Hispanic	·	3	4	1	1	2	
Neonatal		2	2	1	Ö	2	
Post-Neonatal		1	2	0	1	0	
Percent of SBC I	Hispanic Infant Deaths	2.88	3.96	1.01	0.93	2.13	2.17
White, Non-Hispanic		2	2	4	0	2	
Neonatal		0	1	2	Ö	2	
Post-Neonatal		2	1	2	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	1.24	2.96	0.00	1.94	1.51
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	7.1

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91764, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			1,079	1,130	1,209	1,184	1,193	
Percent of	f SBC Tota	l Live Births	3.53	3.38	3.66	3.61	3.70	3.58
	n-Hispani		105	67	95	91	95	
Percent of	f SBC Blac	k, Non-Hispanic Live Births	3.77	2.34	3.06	2.89	3.12	3.03
Hispanic	(ODO 11:	and the District	516	632	707	770	762	5.05
		anic Live Births	5.40	5.73	5.64	5.87	5.54	5.65
•	on-Hispanio		414 2.47	383 2.14	362 2.31	281 1.91	269 1.97	2 17
		te, Non-Hispanic Live Births						2.17
Other/Un		Live Diethe (4500 mans)	44	48	45	42	67	
Number:		Live Births (<1500 grams) Ethnicities	13	6	21	8	13	
rannon.		on-Hispanic	3	0	5	3	0	
	Hispanic		4	2	10	3	8	
	White, N	on-Hispanic	4	4	4	2	4	
Percent:	All Race/l	Ethnicities	1.2	0.5	1.7	0.7	1.1	1.1
		on-Hispanic	2.9	0.0	5.3	3.3	0.0	2.4
	Hispanic		0.8	0.3	1.4	0.4	1.0	0.8
		on-Hispanic	1.0	1.0	1.1	0.7	1.5	1.1
Low Birthwe Number:		Births (<2500 grams) Ethnicities	79	51	83	53	90	
Number.		on-Hispanic	17	4	14	8	12	
	Hispanic	•	28	21	37	28	47	
		on-Hispanic	31	25	28	14	26	
Percent:	All Race/l	Ethnicities	7.3	4.5	6.9	4.5	7.5	6.1
	Black, No	on-Hispanic	16.2	6.0	14.7	8.8	12.6	12.1
	Hispanic		5.4	3.3	5.2	3.6	6.2	4.8
		on-Hispanic	7.5	6.5	7.7	5.0	9.7	7.3
		re, by Trimester	740	COF	000	000	000	
All Race/E	innicities:	1st Trimester 2nd Trimester	710 264	695 321	822 295	833 274	823 281	
		3rd Trimester	77	82	293 71	58	59	
		None	26	29	19	17	28	
		Unknown	2	3	2	2	2	
		Percent Late or No Care	9.6	9.8	7.5	6.3	7.3	8.1
Black, Nor	n-Hispanic:	1st Trimester	67	44	71	64	69	
,	·1. · · · · · · ·	2nd Trimester	30	19	18	22	19	
		3rd Trimester	7	3	4	3	5	
		None	1	1	2	2	1	
		Unknown	0	0	0	0	1	
		Percent Late or No Care	7.6	6.0	6.3	5.5	6.4	6.4
Hispanic:		1st Trimester	302	353	432	512	496	
		2nd Trimester	151	196	203	200	206	
		3rd Trimester	48	61	58	45	39	
		None Unknown	15 0	20 2	12 2	11 2	20 1	
			_					<u> </u>
		Percent Late or No Care	12.2	12.9	9.9	7.3	7.8	9.7

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91764, 1989-1993

				YEAR			Five-Yea
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		318	270	286	227	213	
	2nd Trimester	73	91	68	43	44	
	3rd Trimester None	15 7	14 7	7 1	8 3	5 7	
	Unknown	, 1	1	0	3 0	0	
	Percent Late or No Care	5.3	5.5	2.2	3.9	4.5	4.3
Live Births to Teenage		5.3	5.5	2.2	3.9	4.5	4.3
All Race/Ethnicities:	17 and younger	62	64	85	68	65	
	18-19	92	100	110	116	113	
	Percent of Births to Mothers <18	5.7	5.7	7.0	5.7	5.4	5.9
	Percent of Births to Mothers <20	14.3	14.5	16.1	15.5	14.9	15.1
Black, Non-Hispanic:	17 and younger	7	9	6	5	6	
	18-19	13	5	11	13	11	
	Percent of Births to Mothers <18	6.7	13.4	6.3	5.5	6.3	7.3
	Percent of Births to Mothers <20	19.0	20.9	17.9	19.8	17.9	19.0
Hispanic:	17 and younger	37	41	67	53	51	
	18-19	42	65	68	81	78	
	Percent of Births to Mothers <18	7.2	6.5	9.5	6.9	6.7	7.4
	Percent of Births to Mothers <20	15.3	16.8	19.1	17.4	16.9	17.2
White, Non-Hispanic:	17 and younger	18	13	11	9	5	
	18-19	35	28	29	20	19	
	Percent of Births to Mothers <18	4.3	3.4	3.0	3.2	1.9	3.3
	Percent of Births to Mothers <20	12.8	10.7	11.0	10.3	8.9	10.9
Infant Deaths		4.4	0	40	0	0	
Total Neonatal		11 6	8 4	13 10	8 1	8 4	
Post-Neonatal		5	4	3	7	4	
Percent of SBC I	nfant Deaths	3.34	2.43	4.25	2.84	3.14	3.20
Black, Non-Hispanic		1	2	0	0	1	
Neonatal		Ó	1	0	0	0	
Post-Neonatal		1	1	0	0	1	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	1.49	3.33	0.00	0.00	1.92	1.36
Hispanic	-	1	4	9	4	6	
Neonatal		1	2	7	1	4	
Post-Neonatal		0	2	2	3	2	
Percent of SBC I	Hispanic Infant Deaths	0.96	3.96	9.09	3.70	6.38	4.74
White, Non-Hispanic	:	9	2	4	3	1	
Neonatal		5	1	3	0	0	
Post-Neonatal		4	1	1	3	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	5.84	1.24	2.96	2.78	0.97	2.87
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.3

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91786, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			1,113	1,162	1,163	1,127	1,061	
Percent o	f SBC Tota	l Live Births	3.64	3.48	3.52	3.43	3.29	3.47
	on-Hispani		72	83	101	98	92	
	f SBC Blac	k, Non-Hispanic Live Births	2.58	2.90	3.25	3.11	3.02	2.99
Hispanic	4 CDC 11:	ania Liva Diutha	269	280	350	338	330	0.04
		panic Live Births	2.82	2.54	2.79	2.58	2.40	2.61
•	on-Hispani of SBC Whit	c te, Non-Hispanic Live Births	708 4.22	721 4.02	624 3.98	590 4.00	548 4.01	4.05
Other/Un		ic, Non Thispanic Live Diffus	64	78	88	101	91	4.00
		Live Births (<1500 grams)	04	70	00	101	91	
Number:		Ethnicities	16	12	11	14	17	
		on-Hispanic	1	0	1	2	3	
	Hispanic		3	7	3	4	5	
		on-Hispanic	11	5	5	6	8	
Percent:		Ethnicities	1.4	1.0	0.9	1.2	1.6	1.2
	Hispanic	on-Hispanic	1.4 1.1	0.0 2.5	1.0 0.9	2.0 1.2	3.3 1.5	1.6 1.4
	•	on-Hispanic	1.6	0.7	0.8	1.0	1.5	1.1
Low Birthwe		Births (<2500 grams)						
Number:	All Race/	Ethnicities	81	71	79	74	70	
		on-Hispanic	1	9	11	11	12	
	Hispanic White N	on-Hispanic	20 56	20 39	16 45	27 30	19 31	
Percent:		Ethnicities	7.3	6.1	6.8	6.6	6.6	6.7
reiceiii.		on-Hispanic	7.3 1.4	10.8	10.9	11.2	13.0	9.9
	Hispanic		7.4	7.1	4.6	8.0	5.8	6.5
		on-Hispanic	7.9	5.4	7.2	5.1	5.7	6.3
		re, by Trimester	070	004	004	0.1.1	007	
All Race/E	thnicities:	1st Trimester 2nd Trimester	873 181	884 230	894 209	911 179	807 208	
		3rd Trimester	32	37	41	27	200	
		None	18	10	17	9	12	
		Unknown	9	1	2	1	5	
		Percent Late or No Care	4.5	4.0	5.0	3.2	3.9	4.1
Black, Nor	n-Hispanic:		51	61	74	77	63	
		2nd Trimester	17	16	21	17	22	
		3rd Trimester	2 2	6 0	4	3	5	
		None Unknown	0	0	2 0	1 0	0 2	
		Percent Late or No Care	5.6	7.2	5.9	4.1	5.6	5.6
Hispania:		1st Trimester	177	179	236	251	229	3.0
Hispanic:		2nd Trimester	67	83	236 87	∠51 72	229 80	
		3rd Trimester	16	13	17	11	13	
		None	8	5	8	4	7	
		Unknown	1	0	2	0	1	
		Percent Late or No Care	9.0	6.4	7.2	4.4	6.1	6.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 91786, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		595	578	517	502	443	
	2nd Trimester	88	120	86	75	89	
	3rd Trimester None	11 7	17	15	9 4	9	
	Unknown	7	5 1	6 0	0	5 2	
	Percent Late or No Care	2.6	3.1	3.4	2.2	2.6	2.8
Live Births to Teenage		2.0	3.1	3.4	2.2	2.0	2.0
All Race/Ethnicities:	17 and younger	31	40	37	51	53	
, ,	18-19	72	73	96	90	62	
	Percent of Births to Mothers <18	2.8	3.4	3.2	4.5	5.0	3.8
	Percent of Births to Mothers <20	9.3	9.7	11.4	12.5	10.8	10.8
Black, Non-Hispanic:	17 and younger	4	3	2	6	7	
	18-19	10	6	7	13	4	
	Percent of Births to Mothers <18	5.6	3.6	2.0	6.1	7.6	4.9
	Percent of Births to Mothers <20	19.4	10.8	8.9	19.4	12.0	13.9
Hispanic:	17 and younger	17	18	20	30	27	
	18-19	20	26	42	31	22	
	Percent of Births to Mothers <18	6.3	6.4	5.7	8.9	8.2	7.1
	Percent of Births to Mothers <20	13.8	15.7	17.7	18.0	14.8	16.1
White, Non-Hispanic:	17 and younger	10	18	15	14	16	
	18-19	39	41	43	41	32	
	Percent of Births to Mothers <18	1.4	2.5	2.4	2.4	2.9	2.3
	Percent of Births to Mothers <20	6.9	8.2	9.3	9.3	8.8	8.4
Infant Deaths		44	40	0	_	7	
Total Neonatal		11 4	10 6	9 8	5 4	7 7	
Post-Neonatal		7	4	1	1	0	
Percent of SBC I	nfant Deaths	3.34	3.04	2.94	1.77	2.75	2.80
Black, Non-Hispanic		3	0	0	1	1	
Neonatal		1	0	0	1	1	
Post-Neonatal		2	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	4.48	0.00	0.00	1.89	1.92	1.69
Hispanic	·	4	5	2	1	2	
Neonatal		2	4	2	1	2	
Post-Neonatal		2	1	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	3.85	4.95	2.02	0.93	2.13	2.77
White, Non-Hispanic	:	4	4	6	3	4	
Neonatal		1	2	5	2	4	
Post-Neonatal		3	2	1	1	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	2.60	2.48	4.44	2.78	3.88	3.18
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	7.5

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92252, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			117	119	121	120	110	
Percent o	f SBC Tota	l Live Births	0.38	0.36	0.37	0.37	0.34	0.36
	n-Hispani		0	0	1	3	1	
Percent o	f SBC Blac	k, Non-Hispanic Live Births	0.00	0.00	0.03	0.10	0.03	0.03
Hispanic			17	11	17	14	18	
Percent o	f SBC Hisp	panic Live Births	0.18	0.10	0.14	0.11	0.13	0.13
	on-Hispani		98	105	101	100	84	
		te, Non-Hispanic Live Births	0.58	0.59	0.64	0.68	0.62	0.62
Other/Un			2	3	2	3	7	
-		Live Births (<1500 grams)	•				•	
Number:		Ethnicities	0 0	3 0	1	0	3 1	
	Hispanic	on-Hispanic	0	2	0 0	0 0	0	
		on-Hispanic	0	1	1	0	2	
Percent:		Ethnicities	0.0	2.5	0.8	0.0	2.7	1.2
i Giociii.		on-Hispanic		2.5	0.0	0.0	100.0	20.0
	Hispanic	•	0.0	18.2	0.0	0.0	0.0	2.6
	White, N	on-Hispanic	0.0	1.0	1.0	0.0	2.4	0.8
		Births (<2500 grams)						
Number:		Ethnicities	6	11	11	7	10	
	Hispanic	on-Hispanic	0 0	0 3	0 1	0 0	1 0	
		on-Hispanic	6	8	10	7	9	
Percent:		Ethnicities	5.1	9.2	9.1	5.8	9.1	7.7
i ciociii.		on-Hispanic			0.0	0.0	100.0	20.0
	Hispanic		0.0	27.3	5.9	0.0	0.0	5.2
		on-Hispanic	6.1	7.6	9.9	7.0	10.7	8.2
		re, by Trimester						
All Race/E	thnicities:	1st Trimester	65	65	81	82	76	
		2nd Trimester 3rd Trimester	32 12	42 4	33 5	29 5	27 4	
		None	7	8	2	4	3	
		Unknown	1	0	0	0	0	
		Percent Late or No Care	16.4	10.1	5.8	7.5	6.4	9.2
Black. Nor	n-Hispanic:	1st Trimester	0	0	1	3	0	
		2nd Trimester	0	0	0	0	0	
		3rd Trimester	0	0	0	0	0	
		None	0	0	0	0	1	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	•••		0.0	0.0	100.0	20.0
Hispanic:		1st Trimester	8	7	9	12	11	
		2nd Trimester	7	3	8	2	5	
		3rd Trimester	2	0	0	0	1	
		None Unknown	0 0	1 0	0 0	0 0	1 0	
			-	_		_	_	
		Percent Late or No Care	11.8	9.1	0.0	0.0	11.1	6.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92252, 1989-1993

				YEAR					
		1989	1990	1991	1992	1993	Five-Year Rate(1)		
Entry Into Prenatal Car	e, by Trimester (continued)								
White, Non-Hispanic:		57	58	71	66	60			
	2nd Trimester	24	36	23	26	20			
	3rd Trimester	10	4	5	4	3			
	None Unknown	6 1	7 0	2 0	4 0	1 0			
	Percent Late or No Care	16.5	10.5	6.9	8.0	4.8	9.4		
Live Births to Teenage		10.5	10.5	0.9	0.0	4.0	9.4		
All Race/Ethnicities:	17 and younger	3	3	7	4	6			
	18-19	10	7	16	12	14			
	Percent of Births to Mothers <18	2.6	2.5	5.8	3.3	5.5	3.9		
	Percent of Births to Mothers <20	11.1	8.4	19.0	13.3	18.2	14.0		
Black, Non-Hispanic:	17 and younger	0	0	0	0	1			
,	18-19	0	0	0	1	0			
	Percent of Births to Mothers <18			0.0	0.0	100.0	20.0		
	Percent of Births to Mothers <20			0.0	33.3	100.0	40.0		
Hispanic:	17 and younger	0	1	3	0	2			
·	18-19	1	0	2	3	1			
	Percent of Births to Mothers <18	0.0	9.1	17.6	0.0	11.1	7.8		
	Percent of Births to Mothers <20	5.9	9.1	29.4	21.4	16.7	16.9		
White, Non-Hispanic:	17 and younger	2	2	4	3	3			
	18-19	9	6	14	8	12			
	Percent of Births to Mothers <18	2.0	1.9	4.0	3.0	3.6	2.9		
	Percent of Births to Mothers <20	11.2	7.6	17.8	11.0	17.9	12.9		
Infant Deaths									
Total Neonatal		2	3	1	0	2 2			
Post-Neonatal		1 1	1 2	1 0	0 0	0			
Percent of SBC I	nfant Daatha	•		_		0.78	0.52		
		0.61	0.91	0.33	0.00		0.53		
Black, Non-Hispanic		0	0	0	0	0			
Neonatal Post-Neonatal		0 0	0 0	0 0	0 0	0 0			
	Black, Non-Hisp. Infant Deaths			0.00	0.00	0.00	0.00		
	Slack, Northinsp. Thank Deaths						0.00		
Hispanic Neonatal		0 0	0 0	0 0	0 0	0			
Post-Neonatal		0	0	0	0	0			
	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00		
White, Non-Hispanic	•	2	3	1	0.00		0.00		
Neonatal		1	ა 1	1	0	2 2			
Post-Neonatal		1	2	0	0	0			
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	1.86	0.74	0.00	1.94	1.21		
Infant Mortality Rate (p	·	*	*	*	*	*	13.6 **		

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92277, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								Rate(1)
Total			395	412	356	461	436	
Percent o	f SBC Tota	ll Live Births	1.29	1.23	1.08	1.40	1.35	1.27
Black, No	on-Hispanio	c	38	34	39	44	46	
		k, Non-Hispanic Live Births	1.36	1.19	1.26	1.40	1.51	1.35
Hispanic		·	47	41	36	47	52	
	f SBC Hisp	panic Live Births	0.49	0.37	0.29	0.36	0.38	0.37
	on-Hispani		280	311	259	339	308	
•	•	te, Non-Hispanic Live Births	1.67	1.74	1.65	2.30	2.26	1.90
Other/Un		,	30	26	22	31	30	
		Live Births (<1500 grams)		20		01	- 00	
Number:		Ethnicities	5	3	2	5	3	
		on-Hispanic	1	1	0	0	0	
	Hispanic		1	0	0	3	0	
	White, N	on-Hispanic	1	2	2	2	3	
Percent:		Ethnicities	1.3	0.7	0.6	1.1	0.7	0.9
		on-Hispanic	2.6	2.9	0.0	0.0	0.0	1.0
	Hispanic		2.1	0.0	0.0	6.4	0.0	1.8
. 5.4		on-Hispanic	0.4	0.6	8.0	0.6	1.0	0.7
Number:		Births (<2500 grams) Ethnicities	33	27	19	25	30	
Mullibel.		on-Hispanic	33 4	3	2	25	7	
	Hispanic	•	4	3	2	5	2	
		on-Hispanic	21	20	15	16	21	
Percent:	All Race/l	Ethnicities	8.4	6.6	5.3	5.4	6.9	6.5
	Black, No	on-Hispanic	10.5	8.8	5.1	4.5	15.2	9.0
	Hispanic		8.5	7.3	5.6	10.6	3.8	7.2
		on-Hispanic	7.5	6.4	5.8	4.7	6.8	6.2
		re, by Trimester	050	000	000	055	0.10	
All Race/E	tnnicities:	1st Trimester 2nd Trimester	253 97	266 108	226 92	355 83	318 92	
		3rd Trimester	30	24	18	15	18	
		None	14	12	19	8	7	
		Unknown	1	2	1	0	1	
		Percent Late or No Care	11.2	8.8	10.4	5.0	5.7	8.0
Black, Nor	n-Hispanic:	1st Trimester	22	20	24	32	33	
		2nd Trimester	11	11	12	10	10	
		3rd Trimester	1	2	3	1	2	
		None	4	1	0	1	1	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	13.2	8.8	7.7	4.5	6.5	8.0
Hispanic:		1st Trimester	29	22	17	34	39	
		2nd Trimester	12	15	14	13	12	
		3rd Trimester	5	2	1	0	1	
		None Unknown	1 0	2 0	3 1	0 0	0	
			_	_	-	_	_	
		Percent Late or No Care	12.8	9.8	11.4	0.0	1.9	6.8

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92277, 1989-1993

				YEAR	YEAR					
		1989	1990	1991	1992	1993	Five-Year Rate(1)			
Entry Into Prenatal Car	e, by Trimester (continued)									
White, Non-Hispanic:		183	210	172	265	224				
	2nd Trimester	70	74	59	57	62				
	3rd Trimester	19	17	14	10	15				
	None Unknown	7 1	8 2	14 0	7 0	6 1				
	Percent Late or No Care	9.3	8.1	10.8	5.0	6.8	7.8			
Live Births to Teenage		3.3	0.1	10.0	3.0	0.0	7.0			
All Race/Ethnicities:	17 and younger	24	25	26	20	30				
	18-19	55	53	53	60	57				
	Percent of Births to Mothers <18	6.1	6.1	7.3	4.3	6.9	6.1			
	Percent of Births to Mothers <20	20.0	18.9	22.2	17.4	20.0	19.6			
Black, Non-Hispanic:	17 and younger	4	2	5	1	3				
	18-19	5	5	4	8	4				
	Percent of Births to Mothers <18	10.5	5.9	12.8	2.3	6.5	7.5			
	Percent of Births to Mothers <20	23.7	20.6	23.1	20.5	15.2	20.4			
Hispanic:	17 and younger	2	7	2	1	5				
	18-19	5	6	8	6	9				
	Percent of Births to Mothers <18	4.3	17.1	5.6	2.1	9.6	7.6			
	Percent of Births to Mothers <20	14.9	31.7	27.8	14.9	26.9	22.9			
White, Non-Hispanic:	17 and younger	17	16	19	17	20				
	18-19	40	40	38	43	42				
	Percent of Births to Mothers <18	6.1	5.1	7.3	5.0	6.5	5.9			
	Percent of Births to Mothers <20	20.4	18.0	22.0	17.7	20.1	19.5			
Infant Deaths										
Total Neonatal		5	3	2 0	4	4				
Post-Neonatal		4 1	3 0	2	4 0	2 2				
Percent of SBC I	nfant Dootho	•	_		1.42	1.57	1.20			
		1.52	0.91	0.65			1.20			
Black, Non-Hispanic		1 0	0 0	0 0	0 0	1 0				
Neonatal Post-Neonatal		1	0	0	0	1				
	Black, Non-Hisp. Infant Deaths	1.49	0.00	0.00	0.00	1.92	0.68			
		1		1			0.00			
Hispanic Neonatal		1	0 0	0	1 1	0				
Post-Neonatal		0	0	1	0	0				
Percent of SBC I	Hispanic Infant Deaths	0.96	0.00	1.01	0.93	0.00	0.59			
White, Non-Hispanic	·	3	3	1	2	3				
Neonatal		3	3	0	2	2				
Post-Neonatal		0	0	1	0	1				
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.95	1.86	0.74	1.85	2.91	1.82			
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.7 **			

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92278, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			303	325	231	365	289	
Percent of	f SBC Tota	l Live Births	0.99	0.97	0.70	1.11	0.90	0.93
	n-Hispani		40	57	31	51	35	
Percent of	f SBC Blac	k, Non-Hispanic Live Births	1.44	1.99	1.00	1.62	1.15	1.43
Hispanic			26	44	31	52	38	
		panic Live Births	0.27	0.40	0.25	0.40	0.28	0.32
•	on-Hispani		212	198	152	239	194	4.00
		te, Non-Hispanic Live Births	1.26	1.10	0.97	1.62	1.42	1.26
Other/Un			25	26	17	23	22	
Very Low Bi Number:		Live Births (<1500 grams) Ethnicities	3	2	1	1	2	
Mullipel.		on-Hispanic	3 1	3 0	0	1 0	3 1	
	Hispanic	•	0	0	0	0	0	
		on-Hispanic	2	2	1	1	2	
Percent:	All Race/l	Ethnicities	1.0	0.9	0.4	0.3	1.0	0.7
		on-Hispanic	2.5	0.0	0.0	0.0	2.9	0.9
	Hispanic		0.0	0.0	0.0	0.0	0.0	0.0
		on-Hispanic	0.9	1.0	0.7	0.4	1.0	0.8
Low Birthwe Number:		Births (<2500 grams) Ethnicities	16	19	10	16	17	
Number.		on-Hispanic	4	7	10	7	4	
	Hispanic		1	0	Ö	2	0	
		on-Hispanic	8	10	8	7	10	
Percent:	All Race/l	Ethnicities	5.3	5.8	4.3	4.4	5.9	5.2
	Black, No	on-Hispanic	10.0	12.3	3.2	13.7	11.4	10.7
	Hispanic		3.8	0.0	0.0	3.8	0.0	1.6
		on-Hispanic	3.8	5.1	5.3	2.9	5.2	4.3
		re, by Trimester	222	075	107	244	0.40	
All Race/E	tnnicities:	1st Trimester 2nd Trimester	233 62	275 42	197 29	311 48	248 36	
		3rd Trimester	8	7	3	6	4	
		None	0	0	2	0	0	
		Unknown	0	1	0	0	1	
		Percent Late or No Care	2.6	2.2	2.2	1.6	1.4	2.0
Black, Nor	n-Hispanic:	1st Trimester	29	45	24	43	23	
,		2nd Trimester	11	11	6	8	11	
		3rd Trimester	0	1	1	0	0	
		None	0	0	0	0	0	
		Unknown	0	0	0	0	1	
		Percent Late or No Care	0.0	1.8	3.2	0.0	0.0	0.9
Hispanic:		1st Trimester	17	35	24	41	32	
		2nd Trimester	9	6	7	9	6	
		3rd Trimester	0	3	0	2	0	
		None Unknown	0 0	0 0	0 0	0 0	0	
			_	_	_	_	_	• •
		Percent Late or No Care	0.0	6.8	0.0	3.8	0.0	2.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92278, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		174	173	133	210	176	
	2nd Trimester	34	22	15	25	15	
	3rd Trimester None	4 0	2 0	2 2	4 0	3	
	Unknown	0	1	0	0	0	
	Percent Late or No Care	1.9	1.0	2.6	1.7	1.5	1.7
ive Births to Teenage		1.0	110			1.0	
All Race/Ethnicities:	17 and younger	4	5	1	7	4	
	18-19	30	29	17	35	33	
	Percent of Births to Mothers <18	1.3	1.5	0.4	1.9	1.4	1.4
	Percent of Births to Mothers <20	11.2	10.5	7.8	11.5	12.8	10.9
Black, Non-Hispanic:	17 and younger	0	0	1	2	1	
	18-19	2	4	3	2	3	
	Percent of Births to Mothers <18	0.0	0.0	3.2	3.9	2.9	1.9
	Percent of Births to Mothers <20	5.0	7.0	12.9	7.8	11.4	8.4
Hispanic:	17 and younger	0	1	0	2	1	
	18-19	3	9	6	8	6	
	Percent of Births to Mothers <18	0.0	2.3	0.0	3.8	2.6	2.1
	Percent of Births to Mothers <20	11.5	22.7	19.4	19.2	18.4	18.8
White, Non-Hispanic:	17 and younger	3	4	0	3	1	
	18-19	23	14	8	23	22	
	Percent of Births to Mothers <18	1.4	2.0	0.0	1.3	0.5	1.1
	Percent of Births to Mothers <20	12.3	9.1	5.3	10.9	11.9	10.2
nfant Deaths Total		2	6	1	2	4	
Neonatal		1	5	Ó	1	3	
Post-Neonatal		1	1	1	1	1	
Percent of SBC I	nfant Deaths	0.61	1.82	0.33	0.71	1.57	1.00
Black, Non-Hispanic		0	3	1	1	1	
Neonatal		0	3	0	1	1	
Post-Neonatal		0	0	1	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	5.00	1.59	1.89	1.92	2.03
Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic	:	2	3	0	1	3	
Neonatal		1	2	0	0	2	
Post-Neonatal		1	1	0	1	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	1.86	0.00	0.93	2.91	1.36
nfant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	9.9 '

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92284, 1989-1993

	4000	4000	YEAR	4000	4000	Five-Year
	1989	1990	1991	1992	1993	Rate(1)
Live Births	000	000	000	074	0.57	
Total Percent of SBC Total Live Births	298 0.97	269 0.81	269 0.81	274 0.83	257 0.80	0.04
						0.84
Black, Non-Hispanic	2	5	7	2	3	0.40
Percent of SBC Black, Non-Hispanic Live Births	0.07	0.17	0.23	0.06	0.10	0.13
Hispanic	22	26	38	39	40	
Percent of SBC Hispanic Live Births	0.23	0.24	0.30	0.30	0.29	0.28
White, Non-Hispanic	263	231	219	224	207	
Percent of SBC White, Non-Hispanic Live Births	1.57	1.29	1.40	1.52	1.52	1.45
Other/Unknown	11	7	5	9	7	
Very Low Birthweight Live Births (<1500 grams)						
Number: All Race/Ethnicities	5	4	2	6	6	
Black, Non-Hispanic	0	0	0	1	1	
Hispanic	0	0	1	1	1	
White, Non-Hispanic	5	4	1	3	4	
Percent: All Race/Ethnicities	1.7	1.5	0.7	2.2	2.3	1.7
Black, Non-Hispanic	0.0	0.0	0.0	50.0	33.3	10.5
Hispanic	0.0	0.0	2.6	2.6	2.5	1.8
White, Non-Hispanic	1.9	1.7	0.5	1.3	1.9	1.5
Low Birthweight Live Births (<2500 grams)	00	20	40	00	47	
Number: All Race/Ethnicities Black, Non-Hispanic	26 0	20 1	16 2	20 2	17 1	
Hispanic	0	1	3	2	2	
White, Non-Hispanic	24	17	11	15	14	
Percent: All Race/Ethnicities	8.7	7.4	5.9	7.3	6.6	7.2
Black, Non-Hispanic	0.0	20.0	28.6	100.0	33.3	31.6
Hispanic	0.0	3.8	7.9	5.1	5.0	4.8
White, Non-Hispanic	9.1	7.4	5.0	6.7	6.8	7.1
Entry Into Prenatal Care, by Trimester						
All Race/Ethnicities: 1st Trimester	169	143	178	192	167	
2nd Trimester	87	93	67	68	69	
3rd Trimester	20	22	19	9	11	
None Unknown	21 1	11 0	5 0	5 0	8 2	
	•	_	_	•		
Percent Late or No Care	13.8	12.3	8.9	5.1	7.5	9.6
Black, Non-Hispanic: 1st Trimester	1	1	4	2	2	
2nd Trimester	0	3	2	0	1	
3rd Trimester	1	1	1	0	0	
None Unknown	0 0	0 0	0 0	0 0	0	
	-	_	_	•	_	
Percent Late or No Care	50.0	20.0	14.3	0.0	0.0	15.8
Hispanic: 1st Trimester	12	14	20	21	24	
2nd Trimester	6	8	12	14	13	
3rd Trimester	1	3	4	3	3	
None Unknown	3 0	1 0	2 0	1 0	0	
	•	_			_	
Percent Late or No Care	18.2	15.4	15.8	10.3	7.5	12.7

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92284, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	152	127	151	164	137	
	2nd Trimester	76	78	52	51	54	
	3rd Trimester	17	16	13	5	8	
	None	17	10	3	4	7	
	Unknown	1	0	0	0	1	
	Percent Late or No Care	13.0	11.3	7.3	4.0	7.3	8.8
Live Births to Teenage		40	40	00	40	4.4	
All Race/Ethnicities:	17 and younger	12 25	16	22	10 25	11	
	18-19	35	35	24	25	28	
	Percent of Births to Mothers <18	4.0	5.9	8.2	3.6	4.3	5.2
	Percent of Births to Mothers <20	15.8	19.0	17.1	12.8	15.2	15.9
Black, Non-Hispanic:	17 and younger	0	1	1	0	0	
	18-19	0	1	0	0	0	
	Percent of Births to Mothers <18	0.0	20.0	14.3	0.0	0.0	10.5
	Percent of Births to Mothers <20	0.0	40.0	14.3	0.0	0.0	15.8
Hispanic:	17 and younger	0	1	2	3	2	
	18-19	1	4	2	8	5	
	Percent of Births to Mothers <18	0.0	3.8	5.3	7.7	5.0	4.8
	Percent of Births to Mothers <20	4.5	19.2	10.5	28.2	17.5	17.0
White Non Hispania		11	13	18	7		
White, Non-Hispanic:	17 and younger 18-19	33	13 29	22	7 16	9 23	
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	4.2 16.7	5.6 18.2	8.2 18.3	3.1 10.3	4.3 15.5	5.1 15.8
Infant Daatha	reicent of bittis to Mothers <20	10.7	10.2	10.3	10.3	15.5	15.0
Infant Deaths Total		1	3	1	3	5	
Neonatal		1	1	1	1	2	
Post-Neonatal		0	2	0	2	3	
Percent of SBC I	nfant Deaths	0.30	0.91	0.33	1.06	1.96	0.87
							0.07
Black, Non-Hispanic Neonatal		0 0	0 0	0 0	1 0	0	
Post-Neonatal		0	0	0	1	0	
	Plack Non High Infant Dooths						0.24
	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	1.89	0.00	0.34
Hispanic		0	0	0	1	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	1	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.93	0.00	0.20
White, Non-Hispanic	:	1	3	1	1	5	
Neonatal		1	1	1	1	2	
Post-Neonatal		0	2	0	0	3	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.65	1.86	0.74	0.93	4.85	1.66
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	9.5

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92301, 1989-1993

	1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births	1909	1990	1991	1992	1993	Rate(1)
Total	250	270	252	296	384	
Percent of SBC Total Live Births	0.82	0.81	0.76	0.90	1.19	0.90
Black, Non-Hispanic	38	40	25	32	32	
Percent of SBC Black, Non-Hispanic Live		1.40	0.81	1.02	1.05	1.12
·	44	66	74	101	125	
Hispanic Percent of SBC Hispanic Live Births	0.46	0.60	0.59	0.77	0.91	0.68
·						0.00
White, Non-Hispanic Percent of SBC White, Non-Hispanic Live	162 Births 0.97	155 0.86	144 0.92	153 1.04	221 1.62	1.06
·						1.00
Other/Unknown	. 6	9	9	10	6	
Very Low Birthweight Live Births (<1500 g	•	-	0	2	4	
Number: All Race/Ethnicities Black, Non-Hispanic	4	5 1	0 0	3 1	4 1	
Hispanic	1	2	0	1	1	
White, Non-Hispanic	2	2	Ö	1	2	
Percent: All Race/Ethnicities	1.6	1.9	0.0	1.0	1.0	1.1
Black, Non-Hispanic	2.6	2.5	0.0	3.1	3.1	2.4
Hispanic	2.3	3.0	0.0	1.0	8.0	1.2
White, Non-Hispanic	1.2	1.3	0.0	0.7	0.9	0.8
Low Birthweight Live Births (<2500 grams	s)					
Number: All Race/Ethnicities	23	15	11	20	31	
Black, Non-Hispanic	9	4	0	7	4	
Hispanic White, Non-Hispanic	4 10	4 7	3 8	3 9	8 19	
·						0.0
Percent: All Race/Ethnicities	9.2 23.7	5.6 10.0	4.4 0.0	6.8 21.9	8.1 12.5	6.9 14.4
Black, Non-Hispanic Hispanic	23.7 9.1	6.1	4.1	3.0	6.4	5.4
White, Non-Hispanic	6.2	4.5	5.6	5.9	8.6	6.3
Entry Into Prenatal Care, by Trimester						
All Race/Ethnicities: 1st Trimester	153	147	150	223	266	
2nd Trimester	69	83	68	51	85	
3rd Trimester	12	22	19	10	15	
None	14	16	14	11	17	
Unknown	2	2	1	1	1	
Percent Late or N	lo Care 10.5	14.2	13.1	7.1	8.4	10.4
Black, Non-Hispanic: 1st Trimester	20	22	15	27	21	
2nd Trimester	13	8	6	2	8	
3rd Trimester	0	3	2	1	1	
None Unknown	5 0	5 2	2 0	2 0	2	
	_		_		_	4
Percent Late or N	lo Care 13.2	21.1	16.0	9.4	9.4	13.9
Hispanic: 1st Trimester	24	29	41	68	85	
2nd Trimester	16	27	20	28	30	
3rd Trimester None	2 2	7 3	9	2 3	6	
Unknown	0	0	3 1	0	4 0	
	-		-		_	40.0
Percent Late or N	lo Care 9.1	15.2	16.4	5.0	8.0	10.0

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92301, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		107	92	88	119	157	
	2nd Trimester	38	44	40	20	45	
	3rd Trimester None	10 6	12 7	7 9	7 6	7 11	
	Unknown	1	0	0	1	1	
	Percent Late or No Care	9.9	12.3	11.1	8.6	8.2	9.9
Live Births to Teenage		0.0	12.0		0.0	0.2	
All Race/Ethnicities:	17 and younger	24	12	10	17	21	
	18-19	28	38	33	37	38	
	Percent of Births to Mothers <18	9.6	4.4	4.0	5.7	5.5	5.8
	Percent of Births to Mothers <20	20.8	18.5	17.1	18.2	15.4	17.8
Black, Non-Hispanic:	17 and younger	4	4	3	0	3	
	18-19	4	2	3	5	4	
	Percent of Births to Mothers <18	10.5	10.0	12.0	0.0	9.4	8.4
	Percent of Births to Mothers <20	21.1	15.0	24.0	15.6	21.9	19.2
Hispanic:	17 and younger	3	3	4	8	10	
	18-19	5	6	8	12	14	
	Percent of Births to Mothers <18	6.8	4.5	5.4	7.9	8.0	6.8
	Percent of Births to Mothers <20	18.2	13.6	16.2	19.8	19.2	17.8
White, Non-Hispanic:	17 and younger	16	4	3	9	8	
	18-19	18	29	21	19	18	
	Percent of Births to Mothers <18	9.9	2.6	2.1	5.9	3.6	4.8
	Percent of Births to Mothers <20	21.0	21.3	16.7	18.3	11.8	17.4
Infant Deaths		4	2	0	2	2	
Total Neonatal		4 2	2 1	2 0	2 2	2 2	
Post-Neonatal		2	1	2	0	0	
Percent of SBC I	nfant Deaths	1.22	0.61	0.65	0.71	0.78	0.80
Black, Non-Hispanic		1	1	1	1	0	
Neonatal		Ó	0	0	1	0	
Post-Neonatal		1	1	1	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	1.49	1.67	1.59	1.89	0.00	1.36
Hispanic		0	0	0	1	0	
Neonatal		0	0	0	1	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.93	0.00	0.20
White, Non-Hispanic		3	1	1	0	2	
Neonatal		2	1	0	0	2	
Post-Neonatal		1	0	1	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.95	0.62	0.74	0.00	1.94	1.06
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.3 **

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92307, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								71010(17
Total			588	641	514	529	552	
Percent o	f SBC Tota	I Live Births	1.92	1.92	1.56	1.61	1.71	1.74
	n-Hispanio		24	19	27	31	47	
Percent o	f SBC Blac	k, Non-Hispanic Live Births	0.86	0.66	0.87	0.98	1.54	0.99
Hispanic			74	80	67	76	101	
Percent o	f SBC Hisp	anic Live Births	0.78	0.73	0.53	0.58	0.73	0.66
•	on-Hispanio		469	523	400	406	383	0.77
		e, Non-Hispanic Live Births	2.79	2.92	2.55	2.75	2.80	2.77
Other/Un			21	19	20	16	21	
Very Low Bi Number:		Live Births (<1500 grams) Ethnicities	5	5	4	5	10	
riumber.		on-Hispanic	2	0	0	1	0	
	Hispanic		2	0	0	2	5	
	White, N	on-Hispanic	1	5	4	2	5	
Percent:	All Race/		0.9	8.0	0.8	0.9	1.8	1.0
		on-Hispanic	8.3	0.0	0.0	3.2	0.0	2.0
	Hispanic		2.7	0.0	0.0	2.6	5.0	2.3
. D: 4		on-Hispanic	0.2	1.0	1.0	0.5	1.3	0.8
Number:		Births (<2500 grams) Ethnicities	39	38	25	46	46	
radifibor.		on-Hispanic	3	1	5	3	4	
	Hispanic	-	7	5	2	8	8	
	White, N	on-Hispanic	28	32	16	33	32	
Percent:	All Race/	Ethnicities	6.6	5.9	4.9	8.7	8.3	6.9
		on-Hispanic	12.5	5.3	18.5	9.7	8.5	10.8
	Hispanic		9.5	6.3	3.0	10.5	7.9	7.5
Entry Into B		on-Hispanic re, by Trimester	6.0	6.1	4.0	8.1	8.4	6.5
All Race/E		1st Trimester	429	467	370	400	410	
7 til 1 (d00/ L	ti ii iioiti oo.	2nd Trimester	111	132	119	108	122	
		3rd Trimester	28	27	14	15	15	
		None	18	13	11	4	4	
		Unknown	2	2	0	2	1	
		Percent Late or No Care	7.8	6.3	4.9	3.6	3.4	5.3
Black, Nor	n-Hispanic:		13	11	18	27	30	
		2nd Trimester	8	5	8	4	15	
		3rd Trimester None	1	2	0	0	1	
		None Unknown	2 0	1 0	1 0	0 0	1 0	
		Percent Late or No Care	12.5	15.8	3.7	0.0	4.3	6.1
l lionaria								0.1
Hispanic:		1st Trimester 2nd Trimester	55 15	46 23	36 23	50 20	70 25	
		3rd Trimester	2	23 6	23 2	20 4	25 5	
		None	1	5	6	2	1	
		Unknown	1	0	0	0	0	
		Percent Late or No Care	4.1	13.8	11.9	7.9	5.9	8.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92307, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		344	396	303	313	295	
	2nd Trimester	86	101	82	81	78	
	3rd Trimester None	24 14	17 7	11 4	8 2	8 2	
	Unknown	14	2	0	2	0	
	Percent Late or No Care	8.1	4.6	3.8	2.5	2.6	4.5
Live Births to Teenage		0.1	4.0	3.0	2.3	2.0	4.5
All Race/Ethnicities:	17 and younger	24	26	32	27	49	
	18-19	52	56	54	37	62	
	Percent of Births to Mothers <18	4.1	4.1	6.2	5.1	8.9	5.6
	Percent of Births to Mothers <20	12.9	12.8	16.7	12.1	20.1	14.8
Black, Non-Hispanic:	17 and younger	0	1	2	1	8	
	18-19	1	4	2	2	7	
	Percent of Births to Mothers <18	0.0	5.3	7.4	3.2	17.0	8.1
	Percent of Births to Mothers <20	4.2	26.3	14.8	9.7	31.9	18.9
Hispanic:	17 and younger	3	3	6	4	12	
	18-19	11	8	6	5	12	
	Percent of Births to Mothers <18	4.1	3.8	9.0	5.3	11.9	7.0
	Percent of Births to Mothers <20	18.9	13.8	17.9	11.8	23.8	17.6
White, Non-Hispanic:	17 and younger	21	21	22	20	28	
	18-19	38	44	43	29	39	
	Percent of Births to Mothers <18	4.5	4.0	5.5	4.9	7.3	5.1
	Percent of Births to Mothers <20	12.6	12.4	16.3	12.1	17.5	14.0
Infant Deaths				•			
Total Neonatal		4 3	6 5	3 2	4 3	4 2	
Post-Neonatal		1	1	1	1	2	
Percent of SBC I	nfant Deaths	1.22	1.82	0.98	1.42	1.57	1.40
		1					
Black, Non-Hispanic Neonatal		1	0 0	0 0	0 0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	1.49	0.00	0.00	0.00	0.00	0.34
Hispanic	·	1	0	0	1	2	
Neonatal		0	0	0	1	2	
Post-Neonatal		1	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.96	0.00	0.00	0.93	2.13	0.79
White, Non-Hispanic		2	6	3	3	2	
Neonatal		2	5	2	2	0	
Post-Neonatal		0	1	1	1	2	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	3.73	2.22	2.78	1.94	2.42
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	7.4

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92308, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			334	420	416	437	397	
Percent o	of SBC Total	I Live Births	1.09	1.26	1.26	1.33	1.23	1.24
	on-Hispanio		11	13	14	23	24	0.57
		k, Non-Hispanic Live Births	0.39	0.45	0.45	0.73	0.79	0.57
Hispanic		anic Live Births	35 0.37	76 0.69	78 0.62	62 0.47	98 0.71	0.58
								0.56
•	on-Hispanion of SBC White	e, Non-Hispanic Live Births	283 1.69	319 1.78	311 1.99	337 2.29	265 1.94	1.92
Other/Un		o, Horri noparno Ervo Britilo	5	12	13	15	10	1.02
		Live Births (<1500 grams)		12	10	10	10	
Number:	All Race/		6	3	3	8	5	
	Black, No	on-Hispanic	0	0	2	0	0	
	Hispanic		1	1	0	0	1	
		on-Hispanic	5	2	1	8	4	
Percent:	All Race/E		1.8	0.7	0.7	1.8	1.3	1.2
	Hispanic	on-Hispanic	0.0 2.9	0.0 1.3	14.3 0.0	0.0 0.0	0.0 1.0	2.4 0.9
		on-Hispanic	1.8	0.6	0.0	2.4	1.5	1.3
Low Birthwe	•	Births (<2500 grams)						
Number:			20	31	21	31	20	
		on-Hispanic	0	0	2	1	3	
	Hispanic White No	on-Hispanic	4 15	6 25	2 16	4 25	2 14	
Percent:	All Race/E	•	6.0		5.0		5.0	6.1
Percent.		on-Hispanic	0.0	7.4 0.0	14.3	7.1 4.3	12.5	7.1
	Hispanic		11.4	7.9	2.6	6.5	2.0	5.2
	White, No	on-Hispanic	5.3	7.8	5.1	7.4	5.3	6.3
		re, by Trimester						
All Race/E	thnicities:	1st Trimester 2nd Trimester	253 61	296	312 85	327 91	300 79	
		3rd Trimester	8	94 21	65 16	12	79 11	
		None	10	9	3	7	7	
		Unknown	2	0	0	0	0	
		Percent Late or No Care	5.4	7.1	4.6	4.3	4.5	5.2
Black, Nor	n-Hispanic:	1st Trimester	10	9	10	14	21	
		2nd Trimester	1	4	4	8	3	
		3rd Trimester	0	0	0	0	0	
		None Unknown	0 0	0 0	0 0	1 0	0	
		Percent Late or No Care	0.0	0.0	0.0	4.3	0.0	1.2
Hioronic								1.2
Hispanic:		1st Trimester 2nd Trimester	25 9	51 18	48 24	41 17	66 27	
		3rd Trimester	0	4	5	3	3	
		None	1	3	1	1	2	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	2.9	9.2	7.7	6.5	5.1	6.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92308, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	214	230	246	261	206	
	2nd Trimester	50	69	52	63	46	
	3rd Trimester	8	15	11	9	8	
	None Unknown	9 2	5 0	2 0	4 0	5 0	
			_	•	_	_	5 0
Live Diethe to Tooners	Percent Late or No Care	6.0	6.3	4.2	3.9	4.9	5.0
Live Births to Teenage All Race/Ethnicities:	17 and younger	11	29	14	23	26	
7 til 1 (doo) Ettillottoo.	18-19	22	29	48	35	36	
	Percent of Births to Mothers <18	3.3	6.9	3.4	5.3	6.5	5.1
	Percent of Births to Mothers <20	9.9	13.8	14.9	13.3	15.6	13.6
Black, Non-Hispanic:	17 and younger	1	0	0	1	5	
Black, Non Thopanic.	18-19	0	1	2	2	4	
	Percent of Births to Mothers <18	9.1	0.0	0.0	4.3	20.8	8.2
	Percent of Births to Mothers <20	9.1	7.7	14.3	13.0	37.5	18.8
Hispanic:	17 and younger	2	6	0	5	8	
-1	18-19	2	5	8	5	11	
	Percent of Births to Mothers <18	5.7	7.9	0.0	8.1	8.2	6.0
	Percent of Births to Mothers <20	11.4	14.5	10.3	16.1	19.4	14.9
White, Non-Hispanic:	17 and younger	8	23	13	17	12	
	18-19	20	23	38	28	20	
	Percent of Births to Mothers <18	2.8	7.2	4.2	5.0	4.5	4.8
	Percent of Births to Mothers <20	9.9	14.4	16.4	13.4	12.1	13.3
Infant Deaths							
Total		4	0	4	5	3	
Neonatal Post-Neonatal		2 2	0 0	3 1	2 3	1 2	
Percent of SBC I	nfant Daatha		_	•	_		4.07
		1.22	0.00	1.31	1.77	1.18	1.07
Black, Non-Hispanic		0	0	1	0	0	
Neonatal Post-Neonatal		0 0	0 0	0 1	0 0	0	
	Black, Non-Hisp. Infant Deaths	0.00	0.00	1.59	0.00	0.00	0.34
	Slack, Non-Hisp. Illiant Deaths					_	0.54
Hispanic Neonatal		0 0	0 0	1 1	0 0	1 0	
Post-Neonatal		0	0	0	0	1	
	Hispanic Infant Deaths	0.00	0.00	1.01	0.00	1.06	0.40
White, Non-Hispanic	·	4	0.00	2	5	2	0.10
Neonatal	,	2	0	2	5 2	1	
Post-Neonatal		2	0	0	3	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	2.60	0.00	1.48	4.63	1.94	1.97
Infant Mortality Rate (p	·	*	*	*	*	*	8.0

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92310, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			175	235	227	224	237	
Percent o	f SBC Total	Live Births	0.57	0.70	0.69	0.68	0.73	0.68
	n-Hispanio		40	46	55	47	43	
Percent o	f SBC Black	k, Non-Hispanic Live Births	1.44	1.61	1.77	1.49	1.41	1.55
Hispanic			16	23	18	29	25	
		anic Live Births	0.17	0.21	0.14	0.22	0.18	0.19
,	n-Hispanio		98	138	126	126	154	0.00
		e, Non-Hispanic Live Births	0.58	0.77	0.80	0.85	1.13	0.82
Other/Un			21	28	28	22	15	
Very Low Bi Number:	i rthweight I All Race/E	Live Births (<1500 grams)	0	0	2	1	5	
Number.		on-Hispanic	0	0 0	2 1	4 2	5 2	
	Hispanic		0	0	0	0	0	
		on-Hispanic	0	0	1	2	3	
Percent:	All Race/E	Ethnicities	0.0	0.0	0.9	1.8	2.1	1.0
		on-Hispanic	0.0	0.0	1.8	4.3	4.7	2.2
	Hispanic		0.0	0.0	0.0	0.0	0.0	0.0
		on-Hispanic	0.0	0.0	0.8	1.6	1.9	0.9
Number:	_	Births (<2500 grams)	9	12	9	16	18	
Number.		on-Hispanic	3	2	5	5	5	
	Hispanic	m i nopaline	1	1	0	2	1	
		on-Hispanic	4	7	3	7	10	
Percent:	All Race/E	Ethnicities	5.1	5.1	4.0	7.1	7.6	5.8
		on-Hispanic	7.5	4.3	9.1	10.6	11.6	8.7
	Hispanic		6.3	4.3	0.0	6.9	4.0	4.5
Fatan Jata D		on-Hispanic	4.1	5.1	2.4	5.6	6.5	4.8
All Race/E		re, by Trimester 1st Trimester	126	165	182	195	211	
All Nacc/L	ti ii iioitios.	2nd Trimester	44	57	42	28	23	
		3rd Trimester	4	11	3	1	3	
		None	0	0	0	0	0	
		Unknown	1	2	0	0	0	
		Percent Late or No Care	2.3	4.7	1.3	0.4	1.3	2.0
Black, Nor	n-Hispanic:	1st Trimester	24	35	46	41	36	
		2nd Trimester	16	8	9	6	6	
		3rd Trimester	0	3	0	0	1	
		None Unknown	0	0 0	0 0	0 0	0	
			-		•	_	_	4 7
		Percent Late or No Care	0.0	6.5	0.0	0.0	2.3	1.7
Hispanic:		1st Trimester	13	15	17	28	23	
		2nd Trimester 3rd Trimester	3 0	7 1	1 0	1 0	2 0	
		None	0	0	0	0	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	0.0	4.3	0.0	0.0	0.0	0.9

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92310, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		73	95	97	109	137	
	2nd Trimester	22	35	28	16	15	
	3rd Trimester	2	6	1	1	2	
	None	0	0	0	0	0	
	Unknown	1	2	0	0	0	
	Percent Late or No Care	2.1	4.4	0.8	0.8	1.3	1.9
Live Births to Teenage		2	4	2	2	2	
All Race/Ethnicities:	17 and younger 18-19	2 8	1 24	2 17	3 10	3 10	
	Percent of Births to Mothers <18	1.1	0.4	0.9	1.3	1.3	1.0
	Percent of Births to Mothers <20	5.7	10.6	8.4	5.8	5.5	7.3
Black, Non-Hispanic:	17 and younger	1	0	1	2	0	
	18-19	1	3	3	2	0	
	Percent of Births to Mothers <18	2.5	0.0	1.8	4.3	0.0	1.7
	Percent of Births to Mothers <20	5.0	6.5	7.3	8.5	0.0	5.6
Hispanic:	17 and younger	0	0	0	0	1	
	18-19	0	2	1	2	3	
	Percent of Births to Mothers <18	0.0	0.0	0.0	0.0	4.0	0.9
	Percent of Births to Mothers <20	0.0	8.7	5.6	6.9	16.0	8.1
White, Non-Hispanic:	17 and younger	0	1	1	1	2	
,	18-19	6	15	13	5	7	
	Percent of Births to Mothers <18	0.0	0.7	0.8	0.8	1.3	0.8
	Percent of Births to Mothers <20	6.1	11.6	11.1	4.8	5.8	7.9
Infant Deaths							
Total		1	1	3	1	1	
Neonatal		0	0	2	1	1	
Post-Neonatal		1	1	1	0	0	
Percent of SBC I	nfant Deaths	0.30	0.30	0.98	0.35	0.39	0.47
Black, Non-Hispanic		0	0	1	0	0	
Neonatal		0	0	1	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	1.59	0.00	0.00	0.34
Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic	:	1	1	2	1	1	
Neonatal		0	0	1	1	1	
Post-Neonatal		1	1	1	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.65	0.62	1.48	0.93	0.97	0.91
Infant Mortality Rate (p	·	*	*	*	*	*	6.4

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92311, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								Rato(1)
Total			772	744	765	825	761	
Percent of	f SBC Tota	l Live Births	2.52	2.23	2.32	2.51	2.36	2.39
Black, No	n-Hispani	C	94	82	81	96	85	
Percent of	f SBC Blac	k, Non-Hispanic Live Births	3.37	2.87	2.61	3.05	2.79	2.93
Hispanic			197	218	242	269	278	
Percent of	f SBC Hisp	anic Live Births	2.06	1.98	1.93	2.05	2.02	2.01
White, No	n-Hispani	c	433	397	398	416	361	
Percent of	f SBC Whit	te, Non-Hispanic Live Births	2.58	2.21	2.54	2.82	2.64	2.55
Other/Un	known		48	47	44	44	37	
-		Live Births (<1500 grams)						
Number:		Ethnicities	12	10	9	8	9	
	Black, No Hispanic	on-Hispanic	2 2	3 2	2 0	5 1	1 1	
	•	on-Hispanic	6	2 5	5	2	6	
Percent:		Ethnicities	1.6	1.3	1.2	1.0	1.2	1.2
i Giociii.		on-Hispanic	2.1	3.7	2.5	5.2	1.2	3.0
	Hispanic	•	1.0	0.9	0.0	0.4	0.4	0.5
	White, N	on-Hispanic	1.4	1.3	1.3	0.5	1.7	1.2
		Births (<2500 grams)						
Number:		Ethnicities	53	50	54	53	61	
	Hispanic	on-Hispanic	10 9	9 12	7 8	10 15	9 19	
		on-Hispanic	29	27	35	23	32	
Percent:		: Ethnicities	6.9	6.7	7.1	6.4	8.0	7.0
i cicciii.		on-Hispanic	10.6	11.0	8.6	10.4	10.6	10.3
	Hispanic		4.6	5.5	3.3	5.6	6.8	5.2
		on-Hispanic	6.7	6.8	8.8	5.5	8.9	7.3
		re, by Trimester						
All Race/E	thnicities:	1st Trimester	454	449	528	562	553	
		2nd Trimester 3rd Trimester	219 53	199 60	179 26	200 35	169 20	
		None	45	35	30	22	18	
		Unknown	1	1	2	6	1	
		Percent Late or No Care	12.7	12.8	7.3	7.0	5.0	8.9
Black Nor	n-Hispanic:		55	46	52	65	63	
Didon, 1401	. i noparno.	2nd Trimester	26	28	24	20	17	
		3rd Trimester	6	3	0	7	3	
		None	6	5	4	3	2	
		Unknown	1	0	1	1	0	
		Percent Late or No Care	12.9	9.8	5.0	10.5	5.9	9.0
Hispanic:		1st Trimester	116	118	160	169	186	
		2nd Trimester	52	62	57	76	74	
		3rd Trimester	14 15	25	12	16	10	
		None Unknown	15 0	13 0	13 0	8 0	7 1	
			_			_		44 4
		Percent Late or No Care	14.7	17.4	10.3	8.9	6.1	11.1

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92311, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		256	258	283	294	276	
	2nd Trimester	130	94	88	96	71	
	3rd Trimester	25	29	14	11	6	
	None Unknown	22 0	16 0	12 1	10 5	8	
		_				_	77
Live Dietho to Toopens	Percent Late or No Care	10.9	11.3	6.5	5.1	3.9	7.7
Live Births to Teenage All Race/Ethnicities:	17 and younger	46	55	52	65	49	
/ III / (acc) _ III II oilice.	18-19	80	94	92	92	97	
	Percent of Births to Mothers <18	6.0	7.4	6.8	7.9	6.4	6.9
	Percent of Births to Mothers <20	16.3	20.0	18.8	19.0	19.2	18.7
Black, Non-Hispanic:	17 and younger	6	8	7	5	4	
	18-19	8	4	7	10	13	
	Percent of Births to Mothers <18	6.4	9.8	8.6	5.2	4.7	6.8
	Percent of Births to Mothers <20	14.9	14.6	17.3	15.6	20.0	16.4
Hispanic:	17 and younger	17	21	19	30	21	
	18-19	22	34	26	33	36	
	Percent of Births to Mothers <18	8.6	9.6	7.9	11.2	7.6	9.0
	Percent of Births to Mothers <20	19.8	25.2	18.6	23.4	20.5	21.5
White, Non-Hispanic:	17 and younger	21	25	25	27	21	
	18-19	46	52	55	46	43	
	Percent of Births to Mothers <18	4.8	6.3	6.3	6.5	5.8	5.9
	Percent of Births to Mothers <20	15.5	19.4	20.1	17.5	17.7	18.0
Infant Deaths Total		0	6	0	7	4	
Neonatal		8 5	6 4	8 5	7 2	4	
Post-Neonatal		3	2	3	5	1	
Percent of SBC I	nfant Deaths	2.43	1.82	2.61	2.48	1.57	2.20
Black, Non-Hispanic		5	1	0	1	1	
Neonatal		3	1	Ö	0	1	
Post-Neonatal		2	0	0	1	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	7.46	1.67	0.00	1.89	1.92	2.71
Hispanic		2	2	0	4	1	
Neonatal		1	1	0	1	0	
Post-Neonatal		1	1	0	3	1	
Percent of SBC I	Hispanic Infant Deaths	1.92	1.98	0.00	3.70	1.06	1.78
White, Non-Hispanic	:	1	3	8	2	2	
Neonatal		1	2	5	1	2	
Post-Neonatal		0	1	3	1	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.65	1.86	5.93	1.85	1.94	2.42
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.5

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92314, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births				-			-	
Total			120	123	105	117	91	
Percent o	f SBC Tota	I Live Births	0.39	0.37	0.32	0.36	0.28	0.34
Black, No	n-Hispanio		0	0	0	2	0	
Percent o	f SBC Blac	k, Non-Hispanic Live Births	0.00	0.00	0.00	0.06	0.00	0.01
Hispanic			9	11	13	12	16	
Percent o	f SBC Hisp	anic Live Births	0.09	0.10	0.10	0.09	0.12	0.10
•	on-Hispani		109	112	92	101	72	
Percent o	f SBC Whit	e, Non-Hispanic Live Births	0.65	0.62	0.59	0.69	0.53	0.62
Other/Un	known		2	0	0	2	3	
-		Live Births (<1500 grams)						
Number:		Ethnicities	0	1	1	0	0	
	Hispanic	on-Hispanic	0 0	0 0	0 1	0 0	0 0	
		on-Hispanic	0	1	0	0	0	
Percent:		Ethnicities	0.0	0.8	1.0	0.0	0.0	0.4
i elcelit.		on-Hispanic	0.0	0.0	1.0	0.0	0.0	0.0
	Hispanic	•	0.0	0.0	7.7	0.0	0.0	1.6
	White, N	on-Hispanic	0.0	0.9	0.0	0.0	0.0	0.2
		Births (<2500 grams)						
Number:		Ethnicities	8	10	6	9	9	
	Hispanic	on-Hispanic	0 2	0 0	0 3	0 3	0 1	
		on-Hispanic	6	10	3	5 6	8	
Percent:		Ethnicities	6.7	8.1	5.7	7.7	9.9	7.6
i Giociii.		on-Hispanic	0.7		5.7	0.0	9.9	0.0
	Hispanic		22.2	0.0	23.1	25.0	6.3	14.8
	White, N	on-Hispanic	5.5	8.9	3.3	5.9	11.1	6.8
		re, by Trimester						
All Race/E	thnicities:	1st Trimester	94	100	73	89	67	
		2nd Trimester 3rd Trimester	20	16	18	22 5	14	
		None	5 1	3 4	8 5	5 1	5 4	
		Unknown	0	0	1	Ö	1	
		Percent Late or No Care	5.0	5.7	12.5	5.1	10.0	7.4
Black Nor	n-Hispanic:		0	0	0	1	0	
Didon, INOI	i i noparno.	2nd Trimester	0	0	0	1	0	
		3rd Trimester	0	0	0	0	0	
		None	0	0	0	0	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care				0.0		0.0
Hispanic:		1st Trimester	8	8	8	6	8	
•		2nd Trimester	1	3	2	4	6	
		3rd Trimester	0	0	1	2	0	
		None	0	0	2	0	2	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	0.0	0.0	23.1	16.7	12.5	11.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92314, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		84	92	65	81	56	
	2nd Trimester	19	13	16	16	8	
	3rd Trimester None	5 1	3 4	7 3	3 1	5 2	
	Unknown	0	0	1	0	1	
	Percent Late or No Care	5.5	6.3	11.0	4.0	9.9	7.0
Live Births to Teenage		0.0	0.0			0.0	
All Race/Ethnicities:	17 and younger	4	5	4	6	2	
	18-19	12	12	2	9	6	
	Percent of Births to Mothers <18	3.3	4.1	3.8	5.1	2.2	3.8
	Percent of Births to Mothers <20	13.3	13.8	5.7	12.8	8.8	11.2
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	
	18-19	0	0	0	1	0	
	Percent of Births to Mothers <18				0.0		0.0
	Percent of Births to Mothers <20			•••	50.0		50.0
Hispanic:	17 and younger	0	0	1	1	1	
	18-19	1	2	0	1	0	
	Percent of Births to Mothers <18	0.0	0.0	7.7	8.3	6.3	4.9
	Percent of Births to Mothers <20	11.1	18.2	7.7	16.7	6.3	11.5
White, Non-Hispanic:	17 and younger	4	5	3	5	1	
	18-19	11	10	2	7	6	
	Percent of Births to Mothers <18	3.7	4.5	3.3	5.0	1.4	3.7
	Percent of Births to Mothers <20	13.8	13.4	5.4	11.9	9.7	11.1
Infant Deaths		_			_	_	
Total Neonatal		2 0	3 0	1 1	0 0	1 0	
Post-Neonatal		2	3	0	0	1	
Percent of SBC I	nfant Deaths	0.61	0.91	0.33	0.00	0.39	0.47
							0.17
Black, Non-Hispanic Neonatal		0 0	0 0	0 0	0 0	0 0	
Post-Neonatal		Ö	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths				0.00		0.00
Hispanic	·	0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic	·	2	3	1	0	1	
Neonatal		0	0	1	0	0	
Post-Neonatal		2	3	0	0	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	1.86	0.74	0.00	0.97	1.06
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	12.6 *

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92315, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			82	110	99	93	97	
Percent of	f SBC Tota	l Live Births	0.27	0.33	0.30	0.28	0.30	0.30
	n-Hispani		1	0	1	1	0	
Percent of	f SBC Blac	k, Non-Hispanic Live Births	0.04	0.00	0.03	0.03	0.00	0.02
Hispanic			8	18	19	24	22	
Percent of	f SBC Hisp	anic Live Births	0.08	0.16	0.15	0.18	0.16	0.15
•	on-Hispani		73	91	77	67	73	
		te, Non-Hispanic Live Births	0.43	0.51	0.49	0.45	0.53	0.48
Other/Un			0	1	2	1	2	
-		Live Births (<1500 grams)	•		•		•	
Number:		Ethnicities	0 0	2 0	0	2 0	0	
	Hispanic	on-Hispanic	0	0	0 0	0	0 0	
		on-Hispanic	0	2	0	2	0	
Percent:		Ethnicities	0.0	1.8	0.0	2.2	0.0	0.8
i Giodiii.		on-Hispanic	0.0		0.0	0.0		0.0
	Hispanic	•	0.0	0.0	0.0	0.0	0.0	0.0
	White, N	on-Hispanic	0.0	2.2	0.0	3.0	0.0	1.0
		Births (<2500 grams)						
Number:		Ethnicities	7	8	8	10	7	
		on-Hispanic	0	0	0	0	0	
	Hispanic White N	on-Hispanic	0 7	1 7	2 6	1 9	2 5	
Doroonti		·	-	-	_	_		0.0
Percent:		Ethnicities on-Hispanic	8.5 0.0	7.3	8.1 0.0	10.8 0.0	7.2	8.3 0.0
	Hispanic		0.0	5.6	10.5	4.2	 9.1	6.6
		on-Hispanic	9.6	7.7	7.8	13.4	6.8	8.9
Entry Into P	renatal Ca	re, by Trimester						
All Race/E	thnicities:	1st Trimester	59	77	69	55	59	
		2nd Trimester	16	25	19	25	31	
		3rd Trimester	7	6	7	11	6	
		None Unknown	0 0	2 0	4 0	2 0	1 0	
			•	_		_		0.6
DI		Percent Late or No Care	8.5	7.3	11.1	14.0	7.2	9.6
Black, Nor	n-Hispanic:		1	0	0	1	0	
		2nd Trimester 3rd Trimester	0 0	0 0	1 0	0 0	0	
		None	0	0	0	0	0	
		Unknown	0	Ö	0	0	0	
		Percent Late or No Care	0.0		0.0	0.0		0.0
Hispanic:		1st Trimester	4	4	10	7	8	
i noparno.		2nd Trimester	1	8	3	12	12	
		3rd Trimester	3	6	3	3	2	
		None	0	0	3	2	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	37.5	33.3	31.6	20.8	9.1	24.2

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92315, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		54	72	58	46	50	
	2nd Trimester	15	17	14	13	19	
	3rd Trimester None	4 0	0 2	4 1	8 0	4 0	
	Unknown	0	0	0	0	0	
	Percent Late or No Care	5.5	2.2	6.5	11.9	5.5	6.0
Live Births to Teenage		0.0		0.0		0.0	
All Race/Ethnicities:	17 and younger	5	6	2	5	3	
	18-19	12	10	15	10	10	
	Percent of Births to Mothers <18	6.1	5.5	2.0	5.4	3.1	4.4
	Percent of Births to Mothers <20	20.7	14.5	17.2	16.1	13.4	16.2
Black, Non-Hispanic:	17 and younger	0	0	0	1	0	
	18-19	0	0	1	0	0	
	Percent of Births to Mothers <18	0.0		0.0	100.0		33.3
	Percent of Births to Mothers <20	0.0		100.0	100.0		66.7
Hispanic:	17 and younger	1	1	0	2	0	
	18-19	1	1	3	3	2	
	Percent of Births to Mothers <18	12.5	5.6	0.0	8.3	0.0	4.4
	Percent of Births to Mothers <20	25.0	11.1	15.8	20.8	9.1	15.4
White, Non-Hispanic:	17 and younger	4	5	2	2	2	
	18-19	11	8	11	7	8	
	Percent of Births to Mothers <18	5.5	5.5	2.6	3.0	2.7	3.9
	Percent of Births to Mothers <20	20.5	14.3	16.9	13.4	13.7	15.7
Infant Deaths		_		_			
Total Neonatal		3 1	1 1	0 0	0 0	1 0	
Post-Neonatal		2	Ö	0	0	1	
Percent of SBC I	nfant Deaths	0.91	0.30	0.00	0.00	0.39	0.33
							0.00
Black, Non-Hispanic Neonatal		0 0	0 0	0 0	0 0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00		0.00	0.00		0.00
Hispanic	•	0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic	·	3	1	0	0	1	
Neonatal		1	1	0	0	0	
Post-Neonatal		2	0	0	0	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.95	0.62	0.00	0.00	0.97	0.76
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	10.4 **

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92316, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			435	493	510	502	515	
Percent of	f SBC Tota	I Live Births	1.42	1.48	1.54	1.53	1.60	1.51
	n-Hispanio		24	26	21	25	26	
Percent of	f SBC Blac	k, Non-Hispanic Live Births	0.86	0.91	0.68	0.79	0.85	0.82
Hispanic			163	242	262	294	325	
Percent of	f SBC Hisp	anic Live Births	1.71	2.19	2.09	2.24	2.36	2.14
•	n-Hispani		229	216	209	173	152	
Percent of	f SBC Whit	e, Non-Hispanic Live Births	1.36	1.21	1.33	1.17	1.11	1.24
Other/Un	known		19	9	18	10	12	
Very Low Bi		Live Births (<1500 grams)						
Number:		Ethnicities	8	6	10	7	11	
		on-Hispanic	2	2	4	0	3	
	Hispanic		1	2 2	2 4	4	6 2	
_		on-Hispanic	5			3		
Percent:		Ethnicities	1.8	1.2	2.0	1.4	2.1	1.7
		on-Hispanic	8.3	7.7	19.0	0.0	11.5	9.0
	Hispanic	on-Hispanic	0.6 2.2	0.8 0.9	0.8 1.9	1.4 1.7	1.8 1.3	1.2 1.6
Low Birthwe		Births (<2500 grams)	۷.۷	0.5	1.0	1.7	1.0	1.0
Number:		Ethnicities	32	35	27	30	32	
. tambon		on-Hispanic	6	4	4	0	5	
	Hispanic	-	7	12	10	18	15	
	White, N	on-Hispanic	18	19	11	12	11	
Percent:	All Race/l	Ethnicities	7.4	7.1	5.3	6.0	6.2	6.4
	Black, No	on-Hispanic	25.0	15.4	19.0	0.0	19.2	15.6
	Hispanic		4.3	5.0	3.8	6.1	4.6	4.8
		on-Hispanic	7.9	8.8	5.3	6.9	7.2	7.3
		re, by Trimester						
All Race/E	thnicities:	1st Trimester	265	279	330	328	334	
		2nd Trimester 3rd Trimester	113 37	141 45	139 22	124 32	127 33	
		None	16	25	16	15	14	
		Unknown	4	3	3	3	7	
		Percent Late or No Care	12.3	14.3	7.5	9.4	9.3	10.5
Dlock Nor	. Lionania:							10.0
DIACK, INOI	n-Hispanic:	2nd Trimester	15 6	15 8	15 6	21 3	20 5	
		3rd Trimester	3	2	0	1	1	
		None	0	1	0	0	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	12.5	11.5	0.0	4.0	3.8	6.6
Hispanic:		1st Trimester	85	127	163	172	215	
opai iio.		2nd Trimester	53	76	75	90	71	
		3rd Trimester	21	26	15	21	27	
		None	3	12	7	9	7	
		Unknown	1	1	2	2	5	
		Percent Late or No Care	14.8	15.8	8.5	10.3	10.6	11.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92316, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		151	133	142	129	92	
	2nd Trimester	50	53	50	30	48	
	3rd Trimester None	12 13	17 11	7	8	4	
	Unknown	3	2	9 1	6 0	6 2	
	Percent Late or No Care	11.1	13.1	7.7	8.1	6.7	9.6
Live Births to Teenage		11.1	13.1	7.7	0.1	0.7	3.0
All Race/Ethnicities:	17 and younger	23	22	34	36	38	
	18-19	58	50	47	63	51	
	Percent of Births to Mothers <18	5.3	4.5	6.7	7.2	7.4	6.2
	Percent of Births to Mothers <20	18.6	14.6	15.9	19.7	17.3	17.2
Black, Non-Hispanic:	17 and younger	2	2	3	1	1	
	18-19	9	4	2	3	3	
	Percent of Births to Mothers <18	8.3	7.7	14.3	4.0	3.8	7.4
	Percent of Births to Mothers <20	45.8	23.1	23.8	16.0	15.4	24.6
Hispanic:	17 and younger	11	11	16	28	27	
	18-19	23	22	22	38	36	
	Percent of Births to Mothers <18	6.7	4.5	6.1	9.5	8.3	7.2
	Percent of Births to Mothers <20	20.9	13.6	14.5	22.4	19.4	18.2
White, Non-Hispanic:	17 and younger	9	9	15	7	9	
	18-19	26	24	21	22	12	
	Percent of Births to Mothers <18	3.9	4.2	7.2	4.0	5.9	5.0
	Percent of Births to Mothers <20	15.3	15.3	17.2	16.8	13.8	15.7
Infant Deaths		0	0	40	7	7	
Total Neonatal		6 5	3 3	10 8	7 4	7 4	
Post-Neonatal		1	0	2	3	3	
Percent of SBC I	nfant Deaths	1.82	0.91	3.27	2.48	2.75	2.20
Black, Non-Hispanic		0	0	4	0	2	
Neonatal		0	0	4	0	1	
Post-Neonatal		0	0	0	0	1	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	6.35	0.00	3.85	2.03
Hispanic	·	3	2	4	5	1	
Neonatal		3	2	3	3	0	
Post-Neonatal		0	0	1	2	1	
Percent of SBC I	Hispanic Infant Deaths	2.88	1.98	4.04	4.63	1.06	2.96
White, Non-Hispanic		2	1	2	2	4	
Neonatal		1	1	1	1	3	
Post-Neonatal		1	0	1	1	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	0.62	1.48	1.85	3.88	1.66
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	13.4

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92324, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			1,341	1,415	1,368	1,362	1,328	
Percent o	f SBC Tota	l Live Births	4.38	4.24	4.14	4.15	4.12	4.20
Black, No	n-Hispani	C	120	128	132	141	105	
Percent o	f SBC Blac	k, Non-Hispanic Live Births	4.31	4.48	4.25	4.48	3.45	4.19
Hispanic			609	645	674	717	768	
Percent o	f SBC Hisp	panic Live Births	6.38	5.85	5.37	5.47	5.59	5.69
	on-Hispani		554	576	504	440	373	
Percent o	f SBC Whi	te, Non-Hispanic Live Births	3.30	3.21	3.22	2.98	2.73	3.11
Other/Un	known		58	66	58	64	82	
-		Live Births (<1500 grams)						
Number:		Ethnicities	20	26	23	16	15	
		on-Hispanic	3	10	5	3	1	
	Hispanic	on-Hispanic	5 10	8 8	8 10	6 3	10 4	
D		·						
Percent:		Ethnicities	1.5 2.5	1.8 7.8	1.7 3.8	1.2 2.1	1.1 1.0	1.5 3.5
	Hispanic	on-Hispanic	0.8	7.6 1.2	3.o 1.2	0.8	1.3	3.5 1.1
	•	on-Hispanic	1.8	1.4	2.0	0.7	1.1	1.4
Low Birthwe		Births (<2500 grams)						
Number:		Ethnicities	96	84	104	82	91	
		on-Hispanic	20	17	14	13	12	
	Hispanic		37	35	47	42	51	
	White, N	on-Hispanic	33	28	38	20	22	
Percent:		Ethnicities	7.2	5.9	7.6	6.0	6.9	6.7
		on-Hispanic	16.7	13.3	10.6	9.2	11.4	12.1
	Hispanic	on-Hispanic	6.1 6.0	5.4 4.9	7.0 7.5	5.9 4.5	6.6 5.9	6.2 5.8
Entry Into B		re, by Trimester	0.0	4.5	1.5	4.5	5.9	J.0
All Race/E		1st Trimester	845	920	919	981	913	
7 til 1 (d00/ L	ti ii iioitioo.	2nd Trimester	355	340	322	297	289	
		3rd Trimester	100	109	70	44	80	
		None	37	43	44	21	26	
		Unknown	4	3	13	19	20	
		Percent Late or No Care	10.2	10.8	8.4	4.8	8.1	8.5
Black, Nor	n-Hispanic:	1st Trimester	67	76	91	104	85	
	- -	2nd Trimester	36	41	28	31	15	
		3rd Trimester	10	7	8	4	3	
		None	6	4	4	1 1	1	
		Unknown	1	0	1	-	1	
		Percent Late or No Care	13.4	8.6	9.2	3.6	3.8	7.7
Hispanic:		1st Trimester	331	359	390	467	479	
		2nd Trimester	197	187	198	189	201	
		3rd Trimester	59 30	69	50	34	57 20	
		None Unknown	20 2	28 2	28 8	14 13	20 11	
		Percent Late or No Care	13.0	15.1	11.7	6.8	10.2	11.2

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92324, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	410	431	395	363	285	
	2nd Trimester	108	104	84	61	62	
	3rd Trimester	26	30	10	6	15	
	None	9	10	12	6	5	
	Unknown	1	1	3	4	6	
	Percent Late or No Care	6.3	7.0	4.4	2.8	5.4	5.3
Live Births to Teenage	Mothers						
All Race/Ethnicities:	17 and younger	71	68	70	69	94	
	18-19	109	131	111	117	102	
	Percent of Births to Mothers <18	5.3	4.8	5.1	5.1	7.1	5.5
	Percent of Births to Mothers <20	13.4	14.1	13.2	13.7	14.8	13.8
Plack Non Hispania	17 and younger	8	7	8	6	10	
Black, Non-Hispanic:	18-19	12	14	16	12	7	
						-	
	Percent of Births to Mothers <18	6.7	5.5	6.1	4.3	9.5	6.2
	Percent of Births to Mothers <20	16.7	16.4	18.2	12.8	16.2	16.0
Hispanic:	17 and younger	47	45	46	48	63	
	18-19	53	75	57	66	70	
	Percent of Births to Mothers <18	7.7	7.0	6.8	6.7	8.2	7.3
	Percent of Births to Mothers <20	16.4	18.6	15.3	15.9	17.3	16.7
White, Non-Hispanic:	17 and younger	15	15	15	15	18	
writte, Mori-Hispanic.	17 and younger 18-19	41	39	37	38	21	
	Percent of Births to Mothers <18	2.7	2.6	3.0	3.4	4.8	3.2
	Percent of Births to Mothers <20	10.1	9.4	10.3	12.0	10.5	10.4
Infant Deaths		4.0			4.0	_	
Total		12	21	15	16	7	
Neonatal Post-Neonatal		7 5	18 3	11 4	12 4	5 2	
				-		_	
Percent of SBC I	nfant Deaths	3.65	6.38	4.90	5.67	2.75	4.73
Black, Non-Hispanic		3	8	3	2	2	
Neonatal		2	7	3	2	2	
Post-Neonatal		1	1	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	4.48	13.33	4.76	3.77	3.85	6.10
Hispanic	·	3	4	4	7	1	
Neonatal		2	4	3	6	1	
Post-Neonatal		1	0	1	1	0	
	Jianania Infant Daatha	· ·	_		•	_	2.75
	Hispanic Infant Deaths	2.88	3.96	4.04	6.48	1.06	3.75
White, Non-Hispanic	:	6	9	8	5	4	
Neonatal		3	7	5	2	2	
Post-Neonatal		3	2	3	3	2	
Percent of SBC \	White, Non-Hisp. Infant Deaths	3.90	5.59	5.93	4.63	3.88	4.84
Infant Mortality Rate (p	er 1000 live births)	*	14.8	*	*	*	10.4

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92325, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			155	172	163	150	144	
Percent of	f SBC Tota	I Live Births	0.51	0.52	0.49	0.46	0.45	0.48
	n-Hispanio		1	0	1	0	0	
Percent o	f SBC Blac	k, Non-Hispanic Live Births	0.04	0.00	0.03	0.00	0.00	0.01
Hispanic			21	12	19	14	22	
Percent of	f SBC Hisp	anic Live Births	0.22	0.11	0.15	0.11	0.16	0.15
	n-Hispani		132	156	143	129	120	
		te, Non-Hispanic Live Births	0.79	0.87	0.91	0.88	0.88	0.86
Other/Un			1	4	0	7	2	
-		Live Births (<1500 grams)	4	4	0	4	2	
Number:		Ethnicities on-Hispanic	1 0	1 0	0 0	4 0	3 0	
	Hispanic		0	0	0	0	0	
		on-Hispanic	1	1	Ö	4	3	
Percent:	All Race/l	Ethnicities	0.6	0.6	0.0	2.7	2.1	1.1
		on-Hispanic	0.0		0.0			0.0
	Hispanic		0.0	0.0	0.0	0.0	0.0	0.0
		on-Hispanic	0.8	0.6	0.0	3.1	2.5	1.3
Low Birthwe Number:		Births (<2500 grams) Ethnicities	12	11	0	0	0	
Number.		on-Hispanic	0	0	9 0	8 0	9	
	Hispanic		1	0	0	0	0	
		on-Hispanic	11	11	9	8	8	
Percent:	All Race/l	Ethnicities	7.7	6.4	5.5	5.3	6.3	6.3
		on-Hispanic	0.0		0.0			0.0
	Hispanic		4.8	0.0	0.0	0.0	0.0	1.1
.		on-Hispanic	8.3	7.1	6.3	6.2	6.7	6.9
All Race/E		re, by Trimester 1st Trimester	108	123	132	116	95	
All Nace/L	.umiciaes.	2nd Trimester	38	38	25	30	43	
		3rd Trimester	6	8	3	3	5	
		None	3	3	3	1	1	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	5.8	6.4	3.7	2.7	4.2	4.6
Black, Nor	n-Hispanic:	1st Trimester	0	0	1	0	0	
		2nd Trimester	1	0	0	0	0	
		3rd Trimester	0	0	0	0	0	
		None Unknown	0 0	0 0	0 0	0 0	0	
			-	U	•	U	U	0.0
		Percent Late or No Care	0.0		0.0	•••		0.0
Hispanic:		1st Trimester	11	7	12	11	13	
		2nd Trimester 3rd Trimester	7 2	4 1	6 1	3 0	8 1	
		None	1	Ó	0	0	Ó	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	14.3	8.3	5.3	0.0	4.5	6.8

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92325, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		96	114	119	98	80	
	2nd Trimester	30	33	19	27	35	
	3rd Trimester	4	6	2	3	4	
	None	2	3	3	1	1	
	Unknown	0	0	0	0	0	
	Percent Late or No Care	4.5	5.8	3.5	3.1	4.2	4.3
Live Births to Teenage		0	6	0	7	_	
All Race/Ethnicities:	17 and younger 18-19	9 11	6 11	9 5	7 6	5 8	
					_	_	
	Percent of Births to Mothers <18	5.8	3.5	5.5	4.7	3.5	4.6
	Percent of Births to Mothers <20	12.9	9.9	8.6	8.7	9.0	9.8
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	
	18-19	0	0	0	0	0	
	Percent of Births to Mothers <18	0.0		0.0			0.0
	Percent of Births to Mothers <20	0.0	•••	0.0	•••	•••	0.0
Hispanic:	17 and younger	1	0	3	1	1	
	18-19	1	1	0	1	2	
	Percent of Births to Mothers <18	4.8	0.0	15.8	7.1	4.5	6.8
	Percent of Births to Mothers <20	9.5	8.3	15.8	14.3	13.6	12.5
White, Non-Hispanic:	17 and younger	8	5	6	6	4	
	18-19	10	9	5	4	6	
	Percent of Births to Mothers <18	6.1	3.2	4.2	4.7	3.3	4.3
	Percent of Births to Mothers <20	13.6	9.0	7.7	7.8	8.3	9.3
Infant Deaths							
Total		1	1	0	1	0	
Neonatal Post-Neonatal		0 1	1 0	0 0	0 1	0	
		•	_	_	•	•	
Percent of SBC I	nfant Deaths	0.30	0.30	0.00	0.35	0.00	0.20
Black, Non-Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00		0.00			0.00
Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic	:	1	1	0	1	0	
Neonatal		0	1	0	0	0	
Post-Neonatal		1	0	0	1	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.65	0.62	0.00	0.93	0.00	0.45
Infant Mortality Rate (p	·	*	*	*	*	*	3.8

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92335, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			2,536	2,794	2,652	2,598	2,433	
Percent of	f SBC Tota	l Live Births	8.29	8.37	8.03	7.92	7.54	8.03
Black, No	n-Hispani	C	153	188	222	240	201	
Percent of	f SBC Blac	k, Non-Hispanic Live Births	5.49	6.58	7.15	7.62	6.60	6.72
Hispanic			1110	1286	1368	1422	1496	
Percent of	f SBC Hisp	anic Live Births	11.63	11.66	10.91	10.84	10.88	11.14
White, No	on-Hispani	С	1174	1247	976	835	649	
Percent of	f SBC Whit	te, Non-Hispanic Live Births	6.99	6.96	6.23	5.66	4.75	6.20
Other/Un	known		99	73	86	101	87	
Very Low Bi	irthweight	Live Births (<1500 grams)						
Number:	All Race/	Ethnicities	37	34	23	31	33	
		on-Hispanic	5	7	5	10	9	
	Hispanic		15	15	13	12	17	
		on-Hispanic	14	12	5	7	4	
Percent:		Ethnicities	1.5	1.2	0.9	1.2	1.4	1.2
		on-Hispanic	3.3	3.7	2.3	4.2	4.5	3.6
	Hispanic		1.4	1.2	1.0	8.0	1.1	1.1
		on-Hispanic	1.2	1.0	0.5	0.8	0.6	0.9
Number:		Births (<2500 grams) Ethnicities	174	192	164	162	158	
Number.		on-Hispanic	20	30	29	34	28	
	Hispanic	•	68	73	75	74	96	
		on-Hispanic	78	83	56	46	30	
Percent:		Ethnicities	6.9	6.9	6.2	6.2	6.5	6.5
reicent.		on-Hispanic	13.1	16.0	13.1	14.2	13.9	14.0
	Hispanic		6.1	5.7	5.5	5.2	6.4	5.8
		on-Hispanic	6.6	6.7	5.7	5.5	4.6	6.0
Entry Into P	renatal Ca	re, by Trimester						
All Race/E		1st Trimester	1638	1723	1728	1746	1522	
		2nd Trimester	655	771	640	608	655	
		3rd Trimester	158	211	182	137	156	
		None	77	80	82	66	73	
		Unknown	8	9	20	41	27	
		Percent Late or No Care	9.3	10.4	10.0	7.9	9.5	9.5
Black, Nor	n-Hispanic:	1st Trimester	97	123	153	174	140	
,	•	2nd Trimester	42	56	46	48	46	
		3rd Trimester	8	4	15	8	9	
		None	6	5	8	4	5	
		Unknown	0	0	0	6	1	
		Percent Late or No Care	9.2	4.8	10.4	5.1	7.0	7.2
Hispanic:		1st Trimester	653	692	810	870	863	
•		2nd Trimester	322	412	386	391	461	
		3rd Trimester	96	138	118	97	116	
		None	34	37	41	34	37	
		Unknown	5	7	13	30	19	
		Percent Late or No Care	11.8	13.7	11.7	9.4	10.4	11.3

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92335, 1989-1993

				YEAR			Five-Yea
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	826	853	703	628	454	
	2nd Trimester	266	289	191	151	129	
	3rd Trimester	47	67	44	28	29	
	None	32	37	31	25	31	
	Unknown	3	1	7	3	6	
	Percent Late or No Care	6.7	8.3	7.7	6.4	9.3	7.6
Live Births to Teenage	Mothers						
All Race/Ethnicities:	17 and younger	110	141	163	158	126	
	18-19	215	271	222	233	228	
	Percent of Births to Mothers <18	4.3	5.0	6.1	6.1	5.2	5.4
	Percent of Births to Mothers <20	12.8	14.7	14.5	15.1	14.5	14.3
Disale Nam Ulamania							1 1.0
Black, Non-Hispanic:	17 and younger	14	9	13	17	10	
	18-19	17	23	23	25	22	
	Percent of Births to Mothers <18	9.2	4.8	5.9	7.1	5.0	6.3
	Percent of Births to Mothers <20	20.3	17.0	16.2	17.5	15.9	17.2
Hispanic:	17 and younger	46	80	94	89	90	
•	18-19	104	125	118	132	154	
	Percent of Births to Mothers <18	4.1	6.2	6.9	6.3	6.0	6.0
	Percent of Births to Mothers <20	13.5	15.9	15.5	15.5	16.3	15.4
	reicent of Bittis to Mothers <20						13.2
White, Non-Hispanic:	17 and younger	46	52	54	50	26	
	18-19	86	121	80	72	48	
	Percent of Births to Mothers <18	3.9	4.2	5.5	6.0	4.0	4.7
	Percent of Births to Mothers <20	11.2	13.9	13.7	14.6	11.4	13.0
Infant Deaths							
Total		26	29	23	26	22	
Neonatal		17	19	17	16	15	
Post-Neonatal		9	10	6	10	7	
Percent of SBC I	nfant Deaths	7.90	8.81	7.52	9.22	8.63	8.39
Black, Non-Hispanic		3	6	3	3	4	
Neonatal		3	3	3	2	4	
Post-Neonatal		0	3	0	1	0	
	Black, Non-Hisp. Infant Deaths	4.48	10.00	4.76	5.66	7.69	6.44
		12					0.1
Hispanic Neonatal		12	8 6	10 8	14 7	16 10	
Post-Neonatal		2	2	2	7	6	
							44.00
	Hispanic Infant Deaths	11.54	7.92	10.10	12.96	17.02	11.86
White, Non-Hispanic		11	14	10	9	2	
Neonatal		4	9	6	7	1	
Post-Neonatal		7	5	4	2	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	7.14	8.70	7.41	8.33	1.94	6.96
Infant Mortality Pato (n	er 1000 live births)	10.3	10.4	8.7	10.0	9.0	9.7

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92336, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			488	568	663	672	763	
	f SBC Total		1.60	1.70	2.01	2.05	2.37	1.95
	on-Hispanio	; k, Non-Hispanic Live Births	30 1.08	43 1.50	77 2.48	69 2.19	86 2.83	2.04
		x, North hispariic Live Diffits	160	201	264	2.19	369	2.04
Hispanic Percent o		anic Live Births	1.68	1.82	2.11	2.25	2.68	2.15
	on-Hispanio		277	290	277	249	259	
•	•	e, Non-Hispanic Live Births	1.65	1.62	1.77	1.69	1.90	1.72
Other/Un	known		21	34	45	59	49	
-		Live Births (<1500 grams)						
Number:	All Race/E		3	1	4	10	11	
	Hispanic	on-Hispanic	0 3	0 0	0 0	4 2	2 6	
		on-Hispanic	0	1	4	3	3	
Percent:	All Race/E	·	0.6	0.2	0.6	1.5	1.4	0.9
i Groom.		on-Hispanic	0.0	0.0	0.0	5.8	2.3	2.0
	Hispanic	·	1.9	0.0	0.0	0.7	1.6	0.9
		on-Hispanic	0.0	0.3	1.4	1.2	1.2	0.8
		Births (<2500 grams)	0.4	24	20	40	54	
Number:	All Race/E	ennicities on-Hispanic	24 2	34 3	32 4	40 11	51 11	
	Hispanic		9	10	12	15	22	
		on-Hispanic	11	15	13	11	15	
Percent:	All Race/E	Ethnicities	4.9	6.0	4.8	6.0	6.7	5.7
		n-Hispanic	6.7	7.0	5.2	15.9	12.8	10.2
	Hispanic		5.6	5.0	4.5	5.1	6.0	5.3
Entry Into E		on-Hispanic	4.0	5.2	4.7	4.4	5.8	4.8
	thnicities:	re, by Trimester 1st Trimester	373	438	503	498	564	
,		2nd Trimester	93	95	130	143	154	
		3rd Trimester	15	27	17	15	31	
		None	5	7	9	10	11	
		Unknown	2	1	4	6	3	
		Percent Late or No Care	4.1	6.0	3.9	3.8	5.5	4.7
Black, Nor	n-Hispanic:	1st Trimester	23	26	45	49	64	
		2nd Trimester 3rd Trimester	5 2	15	28	17	18	
		None	0	2 0	2 1	0 2	1 3	
		Unknown	0	0	1	1	0	
		Percent Late or No Care	6.7	4.7	3.9	2.9	4.7	4.3
Hispanic:		1st Trimester	112	141	190	205	255	
		2nd Trimester	41	44	56	74	86	
		3rd Trimester	5	13	10	9	19	
		None	1	3	6	4	6	
		Unknown	1	0	2	3	3	
		Percent Late or No Care	3.8	8.0	6.1	4.5	6.8	5.9

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92336, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		219	246	228	196	199	
	2nd Trimester	46	29	42	41	47	
	3rd Trimester None	7 4	10 4	4 2	6 4	11 2	
	Unknown	4 1	1	1	2	0	
	Percent Late or No Care	4.0	4.8	2.2	4.0	5.0	4.0
Live Births to Teenage		4.0	4.0	2.2	4.0	5.0	4.0
All Race/Ethnicities:	17 and younger	17	18	28	32	46	
	18-19	25	38	52	39	58	
	Percent of Births to Mothers <18	3.5	3.2	4.2	4.8	6.0	4.5
	Percent of Births to Mothers <20	8.6	9.9	12.1	10.6	13.6	11.2
Black, Non-Hispanic:	17 and younger	4	5	4	6	7	
,	18-19	2	5	10	8	10	
	Percent of Births to Mothers <18	13.3	11.6	5.2	8.7	8.1	8.5
	Percent of Births to Mothers <20	20.0	23.3	18.2	20.3	19.8	20.0
Hispanic:	17 and younger	7	7	18	16	27	
	18-19	13	12	21	17	36	
	Percent of Births to Mothers <18	4.4	3.5	6.8	5.4	7.3	5.8
	Percent of Births to Mothers <20	12.5	9.5	14.8	11.2	17.1	13.5
White, Non-Hispanic:	17 and younger	6	5	6	9	12	
	18-19	10	21	21	13	12	
	Percent of Births to Mothers <18	2.2	1.7	2.2	3.6	4.6	2.8
	Percent of Births to Mothers <20	5.8	9.0	9.7	8.8	9.3	8.5
Infant Deaths		4	0	_	2	2	
Total Neonatal		4 3	9 6	5 3	3 2	3 3	
Post-Neonatal		1	3	2	1	0	
Percent of SBC I	nfant Deaths	1.22	2.74	1.63	1.06	1.18	1.60
Black, Non-Hispanic		1	1	1	0	1	
Neonatal		Ö	1	Ö	0	1	
Post-Neonatal		1	0	1	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	1.49	1.67	1.59	0.00	1.92	1.36
Hispanic		2	2	1	1	1	
Neonatal		2	1	1	0	1	
Post-Neonatal		0	1	0	1	0	
Percent of SBC I	Hispanic Infant Deaths	1.92	1.98	1.01	0.93	1.06	1.38
White, Non-Hispanic	:	1	6	3	2	1	
Neonatal		1	4	2	2	1	
Post-Neonatal		0	2	1	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.65	3.73	2.22	1.85	0.97	1.97
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	7.6

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92345, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births				-				
Total			946	1,104	1,102	1,051	1,078	
Percent o	f SBC Tota	l Live Births	3.09	3.31	3.34	3.20	3.34	3.26
	on-Hispani		21	24	30	30	43	
Percent o	f SBC Blac	k, Non-Hispanic Live Births	0.75	0.84	0.97	0.95	1.41	0.99
Hispanic			185	234	283	317	321	
Percent o	f SBC Hisp	panic Live Births	1.94	2.12	2.26	2.42	2.33	2.23
•	on-Hispani		716	817	758	685	688	4.05
		te, Non-Hispanic Live Births	4.27	4.56	4.84	4.65	5.04	4.65
Other/Un			24	29	31	19	26	
Very Low B Number:		Live Births (<1500 grams) Ethnicities	15	11	6	10	7	
i vui i iDEI.		on-Hispanic	0	1	0	10	0	
	Hispanic		6	4	1	3	5	
	•	on-Hispanic	9	6	4	6	2	
Percent:	All Race/l	Ethnicities	1.6	1.0	0.5	1.0	0.6	0.9
		on-Hispanic	0.0	4.2	0.0	3.3	0.0	1.4
	Hispanic		3.2	1.7	0.4	0.9	1.6	1.4
		on-Hispanic	1.3	0.7	0.5	0.9	0.3	0.7
		Births (<2500 grams) Ethnicities	70	70	40	74	76	
Number:		emnicities on-Hispanic	70 3	70 3	49 1	71 6	76 6	
	Hispanic	•	16	17	12	23	22	
		on-Hispanic	50	49	34	39	47	
Percent:	All Race/	Ethnicities	7.4	6.3	4.4	6.8	7.1	6.4
		on-Hispanic	14.3	12.5	3.3	20.0	14.0	12.8
	Hispanic		8.6	7.3	4.2	7.3	6.9	6.7
		on-Hispanic	7.0	6.0	4.5	5.7	6.8	6.0
		re, by Trimester	000	700	700	700	000	
All Race/E	thnicities:	1st Trimester 2nd Trimester	682 197	790 257	783 241	780 216	803 216	
		3rd Trimester	43	257 36	58	34	30	
		None	20	20	18	17	27	
		Unknown	4	1	2	4	2	
		Percent Late or No Care	6.7	5.1	6.9	4.9	5.3	5.8
Black, Nor	n-Hispanic:		15	12	17	21	32	
2.0.0.1,		2nd Trimester	3	10	8	7	8	
		3rd Trimester	3	1	4	2	2	
		None	0	1	1	0	0	
		Unknown	0	0	0	0	1	
		Percent Late or No Care	14.3	8.3	16.7	6.7	4.8	9.5
Hispanic:		1st Trimester	117	152	185	198	220	
		2nd Trimester	45	68	70	89	77	
		3rd Trimester	12	8	23	19	17	
		None Unknown	9 2	6 0	5 0	10 1	7 0	
				_	_			^ -
		Percent Late or No Care	11.5	6.0	9.9	9.2	7.5	8.7

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92345, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		535	606	556	545	534	
	2nd Trimester	141	173	160	117	123	
	3rd Trimester	27	26	30	13	10	
	None	11	12	11	7	20	
	Unknown	2	0	1	3	1	
	Percent Late or No Care	5.3	4.7	5.4	2.9	4.4	4.6
Live Births to Teenage All Race/Ethnicities:	17 and younger	45	60	68	62	71	
All Race/Ethnicities.	18-19	93	108	106	93	85	
	Percent of Births to Mothers <18	4.8	5.4	6.2	5.9	6.6	5.8
	Percent of Births to Mothers <20	14.6	15.2	15.8	14.7	14.5	15.0
Black, Non-Hispanic:	17 and younger	1	1	5	1	6	
	18-19	3	2	4	2	2	
	Percent of Births to Mothers <18	4.8	4.2	16.7	3.3	14.0	9.5
	Percent of Births to Mothers <20	19.0	12.5	30.0	10.0	18.6	18.2
Hispanic:	17 and younger	12	20	24	26	25	
	18-19	27	26	38	42	43	
	Percent of Births to Mothers <18	6.5	8.5	8.5	8.2	7.8	8.0
	Percent of Births to Mothers <20	21.1	19.7	21.9	21.5	21.2	21.1
White, Non-Hispanic:	17 and younger	31	38	38	34	39	
	18-19	61	78	60	48	39	
	Percent of Births to Mothers <18	4.3	4.7	5.0	5.0	5.7	4.9
	Percent of Births to Mothers <20	12.8	14.2	12.9	12.0	11.3	12.7
Infant Deaths Total		0	0	5	11	0	
Neonatal		8 5	8 3	5 3	11 7	8 4	
Post-Neonatal		3	5	2	4	4	
Percent of SBC I	nfant Deaths	2.43	2.43	1.63	3.90	3.14	2.66
Black, Non-Hispanic		0	1	1	2	0	
Neonatal		Ő	Ö	Ö	1	0	
Post-Neonatal		0	1	1	1	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	1.67	1.59	3.77	0.00	1.36
Hispanic		2	2	1	3	3	
Neonatal		0	1	1	1	0	
Post-Neonatal		2	1	0	2	3	
Percent of SBC I	Hispanic Infant Deaths	1.92	1.98	1.01	2.78	3.19	2.17
White, Non-Hispanic		6	5	3	6	5	
Neonatal		5	2	2	5	4	
Post-Neonatal		1	3	1	1	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	3.90	3.11	2.22	5.56	4.85	3.78
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	7.6

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92346, 1989-1993

		1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births		1303	1990	1991	1332	1993	Naie(1)
Total		692	793	754	737	774	
Percent of SBC Total Live Births		2.26	2.37	2.28	2.25	2.40	2.31
Black, Non-Hispanic		87	121	120	110	120	
Percent of SBC Black, Non-Hispanic	Live Births	3.12	4.23	3.87	3.49	3.94	3.73
Hispanic		123	163	180	192	209	
Percent of SBC Hispanic Live Births		1.29	1.48	1.44	1.46	1.52	1.45
White, Non-Hispanic		446	482	409	390	391	
Percent of SBC White, Non-Hispanic	Live Births	2.66	2.69	2.61	2.65	2.86	2.69
Other/Unknown		36	27	45	45	54	
Very Low Birthweight Live Births (<15	00 grams)						
Number: All Race/Ethnicities	•	10	10	12	8	11	
Black, Non-Hispanic		3	3	3	3	4	
Hispanic White, Non-Hispanic		2 5	2 4	4 5	0 5	2 5	
Percent: All Race/Ethnicities		1.4	1.3	1.6	1.1	1.4	1.4
Black, Non-Hispanic		3.4	2.5	2.5	2.7	3.3	2.9
Hispanic		1.6	1.2	2.2	0.0	1.0	1.2
White, Non-Hispanic		1.1	8.0	1.2	1.3	1.3	1.1
Low Birthweight Live Births (<2500 gr	ams)						
Number: All Race/Ethnicities		51	64	58	45	67	
Black, Non-Hispanic		14	17	13	18	23	
Hispanic White, Non-Hispanic		8 28	11 34	16 26	6 20	13 24	
Percent: All Race/Ethnicities		7.4	8.1	7.7	6.1	8.7	7.6
Black, Non-Hispanic		16.1	14.0	10.8	16.4	19.2	15.2
Hispanic		6.5	6.7	8.9	3.1	6.2	6.2
White, Non-Hispanic		6.3	7.1	6.4	5.1	6.1	6.2
Entry Into Prenatal Care, by Trimester	,						
All Race/Ethnicities: 1st Trimester		474	546	558	576	560	
2nd Trimester 3rd Trimester	•	169 37	176 49	151 25	117 27	169 31	
None Ster		37 11	49 19	25 17	13	11	
Unknown		1	3	3	4	3	
Percent Late	or No Care	6.9	8.6	5.6	5.5	5.4	6.4
Black, Non-Hispanic: 1st Trimester	-	47	72	77	91	71	
2nd Trimester		32	33	32	15	39	
3rd Trimester		5	14	5	2	8	
None		3	1	6	2	2	
Unknown		0	1	0	0	0	
Percent Late	or No Care	9.2	12.5	9.2	3.6	8.3	8.6
Hispanic: 1st Trimester		78	92	118	128	136	
2nd Trimester		30	50	46	49	58	
3rd Trimester None		11	14	11	10	12 2	
Unknown		4 0	6 1	4 1	3 2	1	
	or No Cara	_	-	-			0 0
Percent Late	or No Care	12.2	12.3	8.4	6.8	6.7	8.9

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92346, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		325	366	331	321	319	
	2nd Trimester	98	85	62	48	57	
	3rd Trimester	20	19	8	12	8	
	None Unknown	2 1	11 1	7 1	8 1	7 0	
		_	•	_	-	_	4.0
Live Dietho to Toomage	Percent Late or No Care	4.9	6.2	3.7	5.1	3.8	4.8
Live Births to Teenage All Race/Ethnicities:	17 and younger	27	39	31	45	52	
/ III / Kaco/ Etilliotico.	18-19	56	55	49	63	58	
	Percent of Births to Mothers <18	3.9	4.9	4.1	6.1	6.7	5.2
	Percent of Births to Mothers <20	12.0	11.9	10.6	14.7	14.2	12.7
Black, Non-Hispanic:	17 and younger	3	8	10	7	9	
	18-19	6	13	11	13	17	
	Percent of Births to Mothers <18	3.4	6.6	8.3	6.4	7.5	6.6
	Percent of Births to Mothers <20	10.3	17.4	17.5	18.2	21.7	17.4
Hispanic:	17 and younger	9	8	10	15	16	
	18-19	12	8	10	20	16	
	Percent of Births to Mothers <18	7.3	4.9	5.6	7.8	7.7	6.7
	Percent of Births to Mothers <20	17.1	9.8	11.1	18.2	15.3	14.3
White, Non-Hispanic:	17 and younger	14	23	10	18	24	
	18-19	37	34	25	27	20	
	Percent of Births to Mothers <18	3.1	4.8	2.4	4.6	6.1	4.2
	Percent of Births to Mothers <20	11.4	11.8	8.6	11.5	11.3	11.0
Infant Deaths		_	2	0	40	0	
Total Neonatal		5 2	3 2	8 5	10 7	8 6	
Post-Neonatal		3	1	3	3	2	
Percent of SBC I	nfant Deaths	1.52	0.91	2.61	3.55	3.14	2.27
Black, Non-Hispanic		2	1	2	3	2	
Neonatal		1	Ó	2	3	2	
Post-Neonatal		1	1	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	2.99	1.67	3.17	5.66	3.85	3.39
Hispanic		0	0	3	4	1	
Neonatal		0	0	2	1	1	
Post-Neonatal		0	0	1	3	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	3.03	3.70	1.06	1.58
White, Non-Hispanic		3	2	3	3	5	
Neonatal		1	2	1	3	3	
Post-Neonatal		2	0	2	0	2	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.95	1.24	2.22	2.78	4.85	2.42
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	9.1

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92354, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			274	286	306	301	281	
Percent o	f SBC Tota	I Live Births	0.90	0.86	0.93	0.92	0.87	0.89
	n-Hispanio		12	13	18	23	20	
Percent o	f SBC Blac	k, Non-Hispanic Live Births	0.43	0.45	0.58	0.73	0.66	0.58
Hispanic			51	62	59	61	61	0.40
		anic Live Births	0.53	0.56	0.47	0.47	0.44	0.49
	on-Hispanio		141	159	157	152	136	0.05
		e, Non-Hispanic Live Births	0.84	0.89	1.00	1.03	1.00	0.95
Other/Un			70	52	72	65	64	
Very Low Bi Number:		Live Births (<1500 grams) Ethnicities	6	2	4	1	5	
inuilibel.		on-Hispanic	0	2 0	0	4 1	5 1	
	Hispanic	•	1	0	0	Ö	0	
	•	on-Hispanic	3	1	2	3	3	
Percent:	All Race/l	Ethnicities	2.2	0.7	1.3	1.3	1.8	1.5
1		on-Hispanic	0.0	0.0	0.0	4.3	5.0	2.3
	Hispanic		2.0	0.0	0.0	0.0	0.0	0.3
		on-Hispanic	2.1	0.6	1.3	2.0	2.2	1.6
		Births (<2500 grams)	0.4	4	4-		4-	
Number:		Ethnicities	21	17	17	22	17	
	Hispanic	on-Hispanic	0 2	1 2	0 1	1 4	1 4	
		on-Hispanic	8	10	11	11	7	
Percent:		: Ethnicities	7.7	5.9	5.6	7.3	6.0	6.5
i ciociii.		on-Hispanic	0.0	7.7	0.0	4.3	5.0	3.5
	Hispanic		3.9	3.2	1.7	6.6	6.6	4.4
	White, N	on-Hispanic	5.7	6.3	7.0	7.2	5.1	6.3
		re, by Trimester						
All Race/E	thnicities:	1st Trimester	197	218	239	247	217	
		2nd Trimester	60	48	52	39	46	
		3rd Trimester	11	14	12	9	13	
		None Unknown	6 0	6 0	3 0	3 3	2	
		Percent Late or No Care	6.2	7.0	4.9	4.0	5.4	5.5
Plank Nor	. Lionania:							3.3
DIACK, INOR	n-Hispanic:	1st Trimester 2nd Trimester	7 5	10 2	15 2	13 8	14 6	
		3rd Trimester	0	1	0	1	0	
		None	0	0	1	0	0	
		Unknown	0	0	0	1	0	
		Percent Late or No Care	0.0	7.7	5.6	4.5	0.0	3.5
Hispanic:		1st Trimester	29	39	41	46	44	
-1		2nd Trimester	15	13	14	8	12	
		3rd Trimester	3	6	2	5	5	
		None	4	4	2	1	0	
		Unknown	0	0	0	1	0	
		Percent Late or No Care	13.7	16.1	6.8	10.0	8.2	10.9

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92354, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		111	128	130	135	109	
	2nd Trimester	25	25	18	15	18	
	3rd Trimester None	4 1	5 1	9 0	1 1	5 2	
	Unknown	0	0	0	0	2	
	Percent Late or No Care	3.5	3.8	5.7	1.3	5.2	3.9
Live Births to Teenage		<u> </u>	0.0	<u> </u>			0.0
All Race/Ethnicities:	17 and younger	5	10	13	12	9	
	18-19	18	17	18	9	16	
	Percent of Births to Mothers <18	1.8	3.5	4.2	4.0	3.2	3.4
	Percent of Births to Mothers <20	8.4	9.4	10.1	7.0	8.9	8.8
Black, Non-Hispanic:	17 and younger	0	0	2	1	3	
	18-19	1	1	0	2	1	
	Percent of Births to Mothers <18	0.0	0.0	11.1	4.3	15.0	7.0
	Percent of Births to Mothers <20	8.3	7.7	11.1	13.0	20.0	12.8
Hispanic:	17 and younger	2	3	4	7	3	
	18-19	3	7	9	3	8	
	Percent of Births to Mothers <18	3.9	4.8	6.8	11.5	4.9	6.5
	Percent of Births to Mothers <20	9.8	16.1	22.0	16.4	18.0	16.7
White, Non-Hispanic:	17 and younger	2	5	5	3	2	
	18-19	10	9	5	4	6	
	Percent of Births to Mothers <18	1.4	3.1	3.2	2.0	1.5	2.3
	Percent of Births to Mothers <20	8.5	8.8	6.4	4.6	5.9	6.8
Infant Deaths							
Total Neonatal		4	4	4	2	2	
Post-Neonatal		3 1	2 2	3 1	0 2	1 1	
Percent of SBC I	nfant Dootho	•	1.22	1.31	0.71	0.78	1.07
		1.22			0.71		1.07
Black, Non-Hispanic		0	0	1	1	0	
Neonatal Post-Neonatal		0 0	0 0	0 1	0 1	0 0	
	Black, Non-Hisp. Infant Deaths	0.00	0.00	1.59	1.89	0.00	0.68
	Slack, North hop. Infant Deaths						0.00
Hispanic Neonatal		1 1	2 0	0 0	1 0	1 0	
Post-Neonatal		0	2	0	1	1	
	Hispanic Infant Deaths	0.96	1.98	0.00	0.93	1.06	0.99
White, Non-Hispanic	·	2	1.00	1	0.00	0	3.00
Neonatal		1	1	1	0	0	
Post-Neonatal		1	0	0	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	0.62	0.74	0.00	0.00	0.61
Infant Mortality Rate (p	·	*	*	*	*	*	11.0 **

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92356, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								11000(17
Total			71	104	96	94	95	
Percent of	f SBC Tota	I Live Births	0.23	0.31	0.29	0.29	0.29	0.28
Black, No	n-Hispanio		1	1	4	1	4	
Percent of	SBC Blac	k, Non-Hispanic Live Births	0.04	0.03	0.13	0.03	0.13	0.07
Hispanic			4	9	16	9	6	
Percent of	f SBC Hisp	anic Live Births	0.04	0.08	0.13	0.07	0.04	0.07
•	n-Hispanio		65	92	73	83	82	
Percent of	f SBC Whit	e, Non-Hispanic Live Births	0.39	0.51	0.47	0.56	0.60	0.50
Other/Unk	known		1	2	3	1	3	
-		Live Births (<1500 grams)						
Number:		Ethnicities	2	1	5	3	1	
	Hispanic	on-Hispanic	0 0	0 0	2 1	0 1	0 0	
		on-Hispanic	2	1	2	2	1	
Percent:	All Race/E	·	2.8	1.0	5.2	3.2	1.1	2.6
i ercent.		on-Hispanic	0.0	0.0	50.0	0.0	0.0	18.2
	Hispanic	•	0.0	0.0	6.3	11.1	0.0	4.5
	White, N	on-Hispanic	3.1	1.1	2.7	2.4	1.2	2.0
		Births (<2500 grams)						
Number:		Ethnicities	7	10	11	13	7	
	Hispanic	on-Hispanic	0 1	0 0	2 1	0 2	1 1	
		on-Hispanic	6	9	8	11	5	
Percent:	All Race/E	·	9.9	9.6	11.5	13.8	7.4	10.4
i elcent.		on-Hispanic	0.0	0.0	50.0	0.0	25.0	27.3
	Hispanic		25.0	0.0	6.3	22.2	16.7	11.4
		on-Hispanic	9.2	9.8	11.0	13.3	6.1	9.9
		re, by Trimester						
All Race/Et	thnicities:	1st Trimester	43	66	55	64	58	
		2nd Trimester 3rd Trimester	14 10	23 5	24 4	22 3	24 8	
		None	4	10	12	5 5	5	
		Unknown	0	0	1	0	0	
		Percent Late or No Care	19.7	14.4	16.8	8.5	13.7	14.4
Black, Non	-Hispanic	1st Trimester	0	0	1	0	1	
, 11011		2nd Trimester	0	0	1	0	1	
		3rd Trimester	1	0	0	0	1	
		None	0	1	2	1	1	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	100.0	100.0	50.0	100.0	50.0	63.6
Hispanic:		1st Trimester	2	6	5	7	3	
		2nd Trimester	1	2	6	1	2	
		3rd Trimester	1	1	1	1	1	
		None	Λ	Λ	3	Λ	Λ	
		None Unknown	0 0	0 0	3 1	0 0	0	

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92356, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		41	58	47	56	52	
	2nd Trimester	12	21	16	21	21	
	3rd Trimester	8	4	3	2	5	
	None	4	9	7	4	4	
	Unknown	0	0	0	0	0	
	Percent Late or No Care	18.5	14.1	13.7	7.2	11.0	12.7
Live Births to Teenage		7	4	6	2	6	
All Race/Ethnicities:	17 and younger 18-19	7 10	4 8	6 10	3 9	6 13	
	Percent of Births to Mothers <18	9.9	3.8	6.3	3.2	6.3	5.7
	Percent of Births to Mothers <20	23.9	11.5	16.7	12.8	20.0	16.5
Black, Non-Hispanic:	17 and younger	0	0	1	0	0	
	18-19	1	0	1	0	1	
	Percent of Births to Mothers <18	0.0	0.0	25.0	0.0	0.0	9.1
	Percent of Births to Mothers <20	100.0	0.0	50.0	0.0	25.0	36.4
Hispanic:	17 and younger	0	0	4	0	0	
·	18-19	1	0	1	0	1	
	Percent of Births to Mothers <18	0.0	0.0	25.0	0.0	0.0	9.1
White, Non-Hispanic:	Percent of Births to Mothers <20	25.0	0.0	31.3	0.0	16.7	15.9
	17 and younger	7	4	1	3	6	
write, reon moparite.	18-19	8	8	8	9	11	
	Percent of Births to Mothers <18	10.8	4.3	1.4	3.6	7.3	5.3
	Percent of Births to Mothers <20	23.1	13.0	12.3	14.5	20.7	16.5
Infant Deaths							
Total		2	2	3	2	2	
Neonatal		2	1	1	1	2	
Post-Neonatal		0	1	2	1	0	
Percent of SBC I	nfant Deaths	0.61	0.61	0.98	0.71	0.78	0.73
Black, Non-Hispanic		0	0	1	0	0	
Neonatal		0	0	1	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	1.59	0.00	0.00	0.34
Hispanic		0	0	0	1	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	1	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.93	0.00	0.20
White, Non-Hispanic		2	2	2	1	2	
Neonatal		2	1	0	1	2	
Post-Neonatal		0	1	2	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	1.24	1.48	0.93	1.94	1.36
Infant Mortality Rate (p	or 1000 live hirths)	*	*	*	*	*	23.9

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92359, 1989-1993

			4000	4000	YEAR	4000	4000	Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births			440	400	4.47	400	404	
Total	f SBC Tata	I Live Births	110 0.36	103 0.31	117 0.35	108 0.33	104 0.32	0.33
								0.33
	n-Hispanio		1	2	2	4	1	0.07
	t SBC Blac	k, Non-Hispanic Live Births	0.04	0.07	0.06	0.13	0.03	0.07
Hispanic		. I. Bul	22	26	37	24	31	
	·	anic Live Births	0.23	0.24	0.30	0.18	0.23	0.23
•	on-Hispanio		84	73	76	77	70	0.40
		e, Non-Hispanic Live Births	0.50	0.41	0.49	0.52	0.51	0.48
Other/Un	known		3	2	2	3	2	
		Live Births (<1500 grams)						
Number:		Ethnicities	0	1	2	0	1	
	Black, No Hispanic	on-Hispanic	0 0	0 1	0 1	0 0	0	
		on-Hispanic	0	0	1	0	1	
Percent:	All Race/E	•	0.0	1.0	1.7	0.0	1.0	0.7
r encenti.		ennicities on-Hispanic	0.0	0.0	0.0	0.0	0.0	0.7
	Hispanic	•	0.0	3.8	2.7	0.0	0.0	1.4
		on-Hispanic	0.0	0.0	1.3	0.0	1.4	0.5
Low Birthwe	eight Live I	Births (<2500 grams)						
Number:		Ethnicities	4	4	10	2	11	
		on-Hispanic	0	0	1	0	0	
	Hispanic	on-Hispanic	2 2	2 2	3 5	0 2	1 10	
ъ.		•						
Percent:	All Race/E		3.6 0.0	3.9 0.0	8.5 50.0	1.9 0.0	10.6 0.0	5.7 10.0
	Hispanic	on-Hispanic	9.1	7.7	8.1	0.0	3.2	5.7
		on-Hispanic	2.4	2.7	6.6	2.6	14.3	5.5
Entry Into P		re, by Trimester						
All Race/E		1st Trimester	76	73	93	83	85	
		2nd Trimester	21	19	21	19	16	
		3rd Trimester	6	9	3	4	2	
		None Unknown	6 1	2 0	0 0	2 0	0 1	
			-			-	•	
		Percent Late or No Care	11.0	10.7	2.6	5.6	1.9	6.3
Black, Nor	n-Hispanic:		0	2	2	4	1	
		2nd Trimester	1	0	0	0	0	
		3rd Trimester None	0 0	0 0	0 0	0 0	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	0.0	0.0	0.0	0.0	0.0	0.0
I Ban ! ·								0.0
Hispanic:		1st Trimester 2nd Trimester	10 7	16 7	25 10	12 10	22 8	
		3rd Trimester	2	3	2	2	o 1	
		None	2	0	0	0	0	
		Unknown	1	0	0	0	0	
		OTIKITOWIT		U	U	U	U	

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92359, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	64	53	64	64	60	
	2nd Trimester	12	12	11	9	8	
	3rd Trimester	4	6	1	2	1	
	None Unknown	4 0	2 0	0 0	2 0	0 1	
	Percent Late or No Care	9.5	11. 0	1.3	5.2	-	5 0
Live Births to Teenage		9.5	11.0	1.3	3.2	1.4	5.8
All Race/Ethnicities:	17 and younger	1	1	5	1	5	
	18-19	9	9	9	5	5	
	Percent of Births to Mothers <18	0.9	1.0	4.3	0.9	4.8	2.4
	Percent of Births to Mothers <20	9.1	9.7	12.0	5.6	9.6	9.2
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	
•	18-19	0	0	0	0	0	
	Percent of Births to Mothers <18	0.0	0.0	0.0	0.0	0.0	0.0
	Percent of Births to Mothers <20	0.0	0.0	0.0	0.0	0.0	0.0
Hispanic:	17 and younger	1	0	4	1	1	
	18-19	2	4	3	2	1	
	Percent of Births to Mothers <18	4.5	0.0	10.8	4.2	3.2	5.0
	Percent of Births to Mothers <20	13.6	15.4	18.9	12.5	6.5	13.6
White, Non-Hispanic:	17 and younger	0	1	1	0	4	
	18-19	7	4	6	3	4	
	Percent of Births to Mothers <18	0.0	1.4	1.3	0.0	5.7	1.6
	Percent of Births to Mothers <20	8.3	6.8	9.2	3.9	11.4	7.9
Infant Deaths			4	0	0	4	
Total Neonatal		3 1	1 1	0 0	0 0	1 0	
Post-Neonatal		2	Ö	0	0	1	
Percent of SBC I	nfant Deaths	0.91	0.30	0.00	0.00	0.39	0.33
							0.00
Black, Non-Hispanic Neonatal		0 0	0 0	0 0	0 0	0	
Post-Neonatal		Ö	Ö	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
Hispanic		0	1	0	0	0	
Neonatal		0	1	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.99	0.00	0.00	0.00	0.20
White, Non-Hispanic	:	3	0	0	0	1	
Neonatal		1	0	0	0	0	
Post-Neonatal		2	0	0	0	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.95	0.00	0.00	0.00	0.97	0.61
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	9.2 **

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92371, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								. 1010(1)
Total			208	228	244	239	220	
Percent of	f SBC Total	Live Births	0.68	0.68	0.74	0.73	0.68	0.70
Black, No	n-Hispanio	:	2	1	2	5	4	
Percent of	f SBC Black	k, Non-Hispanic Live Births	0.07	0.03	0.06	0.16	0.13	0.09
Hispanic			16	39	38	54	42	
Percent of	f SBC Hispa	anic Live Births	0.17	0.35	0.30	0.41	0.31	0.32
•	n-Hispanio		187	184	201	175	171	
		e, Non-Hispanic Live Births	1.11	1.03	1.28	1.19	1.25	1.17
Other/Unl			3	4	3	5	3	
-		Live Births (<1500 grams)	2	4	4	0	4	
Number:	All Race/E	etnnicities on-Hispanic	3 0	4 0	1 0	3 0	1 1	
	Hispanic		0	0	0	0	0	
		on-Hispanic	1	4	1	3	Ö	
Percent:	All Race/E	Ethnicities	1.4	1.8	0.4	1.3	0.5	1.1
	Black, No	on-Hispanic	0.0	0.0	0.0	0.0	25.0	7.1
	Hispanic		0.0	0.0	0.0	0.0	0.0	0.0
		on-Hispanic	0.5	2.2	0.5	1.7	0.0	1.0
	_	Births (<2500 grams)	47	10	4.4	11	10	
Number:		on-Hispanic	17 0	13 0	14 0	14 0	19 1	
	Hispanic	in i napariic	0	2	3	3	6	
		on-Hispanic	14	11	11	11	11	
Percent:	All Race/E	Ethnicities	8.2	5.7	5.7	5.9	8.6	6.8
		on-Hispanic	0.0	0.0	0.0	0.0	25.0	7.1
	Hispanic		0.0	5.1	7.9	5.6	14.3	7.4
		on-Hispanic	7.5	6.0	5.5	6.3	6.4	6.3
All Race/E		re, by Trimester 1st Trimester	134	154	188	175	173	
All Nace/E	umicilies.	2nd Trimester	52	52	42	49	37	
		3rd Trimester	13	13	6	9	6	
		None	8	9	6	5	4	
		Unknown	1	0	2	1	0	
		Percent Late or No Care	10.1	9.6	5.0	5.9	4.5	7.0
Black, Nor	n-Hispanic:	1st Trimester	2	1	1	3	2	
		2nd Trimester	0	0	1	1	2	
		3rd Trimester	0	0	0	0	0	
		None	0	0	0	1	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	0.0	0.0	0.0	20.0	0.0	7.1
Hispanic:		1st Trimester	10	28	24	40	28	
		2nd Trimester	3	6	12	10	7	
		3rd Trimester None	3 0	3 2	1 1	2 1	3 4	
		Unknown	0	0	0	1	0	

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92371, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Care	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	120	122	161	128	141	
	2nd Trimester	48	45	28	38	28	
	3rd Trimester	10	10	5	6	2	
	None	8	7	5	3	0	
	Unknown	1	0	2	0	0	
	Percent Late or No Care	9.7	9.2	5.0	5.1	1.2	6.1
Live Births to Teenage					_		
All Race/Ethnicities:	17 and younger	11	11	18	9	17	
	18-19	16	20	21	21	14	
	Percent of Births to Mothers <18	5.3	4.8	7.4	3.8	7.7	5.8
	Percent of Births to Mothers <20	13.0	13.6	16.0	12.6	14.1	13.9
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	
	18-19	0	0	0	0	0	
	Percent of Births to Mothers <18	0.0	0.0	0.0	0.0	0.0	0.0
	Percent of Births to Mothers <20	0.0	0.0	0.0	0.0	0.0	0.0
Hispanic:	17 and younger	1	3	2	1	5	
moparno.	18-19	2	4	4	5	2	
	Percent of Births to Mothers <18	6.3	7.7	5.3	1.9	11.9	6.3
	Percent of Births to Mothers <20	18.8	17.7 17.9	15.8	11.1	16.7	15.3
							10.0
White, Non-Hispanic:	17 and younger	10	7	16	8	12	
	18-19	14	16	15	15	11	
	Percent of Births to Mothers <18	5.3	3.8	8.0	4.6	7.0	5.8
	Percent of Births to Mothers <20	12.8	12.5	15.4	13.1	13.5	13.5
Infant Deaths				0	4	0	
Total Neonatal		2 1	2 2	2 0	1 0	0 0	
Post-Neonatal		1	0	2	1	0	
	of and Donatha	•	· ·	_	•	_	0.47
Percent of SBC In	nrant Deaths	0.61	0.61	0.65	0.35	0.00	0.47
Black, Non-Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC B	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC F	lispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic		2	2	2	1	0	
Neonatal		1	2	0	0	0	
Post-Neonatal		1	0	2	1	0	
Percent of SBC V	Vhite, Non-Hisp. Infant Deaths	1.30	1.24	1.48	0.93	0.00	1.06
. 5.55111 51 5B0 V	, rion mop. mant boatho				0.00	0.00	1.00

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92373, 1989-1993

		1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births		1000	. 300			. 300	rate(1)
Total		482	542	444	456	419	
Percent of SE	C Total Live Births	1.58	1.62	1.34	1.39	1.30	1.45
Black, Non-H	ispanic	23	30	25	27	16	
	C Black, Non-Hispanic Live Births	0.83	1.05	0.81	0.86	0.53	0.81
Hispanic		99	105	89	109	88	
Percent of SE	C Hispanic Live Births	1.04	0.95	0.71	0.83	0.64	0.82
White, Non-F	ispanic	325	375	294	288	277	
Percent of SE	C White, Non-Hispanic Live Births	1.94	2.09	1.88	1.95	2.03	1.98
Other/Unkno	wn	35	32	36	32	38	
Very Low Birth	veight Live Births (<1500 grams)						
	Race/Ethnicities	7	5	6	8	1	
	ack, Non-Hispanic	1	1	2	1	1	
	spanic hite, Non-Hispanic	2 4	1 3	1 3	2 5	0	
	•	-				_	1.2
	Race/Ethnicities ack, Non-Hispanic	1.5 4.3	0.9 3.3	1.4 8.0	1.8 3.7	0.2 6.3	5.0
	spanic	2.0	1.0	1.1	1.8	0.0	1.2
	hite, Non-Hispanic	1.2	0.8	1.0	1.7	0.0	1.0
Low Birthweigh	t Live Births (<2500 grams)						
	Race/Ethnicities	34	39	19	26	22	
	ack, Non-Hispanic	5	4	3	6	3	
	spanic	8 21	6 22	4 9	3 17	2 16	
	hite, Non-Hispanic						
	Race/Ethnicities	7.1 21.7	7.2 13.3	4.3 12.0	5.7 22.2	5.3 18.8	6.0 17.4
	ack, Non-Hispanic spanic	8.1	5.7	4.5	2.8	2.3	4.7
	hite, Non-Hispanic	6.5	5.9	3.1	5.9	5.8	5.5
Entry Into Pren	atal Care, by Trimester						
All Race/Ethni		374	427	352	378	328	
	2nd Trimester	82	85	71	60	63	
	3rd Trimester	17	13	14	12	17	
	None Unknown	7 2	13 4	7 0	4 2	5 6	
	Percent Late or No Care		-	-		_	47
D		5.0	4.8	4.7	3.5	5.3	4.7
Black, Non-Hi		19	25	20	20	14	
	2nd Trimester 3rd Trimester	2 2	5 0	4 0	6 0	1 1	
	None	0	0	1	1	0	
	Unknown	0	0	0	0	0	
	Percent Late or No Care	8.7	0.0	4.0	3.7	6.3	4.1
Hispanic:	1st Trimester	57	66	57	80	62	
. noparno.	2nd Trimester	28	24	22	21	19	
	3rd Trimester	9	7	10	5	2	
	None	5	7	0	2	2	
	Unknown	0	1	0	1	3	
	Percent Late or No Care	14.1	13.5	11.2	6.5	4.7	10.1

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92373, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		268	313	243	258	224	
	2nd Trimester	48	51	42	22	38	
	3rd Trimester	6	4	4	6	11	
	None Unknown	2 1	6 1	5 0	1 1	3 1	
		-	•	-	•	•	2.4
Live Diethe to Teamens	Percent Late or No Care	2.5	2.7	3.1	2.4	5.1	3.1
Live Births to Teenage All Race/Ethnicities:	17 and younger	11	18	12	11	11	
7 til 1 (doo) Ettillottoo.	18-19	24	40	24	25	21	
	Percent of Births to Mothers <18	2.3	3.3	2.7	2.4	2.6	2.7
	Percent of Births to Mothers <20	7.3	10.7	8.1	7.9	7.6	8.4
Black, Non-Hispanic:	17 and younger	1	3	1	0	0	
Black, Non Flispanie.	18-19	2	1	3	0	2	
	Percent of Births to Mothers <18	4.3	10.0	4.0	0.0	0.0	4.1
	Percent of Births to Mothers <20	13.0	13.3	16.0	0.0	12.5	10.7
Hispanic:	17 and younger	4	6	3	8	4	
i noparno.	18-19	5	14	9	12	5	
	Percent of Births to Mothers <18	4.0	5.7	3.4	7.3	4.5	5.1
	Percent of Births to Mothers <20	9.1	19.0	13.5	18.3	10.2	14.3
White, Non-Hispanic:	17 and younger	6	8	8	3	6	
•	18-19	17	24	11	13	13	
	Percent of Births to Mothers <18	1.8	2.1	2.7	1.0	2.2	2.0
	Percent of Births to Mothers <20	7.1	8.5	6.5	5.6	6.9	7.0
Infant Deaths							
Total		2	6	6	1	2	
Neonatal Post-Neonatal		2 0	3 3	3 3	1 0	0 2	
	nfort Dootho	_			_		4.40
Percent of SBC I		0.61	1.82	1.96	0.35	0.78	1.13
Black, Non-Hispanic		1	0	0	0	0	
Neonatal Post-Neonatal		1 0	0 0	0 0	0 0	0	
	Black, Non-Hisp. Infant Deaths	1.49	0.00	0.00	0.00	0.00	0.34
	Slack, Non-Hisp. Illiant Deaths						0.54
Hispanic Neonatal		0 0	4 1	2 1	1 1	0	
Post-Neonatal		0	3	1 1	0	0	
	Hispanic Infant Deaths	0.00	3.96	2.02	0.93	0.00	1.38
	·	0.00					1.50
White, Non-Hispanic Neonatal	•	1 1	2 2	4 2	0 0	2 0	
Post-Neonatal		0	0	2	0	2	
	White, Non-Hisp. Infant Deaths	0.65	1.24	2.96	0.00	1.94	1.36
Infant Mortality Rate (p	·	*	*	2.50	*	*	7.3

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92374, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			595	608	618	584	559	
Percent o	f SBC Tota	I Live Births	1.95	1.82	1.87	1.78	1.73	1.83
	n-Hispanio		36	33	29	36	19	4.00
	t SBC Blac	k, Non-Hispanic Live Births	1.29	1.15	0.93	1.14	0.62	1.02
Hispanic Percent of	f SBC Hien	anic Live Births	195 2.04	194 1.76	210 1.67	213 1.62	244 1.77	1.76
	n-Hispani		332	352	348	294	261	1.70
	•	e, Non-Hispanic Live Births	1.98	1.96	2.22	1.99	1.91	2.01
Other/Un		,	32	29	31	41	35	
		Live Births (<1500 grams)						
Number:	All Race/	Ethnicities	9	4	1	9	5	
		on-Hispanic	0	0	0	0	0	
	Hispanic White N	on-Hispanic	2 5	2 1	1 0	8 1	3 2	
Percent:		Ethnicities	1.5	0.7	0.2	1.5	0.9	0.9
reiceiit.		on-Hispanic	0.0	0.0	0.2	0.0	0.9	0.9
	Hispanic	-	1.0	1.0	0.5	3.8	1.2	1.5
		on-Hispanic	1.5	0.3	0.0	0.3	8.0	0.6
		Births (<2500 grams)	07	0.4	00	05	07	
Number:		Ethnicities on-Hispanic	37 3	34 0	30 5	35 3	37 1	
	Hispanic	-	14	16	8	20	13	
		on-Hispanic	17	15	13	10	20	
Percent:		Ethnicities	6.2	5.6	4.9	6.0	6.6	5.8
		on-Hispanic	8.3	0.0	17.2	8.3	5.3	7.8
	Hispanic White N	on-Hispanic	7.2 5.1	8.2 4.3	3.8 3.7	9.4 3.4	5.3 7.7	6.7 4.7
Entry Into P		re, by Trimester	0.1	1.0	0.1	0.1		1.7
All Race/E		1st Trimester	454	440	471	474	407	
		2nd Trimester	107	117	115	79	118	
		3rd Trimester	23	29	15 15	18	24	
		None Unknown	10 1	21 1	15 2	7 6	5 5	
		Percent Late or No Care	5.6	8.2	4.9	4.3	5.2	5.7
Black Nor	n-Hispanic:		19	18	18	28	16	0.1
DIGGR, INGI	i i lispatiic.	2nd Trimester	13	10	8	4	2	
		3rd Trimester	3	3	1	2	0	
		None	1	2	2	0	0	
		Unknown	0	0	0	2	1	
		Percent Late or No Care	11.1	15.2	10.3	5.9	0.0	9.3
Hispanic:		1st Trimester	126	114	128	149	155	
		2nd Trimester 3rd Trimester	45 16	47 23	60 13	48 11	67 17	
		None	7	10	8	4	3	
		Unknown	1	0	1	1	2	
		Percent Late or No Care	11.9	17.0	10.0	7.1	8.3	10.7

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92374, 1989-1993

				YEAR		_	Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	282	286	300	264	209	
	2nd Trimester	46	53	41	22	42	
	3rd Trimester	2	3	1	4	7	
	None	2	9	5	2	2	
	Unknown	0	1	1	2	1	
	Percent Late or No Care	1.2	3.4	1.7	2.1	3.5	2.3
_ive Births to Teenage	Mothers						
All Race/Ethnicities:	17 and younger	28	18	25	35	37	
	18-19	45	44	39	37	56	
	Percent of Births to Mothers <18	4.7	3.0	4.0	6.0	6.6	4.8
	Percent of Births to Mothers <20	12.3	10.2	10.4	12.3	16.6	12.3
Diade Non Hieronia			2	0	1		
Black, Non-Hispanic:	17 and younger 18-19	2 1	3	0	1	1 3	
		-		_	•	_	
	Percent of Births to Mothers <18	5.6	6.1	0.0	2.8	5.3	3.9
	Percent of Births to Mothers <20	8.3	15.2	0.0	5.6	21.1	9.2
Hispanic:	17 and younger	14	7	19	26	30	
	18-19	24	22	22	17	32	
	Percent of Births to Mothers <18	7.2	3.6	9.0	12.2	12.3	9.1
	Percent of Births to Mothers <20	19.5	14.9	19.5	20.2	25.4	20.2
White New Hieronie							
White, Non-Hispanic:	17 and younger 18-19	9 19	9 18	6 15	8 19	6 20	
						_	
	Percent of Births to Mothers <18	2.7	2.6	1.7	2.7	2.3	2.4
	Percent of Births to Mothers <20	8.4	7.7	6.0	9.2	10.0	8.1
Infant Deaths		_	_	_	_		
Total		5	3	4	5	1	
Neonatal		3 2	2 1	1 3	2	0	
Post-Neonatal			_	_	3	1	
Percent of SBC I	nfant Deaths	1.52	0.91	1.31	1.77	0.39	1.20
Black, Non-Hispanic		1	1	0	0	0	
Neonatal		1	1	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	1.49	1.67	0.00	0.00	0.00	0.68
	,	1		1			
Hispanic Neonatal		0	0 0	0	4 1	0	
Post-Neonatal		1	0	1	3	0	
		-	_	_		_	
Percent of SBC I	Hispanic Infant Deaths	0.96	0.00	1.01	3.70	0.00	1.19
White, Non-Hispanic	:	3	2	3	1	0	
Neonatal		2	1	1	1	0	
D (N) (1		1	1	2	0	0	
Post-Neonatal							
	White, Non-Hisp. Infant Deaths	1.95	1.24	2.22	0.93	0.00	1.36

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92376, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								11000(1)
Total			1,589	1,796	1,705	1,797	1,718	
Percent o	f SBC Tota	l Live Births	5.20	5.38	5.16	5.48	5.33	5.31
	n-Hispani		348	369	390	402	416	
Percent o	f SBC Blac	k, Non-Hispanic Live Births	12.49	12.91	12.57	12.77	13.67	12.88
Hispanic			528	646	689	830	780	
		anic Live Births	5.53	5.86	5.49	6.33	5.67	5.79
-	on-Hispani		647	715	564	499	461	2.66
		te, Non-Hispanic Live Births	3.85	3.99	3.60	3.39	3.38	3.66
Other/Un		1: D: (1 (4500)	66	66	62	66	61	
Very Low Bi Number:		Live Births (<1500 grams) Ethnicities	20	22	23	22	36	
i valiibei.		on-Hispanic	6	10	10	8	15	
	Hispanic		6	4	6	9	11	
	White, N	on-Hispanic	8	5	7	4	9	
Percent:		Ethnicities	1.3	1.2	1.3	1.2	2.1	1.4
		on-Hispanic	1.7	2.7	2.6	2.0	3.6	2.5
	Hispanic		1.1	0.6	0.9	1.1	1.4	1.0
Lave Diethre		on-Hispanic	1.2	0.7	1.2	0.8	2.0	1.1
Number:		Births (<2500 grams) Ethnicities	103	116	112	130	119	
		on-Hispanic	30	33	47	42	40	
	Hispanic		30	37	33	51	47	
	White, N	on-Hispanic	40	39	30	30	29	
Percent:		Ethnicities	6.5	6.5	6.6	7.2	6.9	6.7
		on-Hispanic	8.6	8.9	12.1	10.4	9.6	10.0
	Hispanic	on-Hispanic	5.7 6.2	5.7 5.5	4.8 5.3	6.1 6.0	6.0 6.3	5.7 5.8
Entry Into P		re, by Trimester	0.2	0.0	0.0	0.0	0.5	5.0
All Race/E		1st Trimester	1040	1149	1177	1226	1109	
		2nd Trimester	407	482	386	435	451	
		3rd Trimester	93	116	92	77	76	
		None	43	44	34	31	52	
		Unknown	6	5	16 	28	30	
		Percent Late or No Care	8.6	8.9	7.5	6.1	7.6	7.7
Black, Nor	n-Hispanic:		219	236	281	277	292	
		2nd Trimester 3rd Trimester	102 19	93 25	73 15	96 12	95 15	
		None	7	25 13	16	12	12	
		Unknown	1	2	5	5	2	
		Percent Late or No Care	7.5	10.4	8.1	6.0	6.5	7.6
Hispanic:		1st Trimester	323	366	434	540	439	
		2nd Trimester	143	205	184	221	248	
		3rd Trimester	41	57	55	42	49	
		None	18	17	10	14	24	
		Unknown	3	1	6	13	20	
		Percent Late or No Care	11.2	11.5	9.5	6.9	9.6	9.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92376, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		454	505	421	365	335	
	2nd Trimester	150	165	116	103	94	
	3rd Trimester	27	31	17	18	10	
	None	14	12	6	5	15	
	Unknown	2	2	4	8	7	
	Percent Late or No Care	6.4	6.0	4.1	4.7	5.5	5.4
Live Births to Teenage		404			440		
All Race/Ethnicities:	17 and younger	101	94	111	118	115	
	18-19	144	172	200	161	163	
	Percent of Births to Mothers <18	6.4	5.2	6.5	6.6	6.7	6.3
	Percent of Births to Mothers <20	15.4	14.8	18.2	15.5	16.2	16.0
Black, Non-Hispanic:	17 and younger	37	21	35	31	34	
	18-19	38	48	52	47	39	
	Percent of Births to Mothers <18	10.6	5.7	9.0	7.7	8.2	8.2
	Percent of Births to Mothers <20	21.6	18.7	22.3	19.4	17.5	19.8
Hispanic:	17 and younger	35	37	50	61	52	
r noparno.	18-19	49	68	74	65	86	
	Percent of Births to Mothers <18	6.6	5.7	7.3	7.3	6.7	6.8
	Percent of Births to Mothers <20	15.9	16.3	18.0	15.2	17.7	16.6
Mhita Nan Hianania.							10.0
White, Non-Hispanic:	17 and younger 18-19	25 52	35 56	25 73	21 43	27 34	
	Percent of Births to Mothers <18	3.9	4.9	4.4	4.2	5.9	4.6
	Percent of Births to Mothers <20	11.9	12.7	17.4	12.8	13.2	13.5
Infant Deaths Total		19	24	13	13	19	
Neonatal		11	12	9	11	19	
Post-Neonatal		8	12	4	2	7	
Percent of SBC I	nfant Deaths	5.78	7.29	4.25	4.61	7.45	5.86
						_	5.00
Black, Non-Hispanic		7 4	7	4	4 4	7	
Neonatal Post-Neonatal		3	5 2	3 1	0	4 3	
	Plack Non Lion Infant Dootho						0.02
	Black, Non-Hisp. Infant Deaths	10.45	11.67	6.35	7.55	13.46	9.83
Hispanic		6	9	7	7	8	
Neonatal		4	5	4	6	5	
Post-Neonatal		2	4	3	1	3	
Percent of SBC I	Hispanic Infant Deaths	5.77	8.91	7.07	6.48	8.51	7.31
White, Non-Hispanic	:	6	7	1	2	3	
Neonatal		3	2	1	1	2	
Post-Neonatal		3	5	0	1	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	3.90	4.35	0.74	1.85	2.91	2.87
Infant Mortality Rate (p	er 1000 live births)	*	13.4	*	*	*	10.2

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92392, 1989-1993

Live Births Total Percent of SBC Total Live Births Black, Non-Hispanic Percent of SBC Black, Non-Hispanic Live Births Hispanic Percent of SBC Hispanic Live Births White, Non-Hispanic Percent of SBC White, Non-Hispanic Live Births Other/Unknown Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Fercent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester	1,019 3.33 92 3.30 200 2.09 685 4.08 42 16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	1,157 3.46 69 2.41 294 2.67 739 4.12 55 12 5 0 6 1.0 7.2 0.0 0.8	1,191 3.61 88 2.84 370 2.95 678 4.33 55 13 1 1 10 1.1 1.1 0.3 1.5	1,255 3.82 132 4.19 387 2.95 682 4.63 54 16 3 4 9 1.3 2.3 1.0 1.3	1,261 3.91 132 4.34 395 2.87 682 4.99 52 17 7 3 5 1.3 5.3 0.8 0.7	3.63 3.43 2.74 4.40 1.3 3.5 0.7 1.2
Total Percent of SBC Total Live Births Black, Non-Hispanic Percent of SBC Black, Non-Hispanic Live Births Hispanic Percent of SBC Hispanic Live Births White, Non-Hispanic Percent of SBC White, Non-Hispanic Live Births Other/Unknown Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Firm Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	3.33 92 3.30 200 2.09 685 4.08 42 16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	3.46 69 2.41 294 2.67 739 4.12 55 12 5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	3.61 88 2.84 370 2.95 678 4.33 55 13 1 10 1.1 1.1 0.3 1.5	3.82 132 4.19 387 2.95 682 4.63 54 16 3 4 9 1.3 2.3 1.0 1.3 80 13 26	3.91 132 4.34 395 2.87 682 4.99 52 17 7 3 5 1.3 5.3 0.8 0.7	3.43 2.74 4.40 1.3 3.5 0.7
Black, Non-Hispanic Percent of SBC Black, Non-Hispanic Live Births Hispanic Percent of SBC Hispanic Live Births White, Non-Hispanic Percent of SBC White, Non-Hispanic Live Births Other/Unknown Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Timester All Race/Ethnicities: 1st Trimester All Race/Ethnicities: 1st Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	3.33 92 3.30 200 2.09 685 4.08 42 16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	3.46 69 2.41 294 2.67 739 4.12 55 12 5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	3.61 88 2.84 370 2.95 678 4.33 55 13 1 10 1.1 1.1 0.3 1.5	3.82 132 4.19 387 2.95 682 4.63 54 16 3 4 9 1.3 2.3 1.0 1.3 80 13 26	3.91 132 4.34 395 2.87 682 4.99 52 17 7 3 5 1.3 5.3 0.8 0.7	3.43 2.74 4.40 1.3 3.5 0.7
Percent of SBC Black, Non-Hispanic Live Births Hispanic Percent of SBC Hispanic Live Births White, Non-Hispanic Percent of SBC White, Non-Hispanic Live Births Other/Unknown Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Fercent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester	3.30 200 2.09 685 4.08 42 16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	2.41 294 2.67 739 4.12 55 12 5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	2.84 370 2.95 678 4.33 55 13 1 10 1.1 1.1 0.3 1.5	4.19 387 2.95 682 4.63 54 16 3 4 9 1.3 2.3 1.0 1.3 80 13 26	4.34 395 2.87 682 4.99 52 17 7 3 5 1.3 5.3 0.8 0.7	2.74 4.40 1.3 3.5 0.7
Percent of SBC Black, Non-Hispanic Live Births Hispanic Percent of SBC Hispanic Live Births White, Non-Hispanic Percent of SBC White, Non-Hispanic Live Births Other/Unknown Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Fercent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	3.30 200 2.09 685 4.08 42 16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	2.41 294 2.67 739 4.12 55 12 5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	2.84 370 2.95 678 4.33 55 13 1 10 1.1 1.1 0.3 1.5	4.19 387 2.95 682 4.63 54 16 3 4 9 1.3 2.3 1.0 1.3 80 13 26	4.34 395 2.87 682 4.99 52 17 7 3 5 1.3 5.3 0.8 0.7	2.74 4.40 1.3 3.5 0.7
Hispanic Percent of SBC Hispanic Live Births White, Non-Hispanic Percent of SBC White, Non-Hispanic Live Births Other/Unknown Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	200 2.09 685 4.08 42 16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	2.67 739 4.12 55 12 5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	2.95 678 4.33 55 13 1 1 10 1.1 1.1 0.3 1.5	2.95 682 4.63 54 16 3 4 9 1.3 2.3 1.0 1.3	2.87 682 4.99 52 17 7 3 5 1.3 5.3 0.8 0.7	4.40 1.3 3.5 0.7
Percent of SBC Hispanic Live Births White, Non-Hispanic Percent of SBC White, Non-Hispanic Live Births Other/Unknown Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Black, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester 1st Trimester None Unknown Percent Late or No Care	2.09 685 4.08 42 16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	2.67 739 4.12 55 12 5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	2.95 678 4.33 55 13 1 1 10 1.1 1.1 0.3 1.5	2.95 682 4.63 54 16 3 4 9 1.3 2.3 1.0 1.3	2.87 682 4.99 52 17 7 3 5 1.3 5.3 0.8 0.7	4.40 1.3 3.5 0.7
White, Non-Hispanic Percent of SBC White, Non-Hispanic Live Births Other/Unknown Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Fentry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	685 4.08 42 16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	739 4.12 55 12 5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	678 4.33 55 13 1 1 10 1.1 1.1 0.3 1.5	682 4.63 54 16 3 4 9 1.3 2.3 1.0 1.3	682 4.99 52 17 7 3 5 1.3 5.3 0.8 0.7	4.40 1.3 3.5 0.7
Percent of SBC White, Non-Hispanic Live Births Other/Unknown Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	4.08 42 16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	4.12 55 12 5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	4.33 55 13 1 10 1.1 1.1 0.3 1.5	4.63 54 16 3 4 9 1.3 2.3 1.0 1.3 80 13 26	4.99 52 17 7 3 5 1.3 5.3 0.8 0.7 83 23 26	1.3 3.5 0.7
Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	42 16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	55 12 5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	55 13 1 1 10 1.1 1.1 0.3 1.5	16 3 4 9 1.3 2.3 1.0 1.3	52 17 7 3 5 1.3 5.3 0.8 0.7	1.3 3.5 0.7
Very Low Birthweight Live Births (<1500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	16 2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	12 5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	13 1 1 10 1.1 1.1 0.3 1.5	16 3 4 9 1.3 2.3 1.0 1.3	17 7 3 5 1.3 5.3 0.8 0.7	3.5 0.7
Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	1 1 10 1.1 1.1 0.3 1.5	3 4 9 1.3 2.3 1.0 1.3 80 13 26	7 3 5 1.3 5.3 0.8 0.7	3.5 0.7
Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	2 3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	5 0 6 1.0 7.2 0.0 0.8 72 14 13 39	1 1 10 1.1 1.1 0.3 1.5	3 4 9 1.3 2.3 1.0 1.3 80 13 26	7 3 5 1.3 5.3 0.8 0.7	3.5 0.7
Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	3 11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	0 6 1.0 7.2 0.0 0.8 72 14 13 39	1 10 1.1 1.1 0.3 1.5	4 9 1.3 2.3 1.0 1.3 80 13 26	3 5 1.3 5.3 0.8 0.7	3.5 0.7
White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	11 1.6 2.2 1.5 1.6 63 9 12 39 6.2 9.8	1.0 7.2 0.0 0.8 72 14 13 39	1.1 1.1 0.3 1.5 90 7 22	1.3 2.3 1.0 1.3 80 13 26	5 1.3 5.3 0.8 0.7 83 23 26	3.5 0.7
Black, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	2.2 1.5 1.6 63 9 12 39 6.2 9.8	7.2 0.0 0.8 72 14 13 39	1.1 0.3 1.5 90 7 22	2.3 1.0 1.3 80 13 26	5.3 0.8 0.7 83 23 26	3.5 0.7
Black, Non-Hispanic Hispanic White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	2.2 1.5 1.6 63 9 12 39 6.2 9.8	7.2 0.0 0.8 72 14 13 39	1.1 0.3 1.5 90 7 22	2.3 1.0 1.3 80 13 26	5.3 0.8 0.7 83 23 26	3.5 0.7
White, Non-Hispanic Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	1.6 63 9 12 39 6.2 9.8	72 14 13 39	90 7 22	1.3 80 13 26	0.7 83 23 26	
Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	63 9 12 39 6.2 9.8	72 14 13 39	90 7 22	80 13 26	83 23 26	1.2
Number: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	9 12 39 6.2 9.8	14 13 39	7 22	13 26	23 26	
Black, Non-Hispanic Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	9 12 39 6.2 9.8	14 13 39	7 22	13 26	23 26	
Hispanic White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	12 39 6.2 9.8	13 39	22	26	26	
White, Non-Hispanic Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	39 6.2 9.8	39				
Percent: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	6.2 9.8			37	29	
Black, Non-Hispanic Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	9.8		7.6	6.4	6.6	6.6
Hispanic White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester		20.3	8.0	9.8	17.4	12.9
White, Non-Hispanic Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester 2nd Trimester	6.0	4.4	5.9	6.7	6.6	6.0
All Race/Ethnicities: 1st Trimester 2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester 2nd Trimester	5.7	5.3	8.4	5.4	4.3	5.8
2nd Trimester 3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester						
3rd Trimester None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	729	816	848	956	985	
None Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	195	251	256	248	211	
Unknown Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	57	51	53	32	31	
Percent Late or No Care Black, Non-Hispanic: 1st Trimester 2nd Trimester	30 8	36 3	32 2	18 1	31 3	
Black, Non-Hispanic: 1st Trimester 2nd Trimester	_	_		_		
2nd Trimester	8.6	7.5	7.1	4.0	4.9	6.3
	62	44	55	87	92	
2rd Trimostor	19 6	16	25 4	33	27 9	
3rd Trimester None	6 5	2 7	4 4	7 5	8 4	
Unknown	0	0	0	0	1	
Percent Late or No Care	12.0	13.0	9.1	9.1	9.2	10.2
						10.2
Hispanic: 1st Trimester 2nd Trimester	125	176 82	238 98	265 101	281	
2nd Trimester 3rd Trimester		04	90		91 9	
None	50		22	15		
Unknown		25	22 10	15 6		
Percent Late or No Care	50 16		22 10 2	15 6 0	13 1	

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92392, 1989-1993

				Five-Year			
	_	1989	1990	YEAR 1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		515	558	517	562	571	
	2nd Trimester	117	139	124	105	84	
	3rd Trimester	30	22	23	9	14	
	None	17	18	14	5	13	
	Unknown	6	2	0	1	0	
	Percent Late or No Care	6.9	5.4	5.5	2.1	4.0	4.8
Live Births to Teenage		E 1	66	74	60	04	
All Race/Ethnicities:	17 and younger 18-19	54 88	66 85	71 73	68 111	81 115	
			00	73	111		
	Percent of Births to Mothers <18	5.3	5.7	6.0	5.4	6.4	5.8
	Percent of Births to Mothers <20	13.9	13.1	12.1	14.3	15.5	13.8
Black, Non-Hispanic:	17 and younger	4	6	4	8	11	
	18-19	6	7	8	20	10	
	Percent of Births to Mothers <18	4.3	8.7	4.5	6.1	8.3	6.4
	Percent of Births to Mothers <20	10.9	18.8	13.6	21.2	15.9	16.4
Hispanic:	17 and younger	20	30	31	35	41	
	18-19	15	24	30	41	45	
	Percent of Births to Mothers <18	10.0	10.2	8.4	9.0	10.4	9.5
	Percent of Births to Mothers <20	17.5	18.4	16.5	19.6	21.8	19.0
White, Non-Hispanic:	17 and younger	29	28	34	24	28	
write, North Tiopanic.	18-19	60	50	34	49	59	
	Percent of Births to Mothers <18	4.2	3.8	5.0	3.5	4.1	4.1
	Percent of Births to Mothers <20	13.0	10.6	10.0	10.7	12.8	11.4
Infant Deaths							
Total		12	10	7	16	8	
Neonatal		7	7	5	13	7	
Post-Neonatal		5	3	2	3	1	
Percent of SBC I	nfant Deaths	3.65	3.04	2.29	5.67	3.14	3.53
Black, Non-Hispanic		5	2	1	4	2	
Neonatal		3	2	1	4	2	
Post-Neonatal		2	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	7.46	3.33	1.59	7.55	3.85	4.75
Hispanic		0	2	0	4	1	
Neonatal		0	1	0	4	1	
Post-Neonatal		0	1	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	1.98	0.00	3.70	1.06	1.38
White, Non-Hispanic	·	7	6	6	8	5	
Neonatal		4	4	4	5	4	
Post-Neonatal		3	2	2	3	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	4.55	3.73	4.44	7.41	4.85	4.84
Infant Mortality Rate (p	·	*	*	*	*	*	9.0

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92399, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births				-				
Total			495	504	538	535	507	
Percent of	f SBC Tota	l Live Births	1.62	1.51	1.63	1.63	1.57	1.59
Black, No	n-Hispanio	C	2	5	1	3	3	
Percent of	f SBC Blac	k, Non-Hispanic Live Births	0.07	0.17	0.03	0.10	0.10	0.09
Hispanic			87	96	92	96	109	
Percent of	f SBC Hisp	anic Live Births	0.91	0.87	0.73	0.73	0.79	0.80
•	on-Hispani		396	399	434	424	379	
Percent of	f SBC Whit	te, Non-Hispanic Live Births	2.36	2.23	2.77	2.88	2.77	2.58
Other/Un	known		10	4	11	12	16	
-		Live Births (<1500 grams)						
Number:		Ethnicities	1	3	6	4	1	
	Hispanic	on-Hispanic	0 0	0 1	0 0	0 0	0 0	
	•	on-Hispanic	1	2	4	2	1	
Percent:		Ethnicities	0.2	0.6	1.1	0.7	0.2	0.6
i ercent.		on-Hispanic	0.2	0.0	0.0	0.0	0.2	0.0
	Hispanic	•	0.0	1.0	0.0	0.0	0.0	0.2
	•	on-Hispanic	0.3	0.5	0.9	0.5	0.3	0.5
Low Birthwe		Births (<2500 grams)						
Number:		Ethnicities	24	39	45	27	25	
		on-Hispanic	0	0	0	0	0	
	Hispanic	on-Hispanic	5 19	8 31	8 35	1 24	5 19	
		·						
Percent:		Ethnicities	4.8 0.0	7.7 0.0	8.4 0.0	5.0 0.0	4.9 0.0	6.2 0.0
	Hispanic	on-Hispanic	5.7	8.3	8.7	1.0	4.6	5.6
	•	on-Hispanic	4.8	7.8	8.1	5.7	5.0	6.3
Entry Into P		re, by Trimester						
All Race/E		1st Trimester	374	356	418	428	376	
		2nd Trimester	96	109	82	81	103	
		3rd Trimester	16	28	23	15	21	
		None Unknown	8 1	10 1	14 1	9 2	3 4	
			·	-	•		-	
		Percent Late or No Care	4.9	7.6	6.9	4.5	4.8	5.7
Black, Nor	n-Hispanic:		2	3	0	1	2	
		2nd Trimester	0	1	1	2	0	
		3rd Trimester None	0 0	1 0	0 0	0 0	1 0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	0.0	20.0	0.0	0.0	33.3	14.3
Hienonia				54				14.0
Hispanic:		1st Trimester 2nd Trimester	56 20	54 23	51 23	59 26	73 25	
		3rd Trimester	5	13	12	7	9	
		None	6	6	6	3	1	
		Unknown	0	0	0	1	1	
		Percent Late or No Care	12.6	19.8	19.6	10.5	9.3	14.2

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92399, 1989-1993

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	308	296	357	359	290	
	2nd Trimester	76	85	58	51	75	
	3rd Trimester None	9 2	14 3	10 8	7 6	10 2	
	Unknown	1	1	1	1	2	
	Percent Late or No Care	2.8	4.3	4.2	3.1	3.2	3.5
ive Births to Teenage		2.0	7.0	7.2	<u> </u>	0.2	0.0
All Race/Ethnicities:	17 and younger	16	22	25	14	24	
	18-19	40	44	35	37	45	
	Percent of Births to Mothers <18	3.2	4.4	4.6	2.6	4.7	3.9
	Percent of Births to Mothers <20	11.3	13.1	11.2	9.5	13.6	11.7
Black, Non-Hispanic:	17 and younger	0	0	0	1	0	
	18-19	0	1	0	0	2	
	Percent of Births to Mothers <18	0.0	0.0	0.0	33.3	0.0	7.1
	Percent of Births to Mothers <20	0.0	20.0	0.0	33.3	66.7	28.6
Hispanic:	17 and younger	3	7	7	4	5	
	18-19	7	12	7	10	12	
	Percent of Births to Mothers <18	3.4	7.3	7.6	4.2	4.6	5.4
	Percent of Births to Mothers <20	11.5	19.8	15.2	14.6	15.6	15.4
White, Non-Hispanic:	17 and younger	12	15	18	9	17	
	18-19	33	31	28	27	31	
	Percent of Births to Mothers <18	3.0	3.8	4.1	2.1	4.5	3.5
	Percent of Births to Mothers <20	11.4	11.5	10.6	8.5	12.7	10.9
nfant Deaths		0	_	_	_	4	
Total Neonatal		3 1	5 3	5 3	5 4	1 1	
Post-Neonatal		2	2	2	1	0	
Percent of SBC I	nfant Deaths	0.91	1.52	1.63	1.77	0.39	1.27
Black, Non-Hispanic		0	0	0	0	0	
Neonatal		Ö	Ö	Ö	0	Ö	
Post-Neonatal		0	0	0	0	0	
Percent of SBC E	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
Hispanic		1	1	1	1	0	
Neonatal		1	1	1	1	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.96	0.99	1.01	0.93	0.00	0.79
White, Non-Hispanic		2	4	4	4	1	
Neonatal		0	2	2	3	1	
Post-Neonatal		2	2	2	1	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	2.48	2.96	3.70	0.97	2.27
nfant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	7.4 '

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92401, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			108	103	87	112	86	
Percent o	f SBC Tota	l Live Births	0.35	0.31	0.26	0.34	0.27	0.31
	on-Hispani		24	18	14	27	19	
	f SBC Blac	k, Non-Hispanic Live Births	0.86	0.63	0.45	0.86	0.62	0.68
Hispanic	4 CDC 11:	ania Liva Dintha	63	46	47	63	54	0.40
	•	anic Live Births	0.66	0.42	0.37	0.48	0.39	0.46
-	on-Hispani	c te, Non-Hispanic Live Births	17 0.10	38 0.21	21 0.13	19 0.13	12 0.09	0.14
Other/Un		e, Non-i lispanic Live billis						0.14
		Live Diethe (4500 erreme)	4	1_	5	3	1	
Number:		Live Births (<1500 grams) Ethnicities	1	3	0	2	1	
		on-Hispanic	0	0	0	1	0	
	Hispanic		1	1	0	0	1	
	White, N	on-Hispanic	0	2	0	1	0	
Percent:		Ethnicities	0.9	2.9	0.0	1.8	1.2	1.4
		on-Hispanic	0.0	0.0	0.0	3.7	0.0	1.0
	Hispanic	on-Hispanic	1.6 0.0	2.2 5.3	0.0 0.0	0.0 5.3	1.9 0.0	1.1 2.8
Low Birthw		Births (<2500 grams)	0.0	0.0	0.0	0.0	0.0	2.0
Number:		Ethnicities	10	11	5	9	5	
		on-Hispanic	4	2	1	3	2	
	Hispanic		4	4	1	2	3	
	White, N	on-Hispanic	2	5	2	4	0	
Percent:		Ethnicities	9.3	10.7	5.7	8.0	5.8	8.1
		on-Hispanic	16.7	11.1	7.1	11.1	10.5	11.8
	Hispanic White N	on-Hispanic	6.3 11.8	8.7 13.2	2.1 9.5	3.2 21.1	5.6 0.0	5.1 12.1
Entry Into P		re, by Trimester	11.0	10.2	0.0		0.0	12.1
All Race/E		1st Trimester	47	47	52	69	39	
		2nd Trimester	40	36	26	28	31	
		3rd Trimester	15	8	4	6	10	
		None Unknown	5 1	12 0	5 0	4 5	4 2	
			•	_	_			45.0
D		Percent Late or No Care	18.7	19.4	10.3	9.3	16.7	15.0
Black, Nor	n-Hispanic:	1st Trimester 2nd Trimester	12 9	8	7 6	16 7	12	
		3rd Trimester	8 3	4 4	6 0	7 1	4 0	
		None	1	2	1	1	3	
		Unknown	0	0	0	2	0	
		Percent Late or No Care	16.7	33.3	7.1	8.0	15.8	16.0
Hispanic:		1st Trimester	23	20	31	37	20	
,		2nd Trimester	24	18	14	19	24	
		3rd Trimester	11	3	2	4	7	
		None	4	5	0	2	1	
		Unknown	1	0	0	1	2	
		Percent Late or No Care	24.2	17.4	4.3	9.7	15.4	14.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92401, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	10	19	12	14	6	
	2nd Trimester	6	14	3	1	3	
	3rd Trimester	1	0	2	1	3	
	None Unknown	0 0	5 0	4 0	1 2	0	
		5.9	13.2	_	11.8	25.0	16.0
Live Births to Teenage	Percent Late or No Care	5.9	13.2	28.6	11.0	25.0	16.2
All Race/Ethnicities:	17 and younger	10	11	7	11	8	
	18-19	9	4	6	18	11	
	Percent of Births to Mothers <18	9.3	10.7	8.0	9.8	9.3	9.5
	Percent of Births to Mothers <20	17.6	14.6	14.9	25.9	22.1	19.2
Black, Non-Hispanic:	17 and younger	4	2	2	3	1	
•	18-19	3	1	2	8	5	
	Percent of Births to Mothers <18	16.7	11.1	14.3	11.1	5.3	11.8
	Percent of Births to Mothers <20	29.2	16.7	28.6	40.7	31.6	30.4
Hispanic:	17 and younger	5	3	5	6	5	
	18-19	4	2	2	5	5	
	Percent of Births to Mothers <18	7.9	6.5	10.6	9.5	9.3	8.8
	Percent of Births to Mothers <20	14.3	10.9	14.9	17.5	18.5	15.4
White, Non-Hispanic:	17 and younger	1	6	0	2	2	
	18-19	2	1	2	5	1	
	Percent of Births to Mothers <18	5.9	15.8	0.0	10.5	16.7	10.3
	Percent of Births to Mothers <20	17.6	18.4	9.5	36.8	25.0	20.6
Infant Deaths		0	4				
Total Neonatal		0 0	1 1	1 0	2 2	0 0	
Post-Neonatal		0	0	1	0	0	
Percent of SBC I	nfant Deaths	0.00	0.30	0.33	0.71	0.00	0.27
							0.2.
Black, Non-Hispanic Neonatal		0 0	0 0	0 0	1 1	0	
Post-Neonatal		0	0	0	0	Ö	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	1.89	0.00	0.34
Hispanic		0	1	0	0	0	
Neonatal		0	1	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.99	0.00	0.00	0.00	0.20
White, Non-Hispanic	:	0	0	1	1	0	
Neonatal		0	0	0	1	0	
Post-Neonatal		0	0	1	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.00	0.00	0.74	0.93	0.00	0.30
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.1 **

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

^(*) The annual infant mortality rate is not calculated for fewer than 20 death
(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unreliable.

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92404, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			1,109	1,118	1,188	1,090	1,076	
Percent of	f SBC Tota	I Live Births	3.63	3.35	3.60	3.32	3.34	3.44
	n-Hispani		172	168	200	177	197	0.40
	f SBC Blac	k, Non-Hispanic Live Births	6.17	5.88	6.45	5.62	6.47	6.12
Hispanic	f CDC Llion	onia Livo Dietha	290	306	387	402	409	2.00
		anic Live Births	3.04	2.78	3.09	3.07	2.97	2.99
•	on-Hispani f SBC Whit	c te, Non-Hispanic Live Births	590 3.51	596 3.32	557 3.56	468 3.17	419 3.07	3.34
Other/Un		e, Non Trispanie Live Birtis	57	48	44	43	5.07	3.54
		Live Births (<1500 grams)	- 31	40	44	43	31	
Number:		Ethnicities	15	7	14	18	19	
		on-Hispanic	5	1	3	9	3	
	Hispanic		3	2	4	4	7	
		on-Hispanic	7	2	6	4	9	
Percent:		Ethnicities	1.4	0.6	1.2	1.7	1.8	1.3
	Black, No Hispanic	on-Hispanic	2.9 1.0	0.6 0.7	1.5 1.0	5.1 1.0	1.5 1.7	2.3 1.1
	•	on-Hispanic	1.2	0.7	1.1	0.9	2.1	1.1
Low Birthwe		Births (<2500 grams)						
Number:		Ethnicities	91	74	83	100	93	
		on-Hispanic	23	14	23	25	18	
	Hispanic	on-Hispanic	19 47	25 32	22 36	32 38	33 38	
Daraanti		·						7.0
Percent:		Ethnicities on-Hispanic	8.2 13.4	6.6 8.3	7.0 11.5	9.2 14.1	8.6 9.1	7.9 11.3
	Hispanic		6.6	8.2	5.7	8.0	8.1	7.3
	White, N	on-Hispanic	8.0	5.4	6.5	8.1	9.1	7.3
		re, by Trimester						
All Race/E	thnicities:	1st Trimester 2nd Trimester	724 281	676 313	813 282	739 268	691 271	
		3rd Trimester	71	86	202 53	200 57	67	
		None	29	40	35	24	34	
		Unknown	4	3	5	2	13	
		Percent Late or No Care	9.0	11.3	7.4	7.4	9.5	8.9
Black, Nor	n-Hispanic:	1st Trimester	95	101	125	108	117	
		2nd Trimester	53	48	57	53	55	
		3rd Trimester	15	13	12	10	16	
		None Unknown	9	5 1	5 1	6 0	9	
		Percent Late or No Care	14.0	10.8	8.5	9.0	12.7	11.0
Hionania								11.0
Hispanic:		1st Trimester 2nd Trimester	169 85	145 111	250 101	241 123	240 113	
		3rd Trimester	22	35	16	27	34	
		None	11	15	18	10	14	
		Unknown	3	0	2	1	8	
		Percent Late or No Care	11.5	16.3	8.8	9.2	12.0	11.3

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92404, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		427	402	413	356	302	
	2nd Trimester	129	141	112	85	84	
	3rd Trimester	27	33	19	19	17	
	None	7	18	12	7	11	
	Unknown	0	2	1	1	5	
	Percent Late or No Care	5.8	8.6	5.6	5.6	6.8	6.5
Live Births to Teenage							
All Race/Ethnicities:	17 and younger	62	77	83	73	71	
	18-19	103	111	127	119	104	
	Percent of Births to Mothers <18	5.6	6.9	7.0	6.7	6.6	6.6
	Percent of Births to Mothers <20	14.9	16.8	17.7	17.6	16.3	16.7
Black, Non-Hispanic:	17 and younger	12	14	20	18	18	
•	18-19	26	27	32	25	19	
	Percent of Births to Mothers <18	7.0	8.3	10.0	10.2	9.1	9.0
	Percent of Births to Mothers <20	22.1	24.4	26.0	24.3	18.8	23.1
Hispanic:	17 and younger	22	37	28	34	35	
r iispariic.	18-19	32	32	38	55	40	
						_	0.7
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	7.6 18.6	12.1 22.5	7.2 17.1	8.5 22.1	8.6 18.3	8.7
							19.7
White, Non-Hispanic:	17 and younger	27	22	32	19	15	
	18-19	41	50	54	34	43	
	Percent of Births to Mothers <18	4.6	3.7	5.7	4.1	3.6	4.4
	Percent of Births to Mothers <20	11.5	12.1	15.4	11.3	13.8	12.8
Infant Deaths							
Total		10	11	12	15	15	
Neonatal Post-Neonatal		8 2	8 3	5 7	5 10	7 8	
		_		•	_		
Percent of SBC I	nfant Deaths	3.04	3.34	3.92	5.32	5.88	4.20
Black, Non-Hispanic		3	0	5	5	7	
Neonatal		2	0	2	2	4	
Post-Neonatal		1	0	3	3	3	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	4.48	0.00	7.94	9.43	13.46	6.78
Hispanic		2	4	4	4	3	
Neonatal		1	3	2	2	2	
Post-Neonatal		1	1	2	2	1	
Percent of SBC I	Hispanic Infant Deaths	1.92	3.96	4.04	3.70	3.19	3.36
White, Non-Hispanic	·	5	7	3	5	5	
Neonatal	•	5	5	1	0	1	
Post-Neonatal		0	2	2	5	4	
	White, Non-Hisp. Infant Deaths	3.25	4.35	2.22	4.63	4.85	3.78
	•	3.23 *	*	*	*		
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	11.3

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92405, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								
Total			970	1,032	1,082	1,055	1,001	
Percent o	f SBC Total	Live Births	3.17	3.09	3.28	3.21	3.10	3.17
	on-Hispanio		156	137	154	155	156	5.07
		k, Non-Hispanic Live Births	5.60	4.79	4.96	4.92	5.12	5.07
Hispanic		ania Liva Dintha	360	401	524	513	523	2.07
		anic Live Births	3.77	3.64	4.18	3.91	3.80	3.87
•	on-Hispanio	; e, Non-Hispanic Live Births	422 2.51	460 2.57	375 2.39	352 2.39	297 2.17	2.42
Other/Un		e, Non-i lispanic Live Bittis						2.42
		ive Dinthe (4500 grams)	32	34	29	35	25	
Number:	All Race/E	Live Births (<1500 grams) -thnicities	20	11	16	17	9	
		on-Hispanic	8	5	3	7	3	
	Hispanic	·	10	0	5	4	4	
	White, No	on-Hispanic	2	6	7	5	2	
Percent:	All Race/E	Ethnicities	2.1	1.1	1.5	1.6	0.9	1.4
		n-Hispanic	5.1	3.6	1.9	4.5	1.9	3.4
	Hispanic		2.8	0.0	1.0	8.0	0.8	1.0
		on-Hispanic	0.5	1.3	1.9	1.4	0.7	1.2
Low Birthwe Number:	_	Sirths (<2500 grams)	82	70	79	90	60	
Number.		ennicities on-Hispanic	82 20	70 16	79 18	80 20	69 18	
	Hispanic	ni-i lispariic	27	25	28	24	27	
		on-Hispanic	32	29	29	31	22	
Percent:	All Race/E	Ethnicities	8.5	6.8	7.3	7.6	6.9	7.4
. 0.00		on-Hispanic	12.8	11.7	11.7	12.9	11.5	12.1
	Hispanic	·	7.5	6.2	5.3	4.7	5.2	5.6
	White, No	on-Hispanic	7.6	6.3	7.7	8.8	7.4	7.5
		e, by Trimester						
All Race/E	thnicities:	1st Trimester	572	570	672	679	622	
		2nd Trimester 3rd Trimester	268	321	279 75	267	271	
		None	70 54	94 42	75 41	56 39	58 30	
		Unknown	6	5	15	14	20	
		Percent Late or No Care	12.9	13.2	10.9	9.1	9.0	11.0
Black Nor	n-Hispanic:	1st Trimester	84	72	89	95	99	•
Diaon, 1401	. i noparno.	2nd Trimester	52	45	50	41	41	
		3rd Trimester	8	14	8	9	9	
		None	12	5	7	8	7	
		Unknown	0	1	0	2	0	
		Percent Late or No Care	12.8	14.0	9.7	11.1	10.3	11.5
Hispanic:		1st Trimester	188	180	289	306	305	
•		2nd Trimester	117	147	151	149	160	
		3rd Trimester	31	48	50	32	35	
		None	21	24	21	16	13	
		Unknown	3	2	13	10	10	
		Percent Late or No Care	14.6	18.0	13.9	9.5	9.4	12.7

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92405, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	284	301	274	259	203	
	2nd Trimester	88	119	72	68	65	
	3rd Trimester	29	27	15	11	10	
	None	18	11	13	13	10	
	Unknown	3	2	1	1	9	
	Percent Late or No Care	11.2	8.3	7.5	6.8	6.9	8.3
Live Births to Teenage							
All Race/Ethnicities:	17 and younger	70	86	78 24	87	72	
	18-19	100	102	94	118	107	
	Percent of Births to Mothers <18	7.2	8.3	7.2	8.2	7.2	7.6
	Percent of Births to Mothers <20	17.5	18.2	15.9	19.4	17.9	17.8
Black, Non-Hispanic:	17 and younger	16	19	7	18	17	
	18-19	20	20	22	22	23	
	Percent of Births to Mothers <18	10.3	13.9	4.5	11.6	10.9	10.2
	Percent of Births to Mothers <20	23.1	28.5	18.8	25.8	25.6	24.3
Hispanic:	17 and younger	40	33	51	50	43	
r noparno.	18-19	44	42	40	62	56	
	Percent of Births to Mothers <18	11.1	8.2	9.7	9.7	8.2	9.3
	Percent of Births to Mothers <20	23.3	18.7	17.4	21.8	18.9	19.9
Mhita Nan Hianania.							10.0
White, Non-Hispanic:	17 and younger 18-19	13 35	33 37	19 31	18 34	9 26	
						_	
	Percent of Births to Mothers <18	3.1	7.2	5.1	5.1	3.0	4.8
	Percent of Births to Mothers <20	11.4	15.2	13.3	14.8	11.8	13.4
Infant Deaths Total		12	16	13	7	5	
Neonatal		8	8	9	4	5 4	
Post-Neonatal		4	8	4	3	1	
Percent of SBC I	nfant Deaths	3.65	4.86	4.25	2.48	1.96	3.53
							5.55
Black, Non-Hispanic Neonatal		3 2	5 3	4 3	2 1	2 2	
Post-Neonatal		1	2	ა 1	1	0	
	Disale Nam Libra Infant Dantha						5 40
	Black, Non-Hisp. Infant Deaths	4.48	8.33	6.35	3.77	3.85	5.42
Hispanic		5	2	5	3	2	
Neonatal		4	0	3	2	1	
Post-Neonatal		1	2	2	1	1	
Percent of SBC I	Hispanic Infant Deaths	4.81	1.98	5.05	2.78	2.13	3.36
White, Non-Hispanic	:	4	9	3	2	1	
Neonatal		2	5	2	1	1	
Post-Neonatal		2	4	1	1	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	2.60	5.59	2.22	1.85	0.97	2.87
Infant Mortality Rate (p	er 1000 live hirths)	*	*	*	*	*	10.3

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92407, 1989-1993

	1989	1990	YEAR 1991	1992	1993	Five-Year
Live Disthe	1909	1990	1991	1994	1333	Rate(1)
Live Births Total	585	652	606	572	569	
Percent of SBC Total Live Births	1.91	1.95	1.84	1.74	1.76	1.84
Black, Non-Hispanic Percent of SBC Black, Non-Hispanic Live I	67 Births 2.40	68 2.38	75 2.42	73 2.32	64 2.10	2.32
·						2.02
Hispanic Percent of SBC Hispanic Live Births	100 1.05	121 1.10	141 1.12	117 0.89	154 1.12	1.06
·						1.00
White, Non-Hispanic	392	443	364	355	323	0.00
Percent of SBC White, Non-Hispanic Live		2.47	2.32	2.41	2.36	2.38
Other/Unknown	26	20	26	27	28	
Very Low Birthweight Live Births (<1500 gr	•			_		
Number: All Race/Ethnicities	7	12	13	6	8	
Black, Non-Hispanic	2	4 0	6 1	1 1	1	
Hispanic White, Non-Hispanic	0 5	8	6	4	4	
·			_	-		4.5
Percent: All Race/Ethnicities Black, Non-Hispanic	1.2 3.0	1.8 5.9	2.1 8.0	1.0 1.4	1.4 1.6	1.5 4.0
Hispanic	0.0	0.0	0.7	0.9	2.6	0.9
White, Non-Hispanic	1.3	1.8	1.6	1.1	0.9	1.4
Low Birthweight Live Births (<2500 grams)						
Number: All Race/Ethnicities	41	48	46	30	41	
Black, Non-Hispanic	12	9	12	7	5	
Hispanic	2	8	12	5	13	
White, Non-Hispanic	24	29	22	18	19	
Percent: All Race/Ethnicities	7.0	7.4	7.6	5.2	7.2	6.9
Black, Non-Hispanic	17.9	13.2	16.0	9.6	7.8	13.0
Hispanic	2.0	6.6	8.5	4.3	8.4	6.3
White, Non-Hispanic	6.1	6.5	6.0	5.1	5.9	6.0
Entry Into Prenatal Care, by Trimester All Race/Ethnicities: 1st Trimester	450	406	500	171	400	
All Race/Ethnicities: 1st Trimester 2nd Trimester	459 100	486 116	509 77	471 85	422 119	
3rd Trimester	18	31	10	7	20	
None	7	17	8	8	5	
Unknown	1	2	2	1	3	
Percent Late or No	Care 4.3	7.4	3.0	2.6	4.4	4.4
Black, Non-Hispanic: 1st Trimester	50	51	62	56	49	
2nd Trimester	13	15	10	15	13	
3rd Trimester	2	1	3	1	2	
None	2	1	0	1	0	
Unknown	0	0	0	0	0	
Percent Late or No	Care 6.0	2.9	4.0	2.7	3.1	3.7
Hispanic: 1st Trimester	76	76	106	89	95	
2nd Trimester	18	33	29	21	47	
3rd Trimester	5	7	2	3	8	
None	1	5	4	4	3	
Unknown	0	0	0	0	1	
Percent Late or No	Care 6.0	9.9	4.3	6.0	7.2	6.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92407, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		313	345	322	304	256	
	2nd Trimester	64	64	33	45	55	
	3rd Trimester	10	22	5	3	8	
	None	4	11	3	2	2	
	Unknown	1	1	1	1	2	
	Percent Late or No Care	3.6	7.5	2.2	1.4	3.1	3.7
Live Births to Teenage		4.4	40	00	0.4	0.4	
All Race/Ethnicities:	17 and younger	14	16	20	24	21	
	18-19	41	33	44	36	47	
	Percent of Births to Mothers <18	2.4	2.5	3.3	4.2	3.7	3.2
	Percent of Births to Mothers <20	9.4	7.5	10.6	10.5	12.0	9.9
Black, Non-Hispanic:	17 and younger	3	3	7	6	6	
	18-19	4	3	1	7	9	
	Percent of Births to Mothers <18	4.5	4.4	9.3	8.2	9.4	7.2
	Percent of Births to Mothers <20	10.4	8.8	10.7	17.8	23.4	14.1
Hispanic:	17 and younger	4	3	6	9	8	
	18-19	11	5	16	9	17	
	Percent of Births to Mothers <18	4.0	2.5	4.3	7.7	5.2	4.7
	Percent of Births to Mothers <20	15.0	6.6	15.6	15.4	16.2	13.9
White, Non-Hispanic:		7	10	6	9	7	
write, Non-Hispanic.	17 and younger 18-19	25	24	26	18	20	
					_		0.4
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	1.8 8.2	2.3 7.7	1.6 8.8	2.5 7.6	2.2 8.4	2.1 8.1
Infant Deaths	1 Croom of Bittie to Wothers 120	0.2		0.0	7.0	0.4	0.1
Total		2	12	8	3	8	
Neonatal		1	5	4	2	3	
Post-Neonatal		1	7	4	1	5	
Percent of SBC I	nfant Deaths	0.61	3.65	2.61	1.06	3.14	2.20
Black, Non-Hispanic		1	2	3	2	1	
Neonatal		1	2	2	1	0	
Post-Neonatal		0	0	1	1	1	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	1.49	3.33	4.76	3.77	1.92	3.05
Hispanic	•	0	2	0	0	2	
Neonatal		0	0	0	0	1	
Post-Neonatal		Ö	2	Ö	0	1	
	Hispanic Infant Deaths	0.00	1.98	0.00	0.00	2.13	0.79
White, Non-Hispanic	·	1	8	5	1	5	311 0
Neonatal	•	0	3	2	1	2	
Post-Neonatal		1	5	3	0	3	
	White, Non-Hisp. Infant Deaths	0.65	4.97	3.70	0.93	4.85	3.03
	•	*	*	*	*	*	
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	11.1

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92408, 1989-1993

			1000	1000	YEAR	1000	4002	Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births			220	204	200	200	250	
Total Percent of S	BC Total	Livo Rirths	330 1.08	394 1.18	369 1.12	380 1.16	359 1.11	1.13
								1.13
Black, Non-I			72	60	51	57	61	0.04
	BC Black	x, Non-Hispanic Live Births	2.58	2.10	1.64	1.81	2.00	2.01
Hispanic	DO 111		132	158	185	172	167	4.00
Percent of S	BC Hispa	anic Live Births	1.38	1.43	1.48	1.31	1.21	1.36
White, Non-	•		98	135	89	94	80	
Percent of S	BC White	e, Non-Hispanic Live Births	0.58	0.75	0.57	0.64	0.59	0.63
Other/Unkno	own		28	41	44	57	51	
		∟ive Births (<1500 grams)						
		Ethnicities	7	10	4	10	5	
		n-Hispanic	1	3	1	4	4	
	Hispanic White No	on-Hispanic	2 4	3 4	2 1	3 2	1 0	
		•	•	-	-		_	2.2
		thnicities n-Hispanic	2.1 1.4	2.5 5.0	1.1 2.0	2.6 7.0	1.4 6.6	2.0 4.3
	Hispanic	п-піврапіс	1.4	1.9	2.0 1.1	7.0 1.7	0.6	4.3 1.4
		on-Hispanic	4.1	3.0	1.1	2.1	0.0	2.2
		Births (<2500 grams)						
		Ethnicities	35	37	29	40	30	
E	Black, No	n-Hispanic	12	9	10	10	10	
	Hispanic		11	14	14	17	17	
V	White, No	on-Hispanic	12	12	4	8	2	
		thnicities	10.6	9.4	7.9	10.5	8.4	9.3
		n-Hispanic	16.7	15.0	19.6	17.5	16.4	16.9
	Hispanic	un I linnania	8.3	8.9	7.6	9.9	10.2	9.0
		on-Hispanic	12.2	8.9	4.5	8.5	2.5	7.7
All Race/Ethr		e, by Trimester 1st Trimester	188	213	233	256	208	
All Naut/Ellif	iiciti e s.	2nd Trimester	102	213 115	233 97	256 96	208 114	
		3rd Trimester	27	44	25	17	14	
		None	12	22	10	9	16	
		Unknown	1	0	4	2	7	
		Percent Late or No Care	11.9	16.8	9.6	6.9	8.5	10.8
Black, Non-H	ispanic.	1st Trimester	33	32	32	36	33	
, 1101711		2nd Trimester	30	16	12	16	25	
		3rd Trimester	6	6	6	4	0	
		None	3	6	1	1	2	
		Unknown	0	0	0	0	1	
		Percent Late or No Care	12.5	20.0	13.7	8.8	3.3	11.7
Hispanic:		1st Trimester	77	71	109	105	88	
•		2nd Trimester	38	50	53	52	56	
		3rd Trimester	13	25	11	8	9	
		None	4	12	9	7	11	
		Unknown	0	0	3	0	3	
		Percent Late or No Care	12.9	23.4	11.0	8.7	12.2	13.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92408, 1989-1993

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		65	85	64	70	57	
	2nd Trimester	25	36	17	18	17	
	3rd Trimester	5	11	7	3	3	
	None	3	3	0	1	2	
	Unknown	0	0	1	2	1	
	Percent Late or No Care	8.2	10.4	8.0	4.3	6.3	7.7
Live Births to Teenage			4.0		40	0.4	
All Race/Ethnicities:	17 and younger	22	19	20	19	31	
	18-19	36	37	50	35	29	
	Percent of Births to Mothers <18	6.7	4.8	5.4	5.0	8.6	6.1
	Percent of Births to Mothers <20	17.6	14.2	19.0	14.2	16.7	16.3
Black, Non-Hispanic:	17 and younger	6	2	2	5	7	
	18-19	10	9	15	10	7	
	Percent of Births to Mothers <18	8.3	3.3	3.9	8.8	11.5	7.3
	Percent of Births to Mothers <20	22.2	18.3	33.3	26.3	23.0	24.3
Hispanic:	17 and younger	11	11	16	13	19	
r noparno.	18-19	13	17	28	21	14	
	Percent of Births to Mothers <18	8.3	7.0	8.6	7.6	11.4	8.6
	Percent of Births to Mothers <20	18.2	17.7	23.8	19.8	19.8	20.0
White New Hispanie		5	6			4	
White, Non-Hispanic:	17 and younger 18-19	10	10	1 5	1 4	4	
		_	_	_		-	0.4
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	5.1 15.3	4.4 11.9	1.1 6.7	1.1 5.3	5.0 10.0	3.4 10.1
Infant Deaths	1 ercent of Bittis to Mothers \20	10.0	11.3	0.7	0.0	10.0	10.1
Total		8	4	2	3	4	
Neonatal		5	3	2	3	2	
Post-Neonatal		3	1	0	0	2	
Percent of SBC I	nfant Deaths	2.43	1.22	0.65	1.06	1.57	1.40
		_					
Black, Non-Hispanic Neonatal		2 2	0 0	1 1	0 0	2 2	
Post-Neonatal		0	0	0	0	0	
	Black, Non-Hisp. Infant Deaths	2.99	0.00	1.59	0.00	3.85	1.69
	Slack, Non-Hisp. Illiant Deaths						1.09
Hispanic		4	1	0	1	1	
Neonatal Post-Neonatal		2 2	0 1	0 0	1 0	0 1	
			•	•	_	•	
	Hispanic Infant Deaths	3.85	0.99	0.00	0.93	1.06	1.38
White, Non-Hispanic	:	2	3	1	0	0	
Neonatal		1	3	1	0	0	
Post-Neonatal		1	0	0	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	1.86	0.74	0.00	0.00	0.91
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	11.5

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92410, 1989-1993

			1989	1990	YEAR 1991	1992	1993	Five-Year Rate(1)
Live Births								110.10(1)
Total			1,338	1,478	1,472	1,443	1,411	
Percent of S	BC Total	Live Births	4.37	4.43	4.46	4.40	4.38	4.41
Black, Non-l	Hispanio	:	218	210	221	194	187	
		κ, Non-Hispanic Live Births	7.82	7.35	7.12	6.16	6.14	6.89
Hispanic			695	742	887	855	891	
	BC Hispa	anic Live Births	7.28	6.73	7.07	6.52	6.48	6.79
White, Non-	Hisnanio	•	362	450	299	310	243	
•	•	e, Non-Hispanic Live Births	2.16	2.51	1.91	2.10	1.78	2.11
Other/Unkno		•	63	76	65	84	90	
		Live Births (<1500 grams)			- 00	<u> </u>	- 00	
		Ethnicities	17	22	19	27	19	
		on-Hispanic	8	4	12	9	6	
H	Hispanic	·	4	14	6	14	7	
V	White, No	on-Hispanic	4	3	1	4	5	
		Ethnicities	1.3	1.5	1.3	1.9	1.3	1.5
		on-Hispanic	3.7	1.9	5.4	4.6	3.2	3.8
	Hispanic	an I lianania	0.6	1.9	0.7	1.6	0.8	1.1
		on-Hispanic	1.1	0.7	0.3	1.3	2.1	1.0
		Births (<2500 grams) Ethnicities	117	129	97	137	97	
		on-Hispanic	36	25	31	27	29	
	Hispanic		50	58	44	66	44	
		on-Hispanic	28	39	20	38	20	
Percent: A	II Race/E	Ethnicities	8.7	8.7	6.6	9.5	6.9	8.1
		on-Hispanic	16.5	11.9	14.0	13.9	15.5	14.4
	Hispanic		7.2	7.8	5.0	7.7	4.9	6.4
		on-Hispanic	7.7	8.7	6.7	12.3	8.2	8.7
		e, by Trimester	700	740	000			
All Race/Ethr	nicities:	1st Trimester	700	712 506	860	888	795	
		2nd Trimester 3rd Trimester	430 120	506 182	437 111	382 94	414 123	
		None	80	75	57	50	50	
		Unknown	8	3	7	29	29	
		Percent Late or No Care	15.0	17.4	11.5	10.2	12.5	13.3
Black, Non-H	lisnanic.	1st Trimester	115	109	137	123	116	
DIGGR, NOTETT	nopaino.	2nd Trimester	75	71	59	53	54	
		3rd Trimester	20	23	10	6	8	
		None	8	6	14	12	8	
		Unknown	0	1	1	0	1	
		Percent Late or No Care	12.8	13.9	10.9	9.3	8.6	11.2
Hispanic:		1st Trimester	311	319	478	498	477	
,		2nd Trimester	249	265	302	243	278	
		3rd Trimester	78	111	70	75	89	
		None	51	46	33	22	32	
		Unknown	6	1	4	17	15	
		Percent Late or No Care	18.7	21.2	11.7	11.6	13.8	15.1

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92410, 1989-1993

				YEAR			Five-Yea
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	233	240	207	219	150	
•	2nd Trimester	93	142	61	62	59	
	3rd Trimester	18	47	23	9	23	
	None	17	21	8	14	7	
	Unknown	1	0	0	6	4	
	Percent Late or No Care	9.7	15.1	10.4	7.6	12.6	11.3
_ive Births to Teenage	Mothers						
All Race/Ethnicities:	17 and younger	103	96	109	114	113	
	18-19	136	171	156	148	142	
	Percent of Births to Mothers <18	7.7	6.5	7.4	7.9	8.0	7.5
	Percent of Births to Mothers <20	17.9	18.1	18.0	18.2	18.1	18.0
DI LAL LE							10.0
Black, Non-Hispanic:	17 and younger	21	21	28	20	22	
	18-19	17	29	23	20	27	
	Percent of Births to Mothers <18	9.6	10.0	12.7	10.3	11.8	10.9
	Percent of Births to Mothers <20	17.4	23.8	23.1	20.6	26.2	22.1
Hispanic:	17 and younger	60	54	62	73	71	
	18-19	80	85	92	85	88	
	Developt of Divide to Mothers (10	0.6				0.0	7.0
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	8.6 20.1	7.3 18.7	7.0	8.5	8.0 17.8	7.9 18.4
	Percent of Births to Mothers <20		10.7	17.4	18.5	17.0	10.4
White, Non-Hispanic:	17 and younger	21	19	17	20	15	
	18-19	35	53	37	36	23	
	Percent of Births to Mothers <18	5.8	4.2	5.7	6.5	6.2	5.5
	Percent of Births to Mothers <20	15.5	16.0	18.1	18.1	15.6	16.6
nfant Deaths							
Total		21	16	16	19	19	
Neonatal		11	9	9	9	13	
Post-Neonatal		10	7	7	10	6	
Percent of SBC I	Infant Deaths	6.38	4.86	5.23	6.74	7.45	6.06
Black, Non-Hispanic		4	2	5	6	7	
Neonatal	•	3	1	5 4	3	5	
Post-Neonatal		1	1	1	3	2	
	Black, Non-Hisp. Infant Deaths	5.97	3.33	7.94	11.32	13.46	8.14
	black, North risp. Thank beaths			_			0.1-
Hispanic		11	8	7	8	8	
Neonatal		5	6	4	3	6	
Post-Neonatal		6	2	3	5	2	
Percent of SBC I	Hispanic Infant Deaths	10.58	7.92	7.07	7.41	8.51	8.30
White, Non-Hispanio	:	6	6	3	4	4	
Neonatal		3	2	1	2	2	
Post-Neonatal		3	4	2	2	2	
Percent of SBC	White, Non-Hisp. Infant Deaths	3.90	3.73	2.22	3.70	3.88	3.48
	•		*	*	*	*	
Infant Mortality Rate (p	per 1000 live births)	15.7			•	*	12.7

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92411, 1989-1993

			4000	1000	YEAR	1002	1002	Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births			000	74.4	740	000	000	
Total	f SBC Tota	I Live Births	668 2.18	714 2.14	713 2.16	669 2.04	699 2.17	2.14
								2.14
	n-Hispanio		201	186	183	157	156	E 04
	SBC Black	k, Non-Hispanic Live Births	7.21	6.51	5.90	4.99	5.12	5.91
Hispanic			401	425	465	452	486	0.70
Percent of	f SBC Hisp	anic Live Births	4.20	3.85	3.71	3.45	3.53	3.72
•	n-Hispanio		37	77	39	40	36	
Percent of	f SBC Whit	e, Non-Hispanic Live Births	0.22	0.43	0.25	0.27	0.26	0.29
Other/Un	known		29	26	26	20	21	
		Live Births (<1500 grams)						
Number:		Ethnicities	18	8	8	16	12	
		on-Hispanic	6	2	2	7	7	
	Hispanic	on Highania	12	5	6	9 0	4	
_		on-Hispanic	0	0	0	•	0	
Percent:	All Race/E		2.7	1.1	1.1	2.4	1.7	1.8
		on-Hispanic	3.0 3.0	1.1 1.2	1.1	4.5	4.5	2.7 1.6
	Hispanic	on-Hispanic	0.0	0.0	1.3 0.0	2.0 0.0	0.8 0.0	0.0
l ow Birthw		Births (<2500 grams)	0.0	0.0	0.0	0.0	0.0	0.0
Number:		Ethnicities	77	51	58	65	61	
1101110011		on-Hispanic	34	19	22	26	30	
	Hispanic		38	26	30	33	26	
	White, No	on-Hispanic	1	5	4	4	3	
Percent:	All Race/E	Ethnicities	11.5	7.1	8.1	9.7	8.7	9.0
	Black, No	on-Hispanic	16.9	10.2	12.0	16.6	19.2	14.8
	Hispanic		9.5	6.1	6.5	7.3	5.3	6.9
		on-Hispanic	2.7	6.5	10.3	10.0	8.3	7.4
		re, by Trimester						
All Race/E	thnicities:	1st Trimester	338	333	376	397	391	
		2nd Trimester 3rd Trimester	214 67	248 82	228 64	189 44	210 48	
		None	46	49	40	24	30	
		Unknown	3	2	5	15	20	
		Percent Late or No Care	17.0	18.4	14.7	10.4	11.5	14.5
Dia -i- Ai	. I lie '							14.3
Black, Nor	n-Hispanic:	1st Trimester	108 69	99 50	112 44	103 35	95 44	
		2nd Trimester 3rd Trimester	69 14	59 15	44 15	<i>3</i> 5	44 6	
		None	10	12	12	10	7	
		Unknown	0	1	0	3	4	
		Percent Late or No Care	11.9	14.6	14.8	10.4	8.6	12.2
Lionania								
Hispanic:		1st Trimester 2nd Trimester	197 127	188 146	229 165	257 141	260 154	
		3rd Trimester	47	58	44	30	39	
			27	32	22	13	20	
		None	~ 1	J_	~~	10	20	
		Unknown	3	1	5	11	13	

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Zip Code 92411, 1989-1993


				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	21	33	24	25	26	
	2nd Trimester	7	33	7	9	5	
	3rd Trimester	4	6	3	4	1	
	None	5	5	5	1	3	
	Unknown	0	0	0	1	1	
	Percent Late or No Care	24.3	14.3	20.5	12.8	11.4	16.3
Live Births to Teenage							
All Race/Ethnicities:	17 and younger	65	70	77	64	77 74	
	18-19	82	96	88	73	74	
	Percent of Births to Mothers <18	9.7	9.8	10.8	9.6	11.0	10.2
	Percent of Births to Mothers <20	22.0	23.2	23.1	20.5	21.6	22.1
Black, Non-Hispanic:	17 and younger	25	22	24	16	19	
	18-19	25	30	21	17	14	
	Percent of Births to Mothers <18	12.4	11.8	13.1	10.2	12.2	12.0
	Percent of Births to Mothers <20	24.9	28.0	24.6	21.0	21.2	24.1
Hispanic:	17 and younger	36	36	48	44	55	
т порагно.	18-19	48	52	55	53	58	
	Percent of Births to Mothers <18	9.0	8.5	10.3	9.7	11.3	9.8
	Percent of Births to Mothers <20	20.9	20.7	22.2	21.5	23.3	21.8
Mhita Nan Hianania.							21.0
White, Non-Hispanic:	17 and younger 18-19	2 6	9 11	3 8	4 2	0 1	
		_		_		_	
	Percent of Births to Mothers <18	5.4	11.7	7.7	10.0	0.0	7.9
	Percent of Births to Mothers <20	21.6	26.0	28.2	15.0	2.8	20.1
Infant Deaths Total		15	14	12	10	7	
Neonatal		11	7	7	7	3	
Post-Neonatal		4	7	5	3	4	
Percent of SBC I	nfant Deaths	4.56	4.26	3.92	3.55	2.75	3.86
						_	3.00
Black, Non-Hispanic		5	6	5	3	2	
Neonatal Post-Neonatal		2 3	2 4	2 3	3 0	2 0	
	Plank Non Han Infant Dootho						7 10
	Black, Non-Hisp. Infant Deaths	7.46	10.00	7.94	5.66	3.85	7.12
Hispanic		9	7	7	5	3	
Neonatal		8	4	5	4	1	
Post-Neonatal		1	3	2	1	2	
Percent of SBC I	Hispanic Infant Deaths	8.65	6.93	7.07	4.63	3.19	6.13
White, Non-Hispanic	:	1	1	0	1	2	
Neonatal		1	1	0	0	0	
Post-Neonatal		0	0	0	1	2	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.65	0.62	0.00	0.93	1.94	0.76
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	16.7

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) Late prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into c 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death



Des	sert

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Adelanto Area, 1989-1993 [Zip Code: 92301]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			250	270	252	296	384	
	of SBC Tota	ll Live Births	0.82	0.81	0.76	0.90	1.19	0.90
Black No	on-Hispanio	•	38	40	25	32	32	
	•	k, Non-Hispanic Live Births	1.36	1.40	0.81	1.02	1.05	1.12
		ix, Non Thopanio Live Bittio						1.12
Hispanic		onia Liva Direba	44 0.46	66	74 0.50	101	125	0.60
	•	anic Live Births	0.46	0.60	0.59	0.77	0.91	0.68
	on-Hispani		162	155	144	153	221	
Percent c	of SBC Whit	e, Non-Hispanic Live Births	0.97	0.86	0.92	1.04	1.62	1.06
Other/Un	known		6	9	9	10	6	
Very Low B	irthweight	Live Births (<1500 grams)						
Number:		Ethnicities	4	5	0	3	4	
		on-Hispanic	1	1	0	1	1	
	Hispanic		1	2	0	1	1	
	White, N	on-Hispanic	2	2	0	1	2	
Percent:	All Race/I	Ethnicities	1.6	1.9	0.0	1.0	1.0	1.1
	Black, No	on-Hispanic	2.6	2.5	0.0	3.1	3.1	2.4
	Hispanic		2.3	3.0	0.0	1.0	8.0	1.2
	White, N	on-Hispanic	1.2	1.3	0.0	0.7	0.9	0.8
	_	Births (<2500 grams)						
Number:		Ethnicities	23	15	11	20	31	
		on-Hispanic	9	4	0	7	4	
	Hispanic		4	4	3	3	8	
	wnite, in	on-Hispanic	10	7	8	9	19	
Percent:		Ethnicities	9.2	5.6	4.4	6.8	8.1	6.9
		on-Hispanic	23.7	10.0	0.0	21.9	12.5	14.4
	Hispanic		9.1	6.1	4.1	3.0	6.4	5.4
		on-Hispanic	6.2	4.5	5.6	5.9	8.6	6.3
		re, by Trimester	450	4 4 7	450	000	000	
All Race/E	unnicities:	1st Trimester 2nd Trimester	153 69	147 83	150 68	223 51	266 85	
		3rd Trimester	12	83 22	19	10	85 15	
		None	14	16	19	11	17	
		Unknown	2	2	1	1	1	
		Percent Late or No Care	10.5	14.2	13.1	7.1	8.4	10.4
								10.4
Black, No	n-Hispanic:		20	22	15	27	21	
		2nd Trimester	13	8	6	2	8	
		3rd Trimester	0	3	2	1	1	
		None Unknown	5 0	5 2	2 0	2 0	2	
			_		_	_		
		Percent Late or No Care	13.2	21.1	16.0	9.4	9.4	13.9
Hispanic:		1st Trimester	24	29	41	68	85	
		2nd Trimester	16	27	20	28	30	
		3rd Trimester	2	7	9	2	6	
		None	2	3	3	3	4	
		Unknown	0	0	1	0	0	
		Percent Late or No Care	9.1	15.2	16.4	5.0	8.0	10.0

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Adelanto Area, 1989-1993 [Zip Code: 92301]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		107	92	88	119	157	
	2nd Trimester	38	44	40	20	45	
	3rd Trimester	10	12	7	7	7	
	None Unknown	6 1	7 0	9 0	6 1	11 1	
	Percent Late or No Care	9.9	12.3	11.1	8.6	8.2	9.9
Live Births to Teenage		3.3	12.0		0.0	0.2	<u> </u>
All Race/Ethnicities:	17 and younger	24	12	10	17	21	
	18-19	28	38	33	37	38	
	Percent of Births to Mothers <18	9.6	4.4	4.0	5.7	5.5	5.8
	Percent of Births to Mothers <20	20.8	18.5	17.1	18.2	15.4	17.8
Black, Non-Hispanic:	17 and younger	4	4	3	0	3	
	18-19	4	2	3	5	4	
	Percent of Births to Mothers <18	10.5	10.0	12.0	0.0	9.4	8.4
	Percent of Births to Mothers <20	21.1	15.0	24.0	15.6	21.9	19.2
Hispanic:	17 and younger	3	3	4	8	10	
	18-19	5	6	8	12	14	
	Percent of Births to Mothers <18	6.8	4.5	5.4	7.9	8.0	6.8
	Percent of Births to Mothers <20	18.2	13.6	16.2	19.8	19.2	17.8
White, Non-Hispanic:	17 and younger	16	4	3	9	8	
	18-19	18	29	21	19	18	
	Percent of Births to Mothers <18	9.9	2.6	2.1	5.9	3.6	4.8
	Percent of Births to Mothers <20	21.0	21.3	16.7	18.3	11.8	17.4
Infant Deaths		4	0	0	0	0	
Total Neonatal		4 2	2 1	2 0	2 2	2	
Post-Neonatal		2	1	2	0	0	
Percent of SBC I	nfant Deaths	1.22	0.61	0.65	0.71	0.78	0.80
Black, Non-Hispanic		1	1	1	1	0	
Neonatal		Ö	Ö	Ö	1	Ö	
Post-Neonatal		1	1	1	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	1.49	1.67	1.59	1.89	0.00	1.36
Hispanic		0	0	0	1	0	
Neonatal		0	0	0	1	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.93	0.00	0.20
White, Non-Hispanic	:	3	1	1	0	2	
Neonatal		2	1	0	0	2	
Post-Neonatal		1	0	1	0	0	
Percent of SBC	White, Non-Hisp. Infant Deaths	1.95	0.62	0.74	0.00	1.94	1.06
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.3

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care. 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Apple Valley Area, 1989-1993 [Zip Codes: 92307, 92308]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			922	1,061	930	966	949	
	of SBC Tota	I Live Births	3.01	3.18	2.82	2.94	2.94	2.98
			35	32		54	71	
	on-Hispanio	k, Non-Hispanic Live Births	35 1.26	3∠ 1.12	41 1.32	54 1.72	2.33	1.56
		K, Non-I hapanic Live bittis						1.50
Hispanic			109	156	145	138	199	4.05
Percent of	of SBC Hisp	anic Live Births	1.14	1.41	1.16	1.05	1.45	1.25
	on-Hispanio		752	842	711	743	648	
Percent of	of SBC Whit	e, Non-Hispanic Live Births	4.48	4.70	4.54	5.04	4.74	4.69
Other/Un	known		26	31	33	31	31	
Verv Low B	irthweight	Live Births (<1500 grams)						
Number:		Ethnicities	11	8	7	13	15	
	Black, No	on-Hispanic	2	0	2	1	0	
	Hispanic		3	1	0	2	6	
	White, N	on-Hispanic	6	7	5	10	9	
Percent:	All Race/E	Ethnicities	1.2	0.8	0.8	1.3	1.6	1.1
		on-Hispanic	5.7	0.0	4.9	1.9	0.0	2.1
	Hispanic	·	2.8	0.6	0.0	1.4	3.0	1.6
	White, N	on-Hispanic	0.8	0.8	0.7	1.3	1.4	1.0
Low Birthw	eight Live	Births (<2500 grams)						
		Ethnicities	59	69	46	77	66	
	Black, No	on-Hispanic	3	1	7	4	7	
	Hispanic		11	11	4	12	10	
	White, N	on-Hispanic	43	57	32	58	46	
Percent:	All Race/E	Ethnicities	6.4	6.5	4.9	8.0	7.0	6.6
	Black, No	on-Hispanic	8.6	3.1	17.1	7.4	9.9	9.4
	Hispanic		10.1	7.1	2.8	8.7	5.0	6.4
	White, N	on-Hispanic	5.7	6.8	4.5	7.8	7.1	6.4
Entry Into F	Prenatal Ca	re, by Trimester						
All Race/E	Ethnicities:	1st Trimester	682	763	682	727	710	
		2nd Trimester	172	226	204	199	201	
		3rd Trimester	36	48	30	27	26	
		None	28	22	14	11	11	
		Unknown	4	2	0	2	1	
		Percent Late or No Care	7.0	6.6	4.7	3.9	3.9	5.3
Black, No	n-Hispanic:	1st Trimester	23	20	28	41	51	
,	•	2nd Trimester	9	9	12	12	18	
		3rd Trimester	1	2	0	0	1	
		None	2	1	1	1	1	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	8.6	9.4	2.4	1.9	2.8	4.3
Hispanic:		1st Trimester	80	97	84	91	136	
•		2nd Trimester	24	41	47	37	52	
		3rd Trimester	2	10	7	7	8	
		None	2	8	7	3	3	
		Unknown	1	0	0	0	0	
		Percent Late or No Care	3.7	11.5	9.7	7.2	5.5	7.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Apple Valley Area, 1989-1993 [Zip Codes: 92307, 92308]

				YEAR			Five-Year	
		1989	1990	1991	1992	1993	Rate(1)	
Entry Into Prenatal Car	e, by Trimester (continued)							
White, Non-Hispanic:		558	626	549	574	501		
	2nd Trimester	136	170	134	144	124		
	3rd Trimester	32	32	22	17	16		
	None Unknown	23 3	12 2	6 0	6 2	7 0		
	Percent Late or No Care	7.3	5.2	3.9	3.1	3.5	4.7	
Live Births to Teenage		1.3	3.2	3.9	3.1	3.5	4.1	
All Race/Ethnicities:	17 and younger	35	55	46	50	75		
	18-19	74	85	102	72	98		
	Percent of Births to Mothers <18	3.8	5.2	4.9	5.2	7.9	5.4	
	Percent of Births to Mothers <20	11.8	13.2	15.9	12.6	18.2	14.3	
Black, Non-Hispanic:	17 and younger	1	1	2	2	13		
	18-19	1	5	4	4	11		
	Percent of Births to Mothers <18	2.9	3.1	4.9	3.7	18.3	8.2	
	Percent of Births to Mothers <20	5.7	18.8	14.6	11.1	33.8	18.9	
Hispanic:	17 and younger	5	9	6	9	20		
	18-19	13	13	14	10	23		
	Percent of Births to Mothers <18	4.6	5.8	4.1	6.5	10.1	6.6	
	Percent of Births to Mothers <20	16.5	14.1	13.8	13.8	21.6	16.3	
White, Non-Hispanic:	17 and younger	29	44	35	37	40		
	18-19	58	67	81	57	59		
	Percent of Births to Mothers <18	3.9	5.2	4.9	5.0	6.2	5.0	
	Percent of Births to Mothers <20	11.6	13.2	16.3	12.7	15.3	13.7	
Infant Deaths Total		8	6	7	9	7		
Neonatal		5	5	5	5	3		
Post-Neonatal		3	1	2	4	4		
Percent of SBC I	nfant Deaths	2.43	1.82	2.29	3.19	2.75	2.47	
Black, Non-Hispanic		1	0	1	0	0		
Neonatal		1	0	0	0	0		
Post-Neonatal		0	0	1	0	0		
Percent of SBC I	Black, Non-Hisp. Infant Deaths	1.49	0.00	1.59	0.00	0.00	0.68	
Hispanic		1	0	1	1	3		
Neonatal		0	0	1	1	2		
Post-Neonatal		1	0	0	0	1		
Percent of SBC I	Hispanic Infant Deaths	0.96	0.00	1.01	0.93	3.19	1.19	
White, Non-Hispanic	:	6	6	5	8	4		
Neonatal		4	5	4	4	1		
Post-Neonatal		2	1	1	4	3		
Percent of SBC \	White, Non-Hisp. Infant Deaths	3.90	3.73	3.70	7.41	3.88	4.39	
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	7.7	

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Barstow Area, 1989-1993 [Zip Codes: 92311, 92312]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			774	745	767	826	764	
	of SBC Tota	I Live Births	2.53	2.23	2.32	2.52	2.37	2.39
	on-Hispanio		95	82		96	85	
	•	k, Non-Hispanic Live Births	3.41	62 2.87	81 2.61	3.05	2.79	2.94
		K, Non-I hapanic Live bittis						2.34
Hispanic			197	218	243	270	279	0.04
Percent c	of SBC Hisp	anic Live Births	2.06	1.98	1.94	2.06	2.03	2.01
	on-Hispanio		434	398	398	416	363	
Percent c	of SBC Whit	e, Non-Hispanic Live Births	2.59	2.22	2.54	2.82	2.66	2.55
Other/Un	known		48	47	45	44	37	
Very Low B	irthweight	Live Births (<1500 grams)						
Number:		Ethnicities	12	10	9	8	9	
		on-Hispanic	2	3	2	5	1	
	Hispanic		2	2	0	1	1	
	White, N	on-Hispanic	6	5	5	2	6	
Percent:	All Race/E	Ethnicities	1.6	1.3	1.2	1.0	1.2	1.2
		on-Hispanic	2.1	3.7	2.5	5.2	1.2	3.0
	Hispanic		1.0	0.9	0.0	0.4	0.4	0.5
	White, N	on-Hispanic	1.4	1.3	1.3	0.5	1.7	1.2
Low Birthw		Births (<2500 grams)						
Number:	All Race/l	Ethnicities	53	50	54	53	61	
		on-Hispanic	10	9	7	10	9	
	Hispanic		9	12	8	15	19	
	White, N	on-Hispanic	29	27	35	23	32	
Percent:	All Race/E	Ethnicities	6.8	6.7	7.0	6.4	8.0	7.0
	Black, No	on-Hispanic	10.5	11.0	8.6	10.4	10.6	10.3
	Hispanic		4.6	5.5	3.3	5.6	6.8	5.2
	White, N	on-Hispanic	6.7	6.8	8.8	5.5	8.8	7.3
		re, by Trimester						
All Race/E	Ethnicities:	1st Trimester	456	450	528	562	555	
		2nd Trimester	219	199	180	201	170	
		3rd Trimester	53 45	60 35	27	35	20	
		None Unknown	45 1	35 1	30 2	22 6	18 1	
								<u></u>
		Percent Late or No Care	12.7	12.8	7.5	7.0	5.0	8.9
Black, No	n-Hispanic:	1st Trimester	56	46	52	65	63	
		2nd Trimester	26	28	24	20	17	
		3rd Trimester	6	3	0	7	3	
		None	6	5	4	3	2	
		Unknown	1	0	1	1	0	
		Percent Late or No Care	12.8	9.8	5.0	10.5	5.9	8.9
Hispanic:		1st Trimester	116	118	160	168	187	
		2nd Trimester	52	62	58	77	74	
		3rd Trimester	14	25	12	16	10	
		None	15	13	13	8	7	
		Unknown	0	0	0	0	1	
		Percent Late or No Care	14.7	17.4	10.3	8.9	6.1	11.0

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Barstow Area, 1989-1993 [Zip Codes: 92311, 92312]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		257	259	283	294	277	
	2nd Trimester	130	94	88	96	72	
	3rd Trimester	25	29	14	11	6	
	None Unknown	22 0	16 0	12 1	10 5	8 0	
			_			•	7.6
Live Diethe to Teenene	Percent Late or No Care	10.8	11.3	6.5	5.1	3.9	7.6
Live Births to Teenage All Race/Ethnicities:	17 and younger	46	55	52	65	49	
7 til 1 ta00/ Etil liotti00.	18-19	80	94	93	92	98	
	Percent of Births to Mothers <18	5.9	7.4	6.8	7.9	6.4	6.9
	Percent of Births to Mothers <20	16.3	20.0	18.9	19.0	19.2	18.7
Black, Non-Hispanic:	17 and younger	6	8	7	5	4	
	18-19	8	4	7	10	13	
	Percent of Births to Mothers <18	6.3	9.8	8.6	5.2	4.7	6.8
	Percent of Births to Mothers <20	14.7	14.6	17.3	15.6	20.0	16.4
Hispanic:	17 and younger	17	21	19	30	21	
•	18-19	22	34	26	33	37	
	Percent of Births to Mothers <18	8.6	9.6	7.8	11.1	7.5	8.9
	Percent of Births to Mothers <20	19.8	25.2	18.5	23.3	20.8	21.5
White, Non-Hispanic:	17 and younger	21	25	25	27	21	
·	18-19	46	52	55	46	43	
	Percent of Births to Mothers <18	4.8	6.3	6.3	6.5	5.8	5.9
	Percent of Births to Mothers <20	15.4	19.3	20.1	17.5	17.6	18.0
Infant Deaths							
Total		8	6	8	7	4	
Neonatal Post-Neonatal		5 3	4 2	5 3	2 5	3 1	
Percent of SBC I	nfant Dootho	2.43	1.82	2.61		1.57	2.20
					2.48	1.57	2.20
Black, Non-Hispanic		5	1 1	0	1 0	1	
Neonatal Post-Neonatal		3 2	0	0 0	1	1 0	
	Black, Non-Hisp. Infant Deaths	7.46	1.67	0.00	1.89	1.92	2.71
	Slack, Northop: Illiant Boathe						2.7 1
Hispanic Neonatal		2 1	2 1	0 0	4 1	1 0	
Post-Neonatal		1	1	0	3	1	
	Hispanic Infant Deaths	1.92	1.98	0.00	3.70	1.06	1.78
White, Non-Hispanic	·	1	3	8	2	2	3
Neonatal		1	3 2	o 5	1	2	
Post-Neonatal		0	1	3	1	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.65	1.86	5.93	1.85	1.94	2.42
Infant Mortality Rate (p	·		*	*	*	*	8.5

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Fort Irwin Area, 1989-1993 [Zip Code: 92310]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Live Births							
Total		175	235	227	224	237	
Percent of SBC Total Liv	e Births	0.57	0.70	0.69	0.68	0.73	0.68
		40	46	55	47	43	
Black, Non-Hispanic Percent of SBC Black, N	on-Hispanic Live Rirths	1.44	1.61	1.77	47 1.49	43 1.41	1.55
	on moparilo Live Bittio						1.00
Hispanic	Livo Dirtho	16 0.17	23 0.21	18 0.14	29 0.22	25 0.18	0.10
Percent of SBC Hispanic	LIVE DITTIS						0.19
White, Non-Hispanic	an I Banania I ban Birtha	98	138	126	126	154	0.00
Percent of SBC White, N	on-Hispanic Live Births	0.58	0.77	0.80	0.85	1.13	0.82
Other/Unknown		21	28	28	22	15	
Very Low Birthweight Live							
Number: All Race/Ethn		0	0	2	4	5	
Black, Non-H	ispanic	0	0	1	2	2	
Hispanic White, Non-H	licnania	0 0	0 0	0 1	0 2	0 3	
		_	_	•			
Percent: All Race/Ethn		0.0	0.0	0.9	1.8	2.1	1.0
Black, Non-H	ispanic	0.0	0.0	1.8	4.3	4.7	2.2
Hispanic White, Non-H	lienanie	0.0 0.0	0.0 0.0	0.0 0.8	0.0 1.6	0.0 1.9	0.0 0.9
	•	0.0	0.0	0.0	1.0	1.9	0.9
Low Birthweight Live Birth Number: All Race/Ethn		9	12	9	16	18	
Black, Non-H		3	2	5	5	5	
Hispanic	iopariio	1	1	0	2	1	
White, Non-H	lispanic	4	7	3	7	10	
Percent: All Race/Ethn	•	5.1	5.1	4.0	7.1	7.6	5.8
Black, Non-H		7.5	4.3	9.1	10.6	11.6	8.7
Hispanic		6.3	4.3	0.0	6.9	4.0	4.5
White, Non-H	lispanic	4.1	5.1	2.4	5.6	6.5	4.8
Entry Into Prenatal Care, b	y Trimester						
	t Trimester	126	165	182	195	211	
	nd Trimester	44	57	42	28	23	
	rd Trimester	4	11	3	1	3	
	one nknown	0 1	0 2	0 0	0 0	0	
				_			
Po	ercent Late or No Care	2.3	4.7	1.3	0.4	1.3	2.0
	Trimester	24	35	46	41	36	
	nd Trimester	16	8	9	6	6	
	rd Trimester	0	3	0	0	1	
	one	0	0	0	0	0	
	nknown	0	0	0	0	0	
Pe	ercent Late or No Care	0.0	6.5	0.0	0.0	2.3	1.7
Hispanic: 1s	st Trimester	13	15	17	28	23	
	nd Trimester	3	7	1	1	2	
	rd Trimester	0	1	0	0	0	
	one	0	0	0	0	0	
	nknown	0	0	0	0	0	
Pe	ercent Late or No Care	0.0	4.3	0.0	0.0	0.0	0.9

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Fort Irwin Area, 1989-1993 [Zip Code: 92310]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	73	95	97	109	137	
	2nd Trimester	22	35	28	16	15	
	3rd Trimester None	2 0	6 0	1 0	1 0	2 0	
	Unknown	1	2	0	0	0	
	Percent Late or No Care	2.1	4.4	0.8	0.8	1.3	1.9
Live Births to Teenage							
All Race/Ethnicities:	17 and younger	2	1	2	3	3	
	18-19	8	24	17	10	10	
	Percent of Births to Mothers <18	1.1	0.4	0.9	1.3	1.3	1.0
	Percent of Births to Mothers <20	5.7	10.6	8.4	5.8	5.5	7.3
Black, Non-Hispanic:	17 and younger	1	0	1	2	0	
	18-19	1	3	3	2	0	
	Percent of Births to Mothers <18	2.5	0.0	1.8	4.3	0.0	1.7
	Percent of Births to Mothers <20	5.0	6.5	7.3	8.5	0.0	5.6
Hispanic:	17 and younger	0	0	0	0	1	
	18-19	0	2	1	2	3	
	Percent of Births to Mothers <18	0.0	0.0	0.0	0.0	4.0	0.9
	Percent of Births to Mothers <20	0.0	8.7	5.6	6.9	16.0	8.1
White, Non-Hispanic:	17 and younger 18-19	0 6	1 15	1 13	1 5	2 7	
							0.0
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	0.0 6.1	0.7 11.6	0.8 11.1	0.8 4.8	1.3 5.8	0.8 7.9
Infant Deaths	T Greent of Bitting to Motificial 429	0				0.0	7.0
Total		1	1	3	1	1	
Neonatal		0	0	2	1	1	
Post-Neonatal		1	1	1	0	0	
Percent of SBC I	nfant Deaths	0.30	0.30	0.98	0.35	0.39	0.47
Black, Non-Hispanic		0	0	1	0	0	
Neonatal		0	0	1	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	1.59	0.00	0.00	0.34
Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic		1	1	2	1	1	
Neonatal Post-Neonatal		0 1	0 1	1 1	1 0	1 0	
	Mhita Nan Hian Infant Daeth	•	•	•	_	_	0.04
	White, Non-Hisp. Infant Deaths	0.65	0.62	1.48	0.93	0.97	0.91
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	6.4 *

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Hesperia Area, 1989-1993 [Zip Code: 92345]

		-			YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			946	1,104	1,102	1,051	1,078	
	of SBC Tota	I Live Births	3.09	3.31	3.34	3.20	3.34	3.26
								0.20
	on-Hispanio		21	24	30	30	43	0.00
Percent o	of SBC Blac	k, Non-Hispanic Live Births	0.75	0.84	0.97	0.95	1.41	0.99
Hispanic			185	234	283	317	321	
Percent of	of SBC Hisp	anic Live Births	1.94	2.12	2.26	2.42	2.33	2.23
White. No	on-Hispanio	2	716	817	758	685	688	
		e, Non-Hispanic Live Births	4.27	4.56	4.84	4.65	5.04	4.65
Other/Un		•	24				26	
				29	31	19		
		Live Births (<1500 grams)	4.5		^	40	-	
Number:		Ethnicities	15	11	6	10	7	
		on-Hispanic	0	1	0	1	0	
	Hispanic	on-Hispanic	6 9	4 6	1 4	3 6	5 2	
		•	_					
Percent:	All Race/l		1.6	1.0	0.5	1.0	0.6	0.9
		on-Hispanic	0.0	4.2	0.0	3.3	0.0	1.4
	Hispanic		3.2	1.7	0.4	0.9	1.6	1.4
		on-Hispanic	1.3	0.7	0.5	0.9	0.3	0.7
	_	Births (<2500 grams)						
Number:		Ethnicities	70	70	49	71	76	
		on-Hispanic	3	3	1	6	6	
	Hispanic		16	17	12	23	22	
	White, N	on-Hispanic	50	49	34	39	47	
Percent:	All Race/l	Ethnicities	7.4	6.3	4.4	6.8	7.1	6.4
	Black, No	on-Hispanic	14.3	12.5	3.3	20.0	14.0	12.8
	Hispanic		8.6	7.3	4.2	7.3	6.9	6.7
	White, N	on-Hispanic	7.0	6.0	4.5	5.7	6.8	6.0
Entry Into F	Prenatal Ca	re, by Trimester						
All Race/E	thnicities:	1st Trimester	682	790	783	780	803	
		2nd Trimester	197	257	241	216	216	
		3rd Trimester	43	36	58	34	30	
		None	20	20	18	17	27	
		Unknown	4	1	2	4	2	
		Percent Late or No Care	6.7	5.1	6.9	4.9	5.3	5.8
Black No	n-Hispanic:	1st Trimester	15	12	17	21	32	
Diaon, NO	ii i nopaino.	2nd Trimester	3	10	8	7	8	
		3rd Trimester	3	10	4	2	2	
		None	0	1	1	0	0	
		Unknown	0	0	0	0	1	
			_					0.5
		Percent Late or No Care	14.3	8.3	16.7	6.7	4.8	9.5
Hispanic:		1st Trimester	117	152	185	198	220	
		2nd Trimester	45	68	70	89	77	
		3rd Trimester	12	8	23	19	17	
		None	9	6	5	10	7	
		Unknown	2	0	0	1	0	
		Percent Late or No Care	11.5	6.0	9.9	9.2	7.5	8.7

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Hesperia Area, 1989-1993 [Zip Code: 92345]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		535	606	556	545	534	
	2nd Trimester	141	173	160	117	123	
	3rd Trimester	27	26	30	13	10	
	None	11 2	12 0	11	7	20	
	Unknown			1	3	1	
	Percent Late or No Care	5.3	4.7	5.4	2.9	4.4	4.6
Live Births to Teenage		45	60	60	60	71	
All Race/Ethnicities:	17 and younger 18-19	45 93	60 108	68 106	62 93	71 85	
	Percent of Births to Mothers <18	4.8	5.4 15.2	6.2	5.9	6.6	5.8
	Percent of Births to Mothers <20	14.6		15.8	14.7	14.5	15.0
Black, Non-Hispanic:	17 and younger 18-19	1	1	5	1	6 2	
		3	2	4	2	_	
	Percent of Births to Mothers <18	4.8	4.2	16.7	3.3	14.0	9.5
	Percent of Births to Mothers <20	19.0	12.5	30.0	10.0	18.6	18.2
Hispanic:	17 and younger	12	20	24	26	25	
	18-19	27	26	38	42	43	
	Percent of Births to Mothers <18	6.5	8.5	8.5	8.2	7.8	8.0
	Percent of Births to Mothers <20	21.1	19.7	21.9	21.5	21.2	21.1
White, Non-Hispanic:	17 and younger	31	38	38	34	39	
	18-19	61	78	60	48	39	
	Percent of Births to Mothers <18	4.3	4.7	5.0	5.0	5.7	4.9
	Percent of Births to Mothers <20	12.8	14.2	12.9	12.0	11.3	12.7
Infant Deaths							
Total		8	8	5	11	8	
Neonatal Post-Neonatal		5 3	3 5	3 2	7 4	4 4	
						•	
Percent of SBC I	nfant Deaths	2.43	2.43	1.63	3.90	3.14	2.66
Black, Non-Hispanic		0	1	1	2	0	
Neonatal		0	0	0	1	0	
Post-Neonatal		0	1	1	1	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	1.67	1.59	3.77	0.00	1.36
Hispanic		2	2	1	3	3	
Neonatal		0	1	1	1	0	
Post-Neonatal		2	1	0	2	3	
Percent of SBC I	Hispanic Infant Deaths	1.92	1.98	1.01	2.78	3.19	2.17
White, Non-Hispanic		6	5	3	6	5	
Neonatal		5	2	2	5	4	
Post-Neonatal		1	3	1	1	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	3.90	3.11	2.22	5.56	4.85	3.78
Infant Mortality Rate (p	er 1000 live hirths)	*	*	*	*	*	7.6

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Joshua Tree Area, 1989-1993 [Zip Code: 92252]

·					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			117	119	121	120	110	
	of SBC Tota	I Live Births	0.38	0.36	0.37	0.37	0.34	0.36
Black No	on-Hispanio		0	0	1	3	1	
		k, Non-Hispanic Live Births	0.00	0.00	0.03	0.10	0.03	0.03
		.,	17	11	17	14	18	0.00
Hispanic Percent of		anic Live Births	0.18	0.10	0.14	0.11	0.13	0.13
								0.10
	on-Hispanio		98 0.58	105 0.59	101 0.64	100 0.68	84 0.62	0.62
		e, Non-Hispanic Live Births						0.02
Other/Un	known		2	3	2	3	7	
		Live Births (<1500 grams)						
Number:		Ethnicities	0	3	1	0	3	
		on-Hispanic	0	0	0	0	1	
	Hispanic White N	on-Hispanic	0 0	2 1	0 1	0 0	0 2	
D (-	-	_		4.0
Percent:	All Race/E		0.0	2.5	0.8	0.0	2.7 100.0	1.2 20.0
	Hispanic	on-Hispanic	0.0	 18.2	0.0 0.0	0.0 0.0	0.0	20.0
		on-Hispanic	0.0	1.0	1.0	0.0	2.4	0.8
l ow Birthw		Births (<2500 grams)						
		Ethnicities	6	11	11	7	10	
		on-Hispanic	0	0	0	0	1	
	Hispanic	·	0	3	1	0	0	
	White, No	on-Hispanic	6	8	10	7	9	
Percent:	All Race/E	Ethnicities	5.1	9.2	9.1	5.8	9.1	7.7
	Black, No	on-Hispanic			0.0	0.0	100.0	20.0
	Hispanic		0.0	27.3	5.9	0.0	0.0	5.2
		on-Hispanic	6.1	7.6	9.9	7.0	10.7	8.2
		re, by Trimester						
All Race/E	thnicities:	1st Trimester 2nd Trimester	65 32	65 42	81 33	82 29	76 27	
		3rd Trimester	32 12	42 4	5 5	29 5	4	
		None	7	8	2	4	3	
		Unknown	1	0	0	0	0	
		Percent Late or No Care	16.4	10.1	5.8	7.5	6.4	9.2
Plack Na	n Hienonia:	1st Trimester						Ų. –
DIACK, INOI	n-Hispanic:	2nd Trimester	0	0 0	1 0	3 0	0	
		3rd Trimester	0	0	0	0	0	
		None	0	0	0	0	1	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	•••		0.0	0.0	100.0	20.0
Hispanic:		1st Trimester	8	7	9	12	11	_5.5
i iispaniic.		2nd Trimester	o 7	3	8	2	5	
		3rd Trimester	2	0	0	0	1	
		None	0	1	0	Ö	1	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	11.8	9.1	0.0	0.0	11.1	6.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Joshua Tree Area, 1989-1993 [Zip Code: 92252]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	57	58	71	66	60	
	2nd Trimester	24	36	23	26	20	
	3rd Trimester None	10 6	4 7	5 2	4 4	3 1	
	Unknown	1	0	0	0	0	
	Percent Late or No Care	16.5	10.5	6.9	8.0	4.8	9.4
Live Births to Teenage	Mothers						
All Race/Ethnicities:	17 and younger	3	3	7	4	6	
	18-19	10	7	16	12	14	
	Percent of Births to Mothers <18	2.6	2.5	5.8	3.3	5.5	3.9
	Percent of Births to Mothers <20	11.1	8.4	19.0	13.3	18.2	14.0
Black, Non-Hispanic:	17 and younger 18-19	0 0	0 0	0 0	0 1	1 0	
		U	U			_	20.0
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	•••	•••	0.0 0.0	0.0 33.3	100.0 100.0	20.0 40.0
Hispania:		0	 1	3	0	2	40.0
Hispanic:	17 and younger 18-19	1	0	2	3	1	
	Percent of Births to Mothers <18	0.0	9.1	17.6	0.0	11.1	7.8
	Percent of Births to Mothers <20	5.9	9.1	29.4	21.4	16.7	16.9
White, Non-Hispanic:	17 and younger	2	2	4	3	3	
······································	18-19	9	6	14	8	12	
	Percent of Births to Mothers <18	2.0	1.9	4.0	3.0	3.6	2.9
	Percent of Births to Mothers <20	11.2	7.6	17.8	11.0	17.9	12.9
Infant Deaths							
Total Neonatal		2 1	3 1	1 1	0 0	2 2	
Post-Neonatal		1	2	0	0	0	
Percent of SBC I	nfant Deaths	0.61	0.91	0.33	0.00	0.78	0.53
							0.00
Black, Non-Hispanic Neonatal		0 0	0 0	0 0	0 0	0 0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths			0.00	0.00	0.00	0.00
Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic		2	3	1	0	2	
Neonatal		1	1	1	0	2	
Post-Neonatal		1	2	0	0	0	
Percent of SBC	White, Non-Hisp. Infant Deaths	1.30	1.86	0.74	0.00	1.94	1.21
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	13.6 **

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care. 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Phelan Area, 1989-1993 [Zip Codes: 92329, 92371, 92372]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			243	274	292	278	287	
	of SBC Tota	I Live Births	0.79	0.82	0.88	0.85	0.89	0.85
			2	2	2	5	4	
	on-Hispanio	k, Non-Hispanic Live Births	0.07	0.07	0.06	0.16	0.13	0.10
		K, North IISpanie Live Dittis						0.10
Hispanic		ania Lina Dietha	19	42	44	60	49	0.00
	•	anic Live Births	0.20	0.38	0.35	0.46	0.36	0.36
	on-Hispani		219	226	242	207	230	
Percent of	of SBC Whit	e, Non-Hispanic Live Births	1.30	1.26	1.55	1.40	1.68	1.43
Other/Un	known		3	4	4	6	6 4	
Very Low B	irthweight	Live Births (<1500 grams)					'	
Number:		Ethnicities	3	4	2	5	2	
		on-Hispanic	0	0	0	0	1	
	Hispanic		0	0	0	0	0	
	White, N	on-Hispanic	1	4	2	5	0	
Percent:	All Race/I	Ethnicities	1.2	1.5	0.7	1.8	0.7	1.2
	Black, No	on-Hispanic	0.0	0.0	0.0	0.0	25.0	6.7
	Hispanic		0.0	0.0	0.0	0.0	0.0	0.0
	White, N	on-Hispanic	0.5	1.8	0.8	2.4	0.0	1.1
Low Birthw		Births (<2500 grams)						
Number:		Ethnicities	19	19	18	19	24	
		on-Hispanic	0	0	0	0	1	
	Hispanic		0	4	3	3	6	
	White, N	on-Hispanic	16	15	15	16	15	
Percent:		Ethnicities	7.8	6.9	6.2	6.8	8.4	7.2
		on-Hispanic	0.0	0.0	0.0	0.0	25.0	6.7
	Hispanic		0.0	9.5	6.8	5.0	12.2	7.5
		on-Hispanic	7.3	6.6	6.2	7.7	6.5	6.9
		re, by Trimester	4==	400	200	004		
All Race/E	Ethnicities:	1st Trimester	155	183	223	204	230	
		2nd Trimester 3rd Trimester	63 14	65 17	53 7	57 10	46 7	
		None	10	9	<i>7</i> 6	5	4	
		Unknown	10	0	3	2	0	
		Percent Late or No Care	-	-			•	e E
			9.9	9.5	4.5	5.4	3.8	6.5
Black, No	n-Hispanic:	1st Trimester	2	2	1	3	2	
		2nd Trimester	0	0	1	1	2	
		3rd Trimester	0	0	0	0	0	
		None	0	0	0	1	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	0.0	0.0	0.0	20.0	0.0	6.7
Hispanic:		1st Trimester	10	28	28	45	33	
		2nd Trimester	5	9	14	11	9	
		3rd Trimester	3	3	1	2	3	
		None	1	2	1	1	4	
		Unknown	0	0	0	1	0	
		Percent Late or No Care	21.1	11.9	4.5	5.1	14.3	9.9

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Phelan Area, 1989-1993 [Zip Codes: 92329, 92371, 92372]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		141	150	191	151	192	
	2nd Trimester	57	55	37	45	35	
	3rd Trimester	11	14	6	7	3	
	None	9	7	5	3	0	
	Unknown	1	0	3	1	0	
D' 4 . T	Percent Late or No Care	9.2	9.3	4.6	4.9	1.3	5.8
Live Births to Teenage All Race/Ethnicities:	17 and younger	16	12	21	11	22	
All Nace/Ethnicities.	18-19	18	24	29	22	20	
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	6.6 14.0	4.4 13.1	7.2 17.1	4.0 11.9	7.7 14.6	6.0 14.2
							14.2
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	
	18-19	0	0	0	0	0	
	Percent of Births to Mothers <18	0.0	0.0	0.0	0.0	0.0	0.0
	Percent of Births to Mothers <20	0.0	0.0	0.0	0.0	0.0	0.0
Hispanic:	17 and younger	3	3	3	1	6	
	18-19	2	5	6	5	3	
	Percent of Births to Mothers <18	15.8	7.1	6.8	1.7	12.2	7.5
	Percent of Births to Mothers <20	26.3	19.0	20.5	10.0	18.4	17.3
White, Non-Hispanic:	17 and younger	13	8	18	10	16	
•	18-19	16	19	21	16	16	
	Percent of Births to Mothers <18	5.9	3.5	7.4	4.8	7.0	5.8
	Percent of Births to Mothers <20	13.2	11.9	16.1	12.6	13.9	13.6
Infant Deaths							
Total		2	2	2	2	0	
Neonatal		1	2	0	1	0	
Post-Neonatal		1	0	2	1	0	
Percent of SBC I	nfant Deaths	0.61	0.61	0.65	0.71	0.00	0.53
Black, Non-Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic		2	2	2	2	0	
Neonatal		1	2	0	1	0	
Post-Neonatal		1	0	2	1	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	1.24	1.48	1.85	0.00	1.21
Infant Mortality Rate (p	·	*	*	*	*	*	5.8

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care. 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Twenty-Nine Palms Naval Base, 1989-1993 [Zip Code: 92278]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			303	325	231	365	289	
	f SBC Tota	I Live Births	0.99	0.97	0.70	1.11	0.90	0.93
Black No	n-Hispanio		40	57	31	51	35	
		k, Non-Hispanic Live Births	1.44	1.99	1.00	1.62	1.15	1.43
Hispanic	. 020 2.00	.,,	26	44	31	52	38	
•	f SBC High	anic Live Births	0.27	0.40	0.25	0.40	0.28	0.32
								0.02
	n-Hispanio		212 1.26	198 1.10	152 0.97	239 1.62	194 1.42	1.26
		e, Non-Hispanic Live Births						1.20
Other/Un	known		25	26	17	23	22	
		Live Births (<1500 grams)						
Number:		Ethnicities	3	3	1	1	3	
		on-Hispanic	1	0	0	0	1	
	Hispanic	on-Hispanic	0 2	0 2	0 1	0 1	0 2	
D					-	-		<u> </u>
Percent:	All Race/E		1.0	0.9	0.4	0.3	1.0	0.7
	Hispanic	on-Hispanic	2.5 0.0	0.0 0.0	0.0 0.0	0.0 0.0	2.9 0.0	0.9 0.0
		on-Hispanic	0.0	1.0	0.7	0.4	1.0	0.8
l ow Birthwe	-	Births (<2500 grams)	0.0	1.0	<u> </u>	0	1.0	0.0
		Ethnicities	16	19	10	16	17	
		on-Hispanic	4	7	1	7	4	
	Hispanic	·	1	0	0	2	0	
	White, No	on-Hispanic	8	10	8	7	10	
Percent:	All Race/E	Ethnicities	5.3	5.8	4.3	4.4	5.9	5.2
	Black, No	on-Hispanic	10.0	12.3	3.2	13.7	11.4	10.7
	Hispanic		3.8	0.0	0.0	3.8	0.0	1.6
	White, No	on-Hispanic	3.8	5.1	5.3	2.9	5.2	4.3
		re, by Trimester						
All Race/E	thnicities:	1st Trimester	233	275	197	311	248	
		2nd Trimester 3rd Trimester	62 8	42 7	29 3	48 6	36 4	
		None	0	0	2	0	0	
		Unknown	Ö	1	0	0	1	
		Percent Late or No Care	2.6	2.2	2.2	1.6	1.4	2.0
D								2.0
Black, Nor	n-Hispanic:	1st Trimester	29	45	24	43	23	
		2nd Trimester 3rd Trimester	11 0	11 1	6 1	8 0	11 0	
		None	0	0	0	0	0	
		Unknown	0	0	0	0	1	
		Percent Late or No Care	0.0	1.8	3.2	0.0	0.0	0.9
I Para								0.5
Hispanic:		1st Trimester 2nd Trimester	17	35	24	41	32	
		3rd Trimester	9	6 3	7 0	9 2	6 0	
		None	0	0	0	0	0	
		Unknown	0	0	0	0	0	
		UTIKITUWIT	•					

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for Twenty-Nine Palms Naval Base, 1989-1993 [Zip Code: 92278]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		174	173	133	210	176	
	2nd Trimester	34	22	15	25	15	
	3rd Trimester	4	2	2	4	3	
	None Unknown	0 0	0 1	2 0	0 0	0	
	Percent Late or No Care	1.9	1.0	2.6	1.7	1.5	1.7
Live Births to Teenage		1.3	1.0	2.0	1.7	1.5	1.1
All Race/Ethnicities:	17 and younger	4	5	1	7	4	
	18-19	30	29	17	35	33	
	Percent of Births to Mothers <18	1.3	1.5	0.4	1.9	1.4	1.4
	Percent of Births to Mothers <20	11.2	10.5	7.8	11.5	12.8	10.9
Black, Non-Hispanic:	17 and younger	0	0	1	2	1	
	18-19	2	4	3	2	3	
	Percent of Births to Mothers <18	0.0	0.0	3.2	3.9	2.9	1.9
	Percent of Births to Mothers <20	5.0	7.0	12.9	7.8	11.4	8.4
Hispanic:	17 and younger	0	1	0	2	1	
	18-19	3	9	6	8	6	
	Percent of Births to Mothers <18	0.0	2.3	0.0	3.8	2.6	2.1
	Percent of Births to Mothers <20	11.5	22.7	19.4	19.2	18.4	18.8
White, Non-Hispanic:	17 and younger	3	4	0	3	1	
	18-19	23	14	8	23	22	
	Percent of Births to Mothers <18	1.4	2.0	0.0	1.3	0.5	1.1
	Percent of Births to Mothers <20	12.3	9.1	5.3	10.9	11.9	10.2
Infant Deaths		•					
Total Neonatal		2 1	6 5	1 0	2 1	4 3	
Post-Neonatal		1	1	1	1	1	
Percent of SBC I	nfant Deaths	0.61	1.82	0.33	0.71	1.57	1.00
Black, Non-Hispanic Neonatal		0 0	3 3	1 0	1 1	1 1	
Post-Neonatal		0	0	1	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	5.00	1.59	1.89	1.92	2.03
Hispanic	•	0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic	·	2	3	0	1	3	
Neonatal		1	2	Ö	0	2	
Post-Neonatal		1	1	0	1	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	1.86	0.00	0.93	2.91	1.36
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	9.9 *

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care. 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Twenty-Nine Palms Area, 1989-1993 [Zip Code: 92277]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Live Births							
Total		395	412	356	461	436	
Percent of SBC Total	al Live Births	1.29	1.23	1.08	1.40	1.35	1.27
		38	34	39	44	46	
Black, Non-Hispani	ck, Non-Hispanic Live Births	1.36	1.19	1.26	1.40	1.51	1.35
	ok, North hoparno Live Birtho						1.00
Hispanic	agnia Liva Birtha	47 0.49	41 0.37	36 0.29	47 0.36	52 0.38	0.27
Percent of SBC Hisp							0.37
White, Non-Hispan		280	311	259	339	308	4.00
Percent of SBC Whi	te, Non-Hispanic Live Births	1.67	1.74	1.65	2.30	2.26	1.90
Other/Unknown		30	26	22	31	30	
	Live Births (<1500 grams)						
	/Ethnicities	5	3	2	5	3	
	on-Hispanic	1	1	0	0	0	
Hispanio	on-Hispanic	1 1	0 2	0 2	3 2	0 3	
		•					
	Ethnicities	1.3	0.7	0.6	1.1	0.7	0.9
	on-Hispanic	2.6	2.9	0.0	0.0	0.0	1.0
Hispanio	; Ion-Hispanic	2.1 0.4	0.0 0.6	0.0 0.8	6.4 0.6	0.0 1.0	1.8 0.7
	•	0.4	0.0	0.0	0.0	1.0	0.7
Low Birthweight Live Number: All Race	Ethnicities	33	27	19	25	30	
	on-Hispanic	4	3	2	23	7	
Hispanio	•	4	3	2	5	2	
-	Ion-Hispanic	21	20	15	16	21	
Percent: All Race	Ethnicities	8.4	6.6	5.3	5.4	6.9	6.5
	on-Hispanic	10.5	8.8	5.1	4.5	15.2	9.0
Hispanio		8.5	7.3	5.6	10.6	3.8	7.2
White, N	Ion-Hispanic	7.5	6.4	5.8	4.7	6.8	6.2
Entry Into Prenatal Ca	are, by Trimester						
All Race/Ethnicities:	1st Trimester	253	266	226	355	318	
	2nd Trimester	97	108	92	83	92	
	3rd Trimester	30	24	18	15	18	
	None Unknown	14 1	12 2	19 1	8 0	7 1	
				-		-	
	Percent Late or No Care	11.2	8.8	10.4	5.0	5.7	8.0
Black, Non-Hispanic		22	20	24	32	33	
	2nd Trimester	11	11	12	10	10	
	3rd Trimester	1	2	3	1	2	
	None	4	1	0	1	1	
	Unknown	0	0	0	0	0	
	Percent Late or No Care	13.2	8.8	7.7	4.5	6.5	8.0
Hispanic:	1st Trimester	29	22	17	34	39	
	2nd Trimester	12	15	14	13	12	
	3rd Trimester	5	2	1	0	1	
	None	1	2	3	0	0	
	Unknown	0	0	1	0	0	
	Percent Late or No Care	12.8	9.8	11.4	0.0	1.9	6.8

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Twenty-Nine Palms Area, 1989-1993 [Zip Code: 92277]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		183	210	172	265	224	
	2nd Trimester	70	74	59	57	62	
	3rd Trimester None	19 7	17 8	14 14	10 7	15 6	
	Unknown	1	2	0	0	1	
	Percent Late or No Care	9.3	8.1	10.8	5.0	6.8	7.8
Live Births to Teenage							
All Race/Ethnicities:	17 and younger	24	25	26	20	30	
	18-19	55	53	53	60	57	
	Percent of Births to Mothers <18	6.1	6.1	7.3	4.3	6.9	6.1
	Percent of Births to Mothers <20	20.0	18.9	22.2	17.4	20.0	19.6
Black, Non-Hispanic:	17 and younger	4	2	5	1	3	
	18-19	5	5	4	8	4	
	Percent of Births to Mothers <18	10.5	5.9	12.8	2.3	6.5	7.5
	Percent of Births to Mothers <20	23.7	20.6	23.1	20.5	15.2	20.4
Hispanic:	17 and younger	2	7	2	1	5	
	18-19	5	6	8	6	9	
	Percent of Births to Mothers <18	4.3	17.1	5.6	2.1	9.6	7.6
	Percent of Births to Mothers <20	14.9	31.7	27.8	14.9	26.9	22.9
White, Non-Hispanic:	17 and younger	17	16	19	17	20	
	18-19	40	40	38	43	42	
	Percent of Births to Mothers <18	6.1	5.1	7.3	5.0	6.5	5.9
	Percent of Births to Mothers <20	20.4	18.0	22.0	17.7	20.1	19.5
Infant Deaths		_	2	0	4	4	
Total Neonatal		5 4	3 3	2 0	4 4	4 2	
Post-Neonatal		1	0	2	0	2	
Percent of SBC I	nfant Deaths	1.52	0.91	0.65	1.42	1.57	1.20
		1					•
Black, Non-Hispanic Neonatal		0	0 0	0 0	0 0	1 0	
Post-Neonatal		1	0	0	0	1	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	1.49	0.00	0.00	0.00	1.92	0.68
Hispanic		1	0	1	1	0	
Neonatal		1	0	0	1	Ö	
Post-Neonatal		0	0	1	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.96	0.00	1.01	0.93	0.00	0.59
White, Non-Hispanic	:	3	3	1	2	3	
Neonatal		3	3	0	2	2	
Post-Neonatal		0	0	1	0	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.95	1.86	0.74	1.85	2.91	1.82
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.7

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care. 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Victorville Area, 1989-1993 [Zip Codes: 92392, 92393, 92394]

					YEAR			Five-Yea
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			1,211	1,396	1,393	1,379	1,261	
	f SBC Tota	I Live Births	3.96	4.18	4.22	4.20	3.91	4.10
								0
•	on-Hispanio		104	100	107	153	132	2.00
Percent o	I SBC Blac	k, Non-Hispanic Live Births	3.73	3.50	3.45	4.86	4.34	3.99
Hispanic			217	304	381	396	395	
Percent o	f SBC Hisp	anic Live Births	2.27	2.76	3.04	3.02	2.87	2.82
White, No	on-Hispanio		821	902	817	763	682	
•	•	e, Non-Hispanic Live Births	4.89	5.03	5.22	5.18	4.99	5.06
Other/Un	known		69	90	88	67	52	
		Live Pirthe (:1500 grams)		- 30		- 01	01 32	
Number:		Live Births (<1500 grams) Ethnicities	20	16	14	19	17	
i vui i i i i i i i i i i i i i i i i i		on-Hispanic	4	6	14	3	7	
	Hispanic	noparno	3	0	1	4	3	
		on-Hispanic	12	8	11	12	5	
Doroont	All Race/E					1.4		4.0
Percent:			1.7 3.8	1.1	1.0		1.3	1.3
	Hispanic	on-Hispanic	3.8 1.4	6.0 0.0	0.9 0.3	2.0 1.0	5.3 0.8	3.5 0.6
		on-Hispanic	1.4	0.0	1.3	1.6	0.8	1.2
ow Birthw		•	1.0	0.5	1.0	1.0	0.7	1.2
Number: All Rac		Births (<2500 grams)	74	82	101	91	83	
Mullibel.		on-Hispanic	11	17	7	16	23	
	Hispanic	л парапіс	12	13	23	26	26	
	•	on-Hispanic	46	44	65	45	29	
D		•						0.5
Percent:	All Race/E		6.1	5.9	7.3	6.6	6.6	6.5
	Hispanic	on-Hispanic	10.6 5.5	17.0 4.3	6.5 6.0	10.5 6.6	17.4 6.6	12.4 5.9
		on-Hispanic	5.5 5.6	4.3 4.9	8.0	5.9	4.3	5.9 5.7
Interviews D		•	0.0	7.5	0.0	0.5	7.5	0.1
All Race/E		re, by Trimester 1st Trimester	879	1010	1008	1066	985	
ראוו ואמטכ/ב		2nd Trimester	230	282	289	262	211	
		3rd Trimester	58	60	61	32	31	
		None	30	37	32	18	31	
		Unknown	14	7	3	1	3	
		Percent Late or No Care	7.4	7.0	6.7	3.6	4.9	5.9
5								J.9
Black, Nor	n-Hispanic:	1st Trimester	71	65	69	106	92	
		2nd Trimester	21	20	30	35	27	
		3rd Trimester	6	7	4	7	8	
		None Unknown	5 1	7 1	4 0	5 0	4 1	
			•	-	-	_	-	
		Percent Late or No Care	10.7	14.1	7.5	7.8	9.2	9.6
Hispanic:		1st Trimester	136	183	247	272	281	
•		2nd Trimester	56	84	100	103	91	
		3rd Trimester	16	26	22	15	9	
		None	7	10	10	6	13	
		Unknown	2	1	2	0	1	
		Percent Late or No Care	10.7	11.9	8.4	5.3	5.6	7.9

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Victorville Area, 1989-1993 [Zip Codes: 92392, 92393, 92394]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		627	698	627	635	571	
	2nd Trimester	136	156	145	113	84	
	3rd Trimester	31	25	30	9	14	
	None	17	19	14	5 1	13	
	Unknown	10	4	1	·	0	
	Percent Late or No Care	5.9	4.9	5.4	1.8	4.0	4.5
Live Births to Teenage All Race/Ethnicities:		E.C.	60	76	60	01	
All Race/Ethnicities.	17 and younger 18-19	56 97	68 99	76 79	69 114	81 115	
		_		_			5.0
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	4.6 12.6	4.9 12.0	5.5 11.1	5.0 13.3	6.4 15.5	5.3 12.9
Dlack Non Hienenie							12.0
Black, Non-Hispanic:	17 and younger 18-19	4 7	7 11	4 10	8 21	11 10	
				_			r 7
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	3.8 10.6	7.0 18.0	3.7 13.1	5.2 19.0	8.3 15.9	5.7 15.6
							13.0
Hispanic:	17 and younger 18-19	20 16	30 25	32 30	35 41	41 45	
							0.0
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	9.2 16.6	9.9 18.1	8.4 16.3	8.8 19.2	10.4 21.8	9.3 18.6
140 to 110 to							10.0
White, Non-Hispanic:	17 and younger 18-19	31 65	29 58	37 38	25 50	28 59	
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	3.8 11.7	3.2 9.6	4.5 9.2	3.3 9.8	4.1 12.8	3.8 10.5
Infant Dooth a	reitent of Bittis to Mothers <20	11.7	9.0	9.2	9.0	12.0	10.5
Infant Deaths Total		12	10	8	18	8	
Neonatal		7	7	6	14	7	
Post-Neonatal		5	3	2	4	1	
Percent of SBC I	nfant Deaths	3.65	3.04	2.61	6.38	3.14	3.73
Black, Non-Hispanic		5	2	1	4	2	
Neonatal		3	2	1	4	2	
Post-Neonatal		2	0	0	0	0	
Percent of SBC E	Black, Non-Hisp. Infant Deaths	7.46	3.33	1.59	7.55	3.85	4.75
Hispanic	•	0	2	1	4	1	
Neonatal		0	1	1	4	1	
Post-Neonatal		Ō	1	0	0	0	
Percent of SBC F	Hispanic Infant Deaths	0.00	1.98	1.01	3.70	1.06	1.58
White, Non-Hispanic	•	7	6	_	10	5	
Neonatal		4	4	6 4	6	5 4	
Post-Neonatal		3	2	2	4	1	
	White, Non-Hisp. Infant Deaths	4.55	3.73	4.44	9.26	4.85	5.14
I CIOCITE OF ODO V	Time, Horringe. Illiant Deaths	7.00	0.70	7.77	5.20	7.00	0.14

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Yucca Valley Area, 1989-1993 [Zip Codes: 92284, 92285, 92286]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			307	284	286	292	277	
	of SBC Tota	I Live Births	1.00	0.85	0.87	0.89	0.86	0.89
								0.00
	on-Hispanio	k, Non-Hispanic Live Births	2 0.07	6 0.21	8 0.26	2 0.06	4 0.13	0.15
		k, Non-Hispanic Live billis						0.15
Hispanic			23	27	39	42	43	
Percent of	of SBC Hisp	anic Live Births	0.24	0.24	0.31	0.32	0.31	0.29
White, No	on-Hispani	C	271	244	234	237	220	
Percent of	of SBC Whit	e, Non-Hispanic Live Births	1.61	1.36	1.49	1.61	1.61	1.53
Other/Un	known		11	7	5	11	10	
		Live Births (<1500 grams)					11 10	
Number:		Ethnicities	5	4	2	6	6	
		on-Hispanic	0	0	0	1	1	
	Hispanic	·	0	0	1	1	1	
		on-Hispanic	5	4	1	3	4	
Percent:	All Race/l	Ethnicities	1.6	1.4	0.7	2.1	2.2	1.6
1 01001111		on-Hispanic	0.0	0.0	0.0	50.0	25.0	9.1
	Hispanic		0.0	0.0	2.6	2.4	2.3	1.7
		on-Hispanic	1.8	1.6	0.4	1.3	1.8	1.4
Low Birthw	eight Live	Births (<2500 grams)						
		Ethnicities	26	22	18	21	17	
	Black, No	on-Hispanic	0	1	2	2	1	
	Hispanic		0	2	3	2	2	
	White, N	on-Hispanic	24	18	13	16	14	
Percent:	All Race/	Ethnicities	8.5	7.7	6.3	7.2	6.1	7.2
	Black, No	on-Hispanic	0.0	16.7	25.0	100.0	25.0	27.3
	Hispanic		0.0	7.4	7.7	4.8	4.7	5.2
	White, N	on-Hispanic	8.9	7.4	5.6	6.8	6.4	7.0
		re, by Trimester						
All Race/E	Ethnicities:	1st Trimester	173	150	188	203	175	
		2nd Trimester	91	99	71	74	78	
		3rd Trimester	20	23	20	10	11	
		None Unknown	22 1	12 0	7 0	5 0	11 2	
				_				
		Percent Late or No Care	13.7	12.3	9.4	5.1	8.0	9.8
Black, No	n-Hispanic:	1st Trimester	1	1	4	2	3	
		2nd Trimester	0	4	2	0	1	
		3rd Trimester	1	1	2	0	0	
		None	0	0	0	0	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	50.0	16.7	25.0	0.0	0.0	18.2
Hispanic:		1st Trimester	12	15	20	22	26	
•		2nd Trimester	7	8	12	16	14	
		3rd Trimester	1	3	4	3	3	
		None	3	1	3	1	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	17.4	14.8	17.9	9.5	7.0	12.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Yucca Valley Area, 1989-1993 [Zip Codes: 92284, 92285, 92286]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		156	133	161	173	141	
	2nd Trimester	79	83	56	54	60	
	3rd Trimester	17	17	13	6	8	
	None Unknown	18 1	11 0	4 0	4 0	10 1	
		•	_		_	-	
	Percent Late or No Care	13.0	11.5	7.3	4.2	8.2	9.0
Live Births to Teenage All Race/Ethnicities:	Mothers 17 and younger	12	16	24	12	13	
All Nace/Ethnicities.	18-19	35	37	2 4 25	27	31	
							5 2
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	3.9 15.3	5.6 18.7	8.4 17.1	4.1 13.4	4.7 15.9	5.3 16.0
Plack Non Hispania					0	0	10.0
Black, Non-Hispanic:	17 and younger 18-19	0 0	1 2	1 1	0	0	
	Percent of Births to Mothers <18	_	16.7	12.5	_	_	9.1
	Percent of Births to Mothers < 20	0.0 0.0	50.0	25.0	0.0 0.0	0.0 0.0	22.7
Llianania							22.1
Hispanic:	17 and younger 18-19	0 1	1 4	2 2	3 8	2 5	
							4.0
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	0.0 4.3	3.7 18.5	5.1 10.3	7.1 26.2	4.7 16.3	4.6 16.1
AAALS AL LE							10.1
White, Non-Hispanic:	17 and younger 18-19	11 33	13 30	20 22	9 18	11 26	
							5 0
	Percent of Births to Mothers <18 Percent of Births to Mothers <20	4.1 16.2	5.3 17.6	8.5 17.9	3.8 11.4	5.0 16.8	5.3 16.0
Infant Deaths	1 Greens of Birthe to Mothers 420	10.2	17.0	17.0		10.0	10.0
Total		2	3	1	3	5	
Neonatal		2	1	1	1	2	
Post-Neonatal		0	2	0	2	3	
Percent of SBC I	nfant Deaths	0.61	0.91	0.33	1.06	1.96	0.93
Black, Non-Hispanic		0	0	0	1	0	
Neonatal		Ö	Ö	Ő	Ö	Ö	
Post-Neonatal		0	0	0	1	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	1.89	0.00	0.34
Hispanic		0	0	0	1	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	1	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.93	0.00	0.20
White, Non-Hispanic	•	2	3	1	1	5	
Neonatal		2	1	1	1	2	
Post-Neonatal		0	2	0	0	3	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	1.86	0.74	0.93	4.85	1.82
Infant Mortality Rate (p	•	*	*	*	*	*	9.7 *


⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial



San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Big Bear Area, 1989-1993 [Zip Codes: 92314, 92315, 92333, 92386]

					YEAR			Five-Year	
			1989	1990	1991	1992	1993	Rate(1)	
Live Births									
Total			230	267	229	239	224		
	of SBC Tota	I Live Births	0.75	0.80	0.69	0.73	0.69	0.73	
Black No	on-Hispanio	_	1	0	2	3	0		
		k, Non-Hispanic Live Births	0.04	0.00	0.06	0.10	0.00	0.04	
		ii, rion mopanio ziro zinno						0.01	
Hispanic		onia Livo Pirtho	19 0.20	32 0.29	34 0.27	39	44 0.32	0.20	
	Percent of SBC Hispanic Live Births					0.30		0.28	
	on-Hispanio		208	232	191	194	174	4.0=	
Percent of	Percent of SBC White, Non-Hispanic Live Births		1.24	1.29	1.22	1.32	1.27	1.27	
Other/Un	known		2	3	2	3	6		
Very Low B	irthweight	Live Births (<1500 grams)							
Number:		Ethnicities	0	3	2	2	2		
		on-Hispanic	0	0	0	0	0		
	Hispanic		0	0	1	0	0		
	White, N	on-Hispanic	0	3	1	2	2		
Percent:	All Race/		0.0	1.1	0.9	8.0	0.9	0.8	
		on-Hispanic	0.0		0.0	0.0		0.0	
	Hispanic		0.0	0.0	2.9	0.0	0.0	0.6	
	White, Non-Hispanic		0.0	1.3	0.5	1.0	1.1	0.8	
		Births (<2500 grams)							
Number:		Ethnicities	19	22	19	19	24		
		on-Hispanic	0 2	0 2	1	0	0		
	Hispanic	on-Hispanic	2 17	2 19	5 12	4 15	5 19		
_		·							
Percent:		Ethnicities .	8.3	8.2	8.3	7.9	10.7	8.7	
		on-Hispanic	0.0		50.0	0.0		16.7	
	Hispanic	on-Hispanic	10.5 8.2	6.3 8.2	14.7 6.3	10.3 7.7	11.4 10.9	10.7 8.2	
Fatar lata F		•	0.2	0.2	0.5	1.1	10.5	0.2	
	Frenatai Ca Ethnicities:	re, by Trimester 1st Trimester	171	204	159	164	153		
All Nace/L	_11111011103.	2nd Trimester	44	46	42	56	52		
		3rd Trimester	14	10	17	16	13		
		None	1	7	10	3	5		
		Unknown	0	0	1	0	1		
		Percent Late or No Care	6.5	6.4	11.8	7.9	8.1	8.1	
Plack Na	n Hienonia:		_						
DIACK, INO	n-Hispanic:	1st Trimester 2nd Trimester	1 0	0 0	1 1	2 1	0		
		3rd Trimester	0	0	0	0	0		
		None	0	0	0	0	0		
		Unknown	0	0	0	0	0		
		Percent Late or No Care	0.0	-	0.0	0.0		0.0	
								0.0	
Hispanic:		1st Trimester	13	15	20	15	20		
		2nd Trimester	3	11	5	17	20		
		3rd Trimester None	3 0	6 0	4 5	5 2	2 2		
		Unknown	0	0	0	0	0		
			_	_	_	_			
		Percent Late or No Care	15.8	18.8	26.5	17.9	9.1	17.3	

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Big Bear Area, 1989-1993 [Zip Codes: 92314, 92315, 92333, 92386]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		155	187	137	145	129	
	2nd Trimester	41	34	35	37	31	
	3rd Trimester	11	4	13	11	11	
	None Unknown	1 0	7 0	5 1	1 0	2 1	
		_		•	_	-	0.0
	Percent Late or No Care	5.8	4.7	9.5	6.2	7.5	6.6
Live Births to Teenage All Race/Ethnicities:	17 and younger	9	13	7	11	6	
All Nacc/Ethnicities.	18-19	26	27	22	21	18	
	Percent of Births to Mothers <18	3.9	4.9	3.1	4.6	2.7	3.9
	Percent of Births to Mothers < 20	3.9 15.2	4.9 15.0	3. i 12.7	13.4	10.7	13.5
Black, Non-Hispanic:	17 and younger	0	0	0	1	0	
black, North Ilspanic.	18-19	0	0	1	1	0	
	Percent of Births to Mothers <18	0.0	-	0.0	33.3		16.7
	Percent of Births to Mothers <20	0.0		50.0	66.7		50.0
Hispanic:		1	1	2	3	1	
riispariic.	17 and younger 18-19	2	3	3	4	2	
	Percent of Births to Mothers <18	5.3	3.1	5.9	7.7	2.3	4.8
	Percent of Births to Mothers <20	15.8	12.5	14.7	17.9	6.8	13.1
White, Non-Hispanic:		8	12	5	7	4	10.1
writte, Non-Hispatiic.	17 and younger 18-19	24	23	18	16	16	
	Percent of Births to Mothers <18	3.8	5.2	2.6	3.6	2.3	3.6
	Percent of Births to Mothers < 20	3.6 15.4	15.1	12.0	11.9	11.5	13.3
Infant Deaths							
Total		5	4	1	0	2	
Neonatal		1	1	1	0	0	
Post-Neonatal		4	3	0	0	2	
Percent of SBC I	nfant Deaths	1.52	1.22	0.33	0.00	0.78	0.80
Black, Non-Hispanic		0	0	0	0	0	
Neonatal		Ō	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00		0.00	0.00		0.00
Hispanic		0	0	0	0	0	
Neonatal		0	Ö	Ö	Ö	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic		5	4	1	0	2	
Neonatal		1	1	1	0	0	
Post-Neonatal		4	3	0	0	2	
Percent of SBC \	White, Non-Hisp. Infant Deaths	3.25	2.48	0.74	0.00	1.94	1.82
nfant Mortality Rate (p	·	*	*	*	*	*	10.1 *

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care. 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Bloomington Area, 1989-1993 [Zip Code: 92316]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Live Births							
Total		435	493	510	502	515	
Percent of SBC Tota	I Live Births	1.42	1.48	1.54	1.53	1.60	1.51
Black, Non-Hispanio	•	24	26	21	25	26	
•	k, Non-Hispanic Live Births	0.86	0.91	0.68	0.79	0.85	0.82
Hispanic	•	163	242	262	294	325	
Percent of SBC Hisp	anic Live Births	1.71	2.19	2.09	2.24	2.36	2.14
White, Non-Hispanio		229	216	209	173	152	
	e, Non-Hispanic Live Births	1.36	1.21	1.33	1.17	1.11	1.24
Other/Unknown	-,	19	9	18	10	12	
	Live Dinthe (4500 arrows)	19	9	10	10	12	
Number: All Race/	Live Births (<1500 grams)	8	6	10	7	11	
	on-Hispanic	2	2	4	0	3	
Hispanic		1	2	2	4	6	
	on-Hispanic	5	2	4	3	2	
Percent: All Race/E	Ethnicities	1.8	1.2	2.0	1.4	2.1	1.7
	on-Hispanic	8.3	7.7	19.0	0.0	11.5	9.0
Hispanic	·	0.6	0.8	0.8	1.4	1.8	1.2
White, N	on-Hispanic	2.2	0.9	1.9	1.7	1.3	1.6
Low Birthweight Live	Births (<2500 grams)						
Number: All Race/		32	35	27	30	32	
	on-Hispanic	6	4	4	0	5	
Hispanic	an I lianania	7	12	10	18	15	
	on-Hispanic	18	19	11	12	11	
Percent: All Race/E		7.4	7.1	5.3	6.0	6.2	6.4
	on-Hispanic	25.0	15.4	19.0	0.0	19.2	15.6
Hispanic White N	on-Hispanic	4.3 7.9	5.0 8.8	3.8 5.3	6.1 6.9	4.6 7.2	4.8 7.3
		1.3	0.0	0.0	0.3	1.2	7.5
Entry Into Prenatal Ca All Race/Ethnicities:	1st Trimester	265	279	330	328	334	
/ III TRAGE/ Ethinolics.	2nd Trimester	113	141	139	124	127	
	3rd Trimester	37	45	22	32	33	
	None	16	25	16	15	14	
	Unknown	4	3	3	3	7	
	Percent Late or No Care	12.3	14.3	7.5	9.4	9.3	10.5
Black, Non-Hispanic:	1st Trimester	15	15	15	21	20	
,	2nd Trimester	6	8	6	3	5	
	3rd Trimester	3	2	0	1	1	
	None	0	1	0	0	0	
	Unknown	0	0	0	0	0	
	Percent Late or No Care	12.5	11.5	0.0	4.0	3.8	6.6
Hispanic:	1st Trimester	85	127	163	172	215	
•	2nd Trimester	53	76	75	90	71	
	3rd Trimester	21	26	15	21	27	
	None	3	12	7	9	7	
	Unknown	1	1	2	2	5	
	Percent Late or No Care	14.8	15.8	8.5	10.3	10.6	11.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Bloomington Area, 1989-1993 [Zip Code: 92316]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	151	133	142	129	92	
	2nd Trimester	50	53	50	30	48	
	3rd Trimester None	12 13	17 11	7 9	8 6	4 6	
	Unknown	3	2	1	0	2	
	Percent Late or No Care	11.1	13.1	7.7	8.1	6.7	9.6
Live Births to Teenage							
All Race/Ethnicities:	17 and younger	23	22	34	36	38	
	18-19	58	50	47	63	51	
	Percent of Births to Mothers <18	5.3	4.5	6.7	7.2	7.4	6.2
	Percent of Births to Mothers <20	18.6	14.6	15.9	19.7	17.3	17.2
Black, Non-Hispanic:	17 and younger	2	2	3	1	1	
	18-19	9	4	2	3	3	
	Percent of Births to Mothers <18	8.3	7.7	14.3	4.0	3.8	7.4
	Percent of Births to Mothers <20	45.8	23.1	23.8	16.0	15.4	24.6
Hispanic:	17 and younger	11	11	16	28	27	
	18-19	23	22	22	38	36	
	Percent of Births to Mothers <18	6.7	4.5	6.1	9.5	8.3	7.2
	Percent of Births to Mothers <20	20.9	13.6	14.5	22.4	19.4	18.2
White, Non-Hispanic:	17 and younger	9	9	15	7	9	
	18-19	26	24	21	22	12	
	Percent of Births to Mothers <18	3.9	4.2	7.2	4.0	5.9	5.0
	Percent of Births to Mothers <20	15.3	15.3	17.2	16.8	13.8	15.7
Infant Deaths Total		6	3	10	7	7	
Neonatal		5	3	8	4	4	
Post-Neonatal		1	0	2	3	3	
Percent of SBC I	nfant Deaths	1.82	0.91	3.27	2.48	2.75	2.20
Black, Non-Hispanic		0	0	4	0	2	
Neonatal		ő	Ö	4	Ö	1	
Post-Neonatal		0	0	0	0	1	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	6.35	0.00	3.85	2.03
Hispanic		3	2	4	5	1	
Neonatal		3	2	3	3	0	
Post-Neonatal		0	0	1	2	1	
Percent of SBC I	Hispanic Infant Deaths	2.88	1.98	4.04	4.63	1.06	2.96
White, Non-Hispanic		2	1	2	2	4	
Neonatal		1	1	1	1	3	
Post-Neonatal		1	0	1	1	1	
Percent of SBC White, Non-Hisp. Infant Deaths		1.30	0.62	1.48	1.85	3.88	1.66
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	13.4

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Colton Area, 1989-1993 [Zip Code: 92324]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			1,341	1,415	1,368	1,362	1,328	
	f SBC Tota	I Live Births	4.38	4.24	4.14	4.15	4.12	4.20
								0
•	on-Hispanio		120 4.31	128 4.48	132 4.25	141 4.48	105 3.45	4.10
	I SDC DIAC	k, Non-Hispanic Live Births						4.19
Hispanic			609	645	674	717	768	
Percent o	f SBC Hisp	anic Live Births	6.38	5.85	5.37	5.47	5.59	5.69
White, Non-Hispanic		554	576	504	440	373		
Percent of SBC White, Non-Hispanic Live Births		3.30	3.21	3.22	2.98	2.73	3.11	
Other/Un	known		58	66	58	64	82	
		Live Births (<1500 grams)						
Number:		Ethnicities	20	26	23	16	15	
		on-Hispanic	3	10	5	3	1	
	Hispanic	•	5	8	8	6	10	
		on-Hispanic	10	8	10	3	4	
Percent:	All Race/Ethnicities		1.5	1.8	1.7	1.2	1.1	1.5
i ologiil.		on-Hispanic	2.5	7.8	3.8	2.1	1.0	3.5
	Hispanic		0.8	1.2	1.2	0.8	1.3	1.1
		on-Hispanic	1.8	1.4	2.0	0.7	1.1	1.4
Low Birthw		Births (<2500 grams)						
Number:	_	Ethnicities	96	84	104	82	91	
		on-Hispanic	20	17	14	13	12	
	Hispanic		37	35	47	42	51	
	White, N	on-Hispanic	33	28	38	20	22	
Percent:	All Race/l	Ethnicities	7.2	5.9	7.6	6.0	6.9	6.7
	Black, Non-Hispanic		16.7	13.3	10.6	9.2	11.4	12.1
	Hispanic		6.1	5.4	7.0	5.9	6.6	6.2
	White, N	on-Hispanic	6.0	4.9	7.5	4.5	5.9	5.8
Entry Into P	Prenatal Ca	re, by Trimester						
All Race/E	thnicities:	1st Trimester	845	920	919	981	913	
		2nd Trimester	355	340	322	297	289	
		3rd Trimester	100	109	70	44	80	
		None Unknown	37	43	44	21	26	
			4	3	13	19	20	
		Percent Late or No Care	10.2	10.8	8.4	4.8	8.1	8.5
Black, Nor	n-Hispanic:	1st Trimester	67	76	91	104	85	
		2nd Trimester	36	41	28	31	15	
		3rd Trimester	10	7	8	4	3	
		None	6	4	4	1	1	
		Unknown	1	0	1	1	1	
		Percent Late or No Care	13.4	8.6	9.2	3.6	3.8	7.7
Hispanic:		1st Trimester	331	359	390	467	479	
opai iio.		2nd Trimester	197	187	198	189	201	
		3rd Trimester	59	69	50	34	57	
		None	20	28	28	14	20	
		Unknown	2	2	8	13	11	
		Percent Late or No Care	13.0	15.1	11.7	6.8	10.2	11.2

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Colton Area, 1989-1993 [Zip Code: 92324]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	410	431	395	363	285	
	2nd Trimester	108	104	84	61	62	
	3rd Trimester	26	30	10	6	15	
	None Unknown	9 1	10 1	12 3	6 4	5 6	
	Percent Late or No Care	6.3	7.0	4.4	2.8	5.4	5.3
Live Births to Teenage		0.5	7.0	7.7	2.0	J. 4	3.3
All Race/Ethnicities:	17 and younger	71	68	70	69	94	
	18-19	109	131	111	117	102	
	Percent of Births to Mothers <18	5.3	4.8	5.1	5.1	7.1	5.5
	Percent of Births to Mothers <20	13.4	14.1	13.2	13.7	14.8	13.8
Black, Non-Hispanic:	17 and younger	8	7	8	6	10	
	18-19	12	14	16	12	7	
	Percent of Births to Mothers <18	6.7	5.5	6.1	4.3	9.5	6.2
	Percent of Births to Mothers <20	16.7	16.4	18.2	12.8	16.2	16.0
Hispanic:	17 and younger	47	45	46	48	63	
	18-19	53	75	57	66	70	
	Percent of Births to Mothers <18	7.7	7.0	6.8	6.7	8.2	7.3
	Percent of Births to Mothers <20	16.4	18.6	15.3	15.9	17.3	16.7
White, Non-Hispanic:	17 and younger	15	15	15	15	18	
	18-19	41	39	37	38	21	
	Percent of Births to Mothers <18	2.7	2.6	3.0	3.4	4.8	3.2
	Percent of Births to Mothers <20	10.1	9.4	10.3	12.0	10.5	10.4
Infant Deaths Total		12	21	15	16	7	
Neonatal		7	18	11	12	5	
Post-Neonatal		5	3	4	4	2	
Percent of SBC I	nfant Deaths	3.65	6.38	4.90	5.67	2.75	4.73
Black, Non-Hispanic		3	8	3	2	2	
Neonatal		2	7	3	2	2	
Post-Neonatal		1	1	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	4.48	13.33	4.76	3.77	3.85	6.10
Hispanic		3	4	4	7	1	
Neonatal		2	4	3	6	1	
Post-Neonatal		1	0	1	1	0	
Percent of SBC I	Hispanic Infant Deaths	2.88	3.96	4.04	6.48	1.06	3.75
White, Non-Hispanic		6	9	8	5	4	
Neonatal		3	7	5	2	2	
Post-Neonatal		3	2	3	3	2	
Percent of SBC \	White, Non-Hisp. Infant Deaths	3.90	5.59	5.93	4.63	3.88	4.84
Infant Mortality Rate (p	er 1000 live births)	*	14.8	*	*	*	10.4

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Crestline Area, 1989-1993 [Zip Codes: 92322, 92325, 92378, 92391]

					YEAR			Five-Year	
			1989	1990	1991	1992	1993	Rate(1)	
Live Births									
Total			190	232	232	203	191		
	f SBC Tota	I Live Births	0.62	0.69	0.70	0.62	0.59	0.65	
Black No	on-Hispanio		1	0	1	1	0		
		k, Non-Hispanic Live Births	0.04	0.00	0.03	0.03	0.00	0.02	
		.,		22			30	****	
Hispanic Percent of	f SBC Hish	anic Live Births	23 0.24	0.20	26 0.21	26 0.20	0.22	0.21	
								0.21	
White, Non-Hispanic Percent of SBC White, Non-Hispanic Live Births		165 0.98	204 1.14	203 1.30	167 1.13	156 1.14	1.14		
		e, Non-Hispanic Live Billins						1.14	
Other/Un	known		1_	6	2	9	5		
		Live Births (<1500 grams)							
Number:		Ethnicities	1	1	0	4	5		
		on-Hispanic	0	0	0	0	0		
	Hispanic	on-Hispanic	0 1	0 1	0 0	0 4	0 5		
D /			•	•	_	-		4.0	
Percent:	All Race/E		0.5	0.4	0.0	2.0	2.6	1.0	
	Hispanic	on-Hispanic	0.0 0.0	0.0	0.0 0.0	0.0 0.0	0.0	0.0 0.0	
		on-Hispanic	0.6	0.5	0.0	2.4	3.2	1.2	
l ow Birthw	-	Births (<2500 grams)							
Number:		Ethnicities	14	16	11	15	13		
		on-Hispanic	0	0	0	1	0		
	Hispanic	·	1	0	0	1	0		
	White, N	on-Hispanic	13	16	11	12	12		
Percent:	All Race/E	Ethnicities	7.4	6.9	4.7	7.4	6.8	6.6	
	Black, No	Black, Non-Hispanic			0.0	100.0		33.3	
	Hispanic		4.3	0.0	0.0	3.8	0.0	1.6	
		on-Hispanic	7.9	7.8	5.4	7.2	7.7	7.2	
		re, by Trimester							
All Race/E	thnicities:	1st Trimester 2nd Trimester	138	163 53	181	158 37	134		
		3rd Trimester	41 7	53 11	39 7	31 7	51 5		
		None	4	4	5	1	1		
		Unknown	0	1	0	0	0		
		Percent Late or No Care	5.8	6.5	5.2	3.9	3.1	5.0	
Dical N	a I liana-i-							5.0	
BIACK, NO	n-Hispanic:	1st Trimester 2nd Trimester	0 1	0 0	1 0	0 1	0		
		3rd Trimester	0	0	0	0	0		
		None	0	0	0	0	0		
		Unknown	0	0	Ö	0	0		
		Percent Late or No Care	0.0		0.0	0.0		0.0	
∐iono::!:-								0.0	
Hispanic:		1st Trimester 2nd Trimester	12 8	12 7	16 8	18 7	17 12		
		3rd Trimester	2	2	2	1	1		
		None	1	0	0	0	0		
		Unknown	0	1	0	0	0		

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Crestline Area, 1989-1993 [Zip Codes: 92322, 92325, 92378, 92391]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		125	147	163	131	112	
	2nd Trimester	32	45	30	29	39	
	3rd Trimester	5	8	5	6	4	
	None Unknown	3 0	4 0	5 0	1 0	1 0	
		4.8	5.9	4.9	_		4.7
Live Dirthe to Teenese	Percent Late or No Care	4.0	5.9	4.9	4.2	3.2	4.7
Live Births to Teenage All Race/Ethnicities:	17 and younger	10	7	10	8	5	
/ III / Kaco/ Etimotico:	18-19	13	14	5	8	12	
	Percent of Births to Mothers <18	5.3	3.0	4.3	3.9	2.6	3.8
	Percent of Births to Mothers <20	12.1	9.1	6.5	7.9	8.9	8.8
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	
ziacii, ricii i ilopailici	18-19	0	Ö	Ö	Ö	0	
	Percent of Births to Mothers <18	0.0		0.0	0.0		0.0
	Percent of Births to Mothers <20	0.0		0.0	0.0		0.0
Hispanic:	17 and younger	1	0	3	1	1	
-1	18-19	1	1	0	3	3	
	Percent of Births to Mothers <18	4.3	0.0	11.5	3.8	3.3	4.7
	Percent of Births to Mothers <20	8.7	4.5	11.5	15.4	13.3	11.0
White, Non-Hispanic:	17 and younger	9	6	7	7	4	
	18-19	12	12	5	4	9	
	Percent of Births to Mothers <18	5.5	2.9	3.4	4.2	2.6	3.7
	Percent of Births to Mothers <20	12.7	8.8	5.9	6.6	8.3	8.4
Infant Deaths							
Total		1	1	1	1	1	
Neonatal Post-Neonatal		0 1	1 0	0 1	0 1	1 0	
Percent of SBC I	nfant Daatha	•	•	-	•	•	0.22
		0.30	0.30	0.33	0.35	0.39	0.33
Black, Non-Hispanic		0	0	0	0	0	
Neonatal Post-Neonatal		0 0	0 0	0 0	0 0	0 0	
	Black, Non-Hisp. Infant Deaths	0.00		0.00	0.00		0.00
	Slack, Non-Insp. Infant Deaths						0.00
Hispanic Neonatal		0 0	0 0	0 0	0 0	0	
Post-Neonatal		0	0	0	0	0	
	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
	·				_		0.00
White, Non-Hispanic Neonatal		1 0	1 1	1 0	1 0	1 1	
Post-Neonatal		1	0	1	1	0	
	White, Non-Hisp. Infant Deaths	0.65	0.62	0.74	0.93	0.97	0.76
	·	J.00	*	*	*	*	
<u>Infant Mortality Rate (p</u>	er 1000 live births)	^	^	•	•	^	4.8 *

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care. 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Highland Area, 1989-1993 [Zip Code: 92346]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			692	793	754	737	774	
	f SBC Tota	I Live Births	2.26	2.37	2.28	2.25	2.40	2.31
								2.01
	n-Hispanio		87	121	120	110	120	0.70
Percent of	r SBC Blac	k, Non-Hispanic Live Births	3.12	4.23	3.87	3.49	3.94	3.73
Hispanic			123	163	180	192	209	
Percent of	Percent of SBC Hispanic Live Births		1.29	1.48	1.44	1.46	1.52	1.45
White, Non-Hispanic		446	482	409	390	391		
	Percent of SBC White, Non-Hispanic Live Births		2.66	2.69	2.61	2.65	2.86	2.69
	Other/Unknown		36	27	45	45	54	
			30	27	45	45	54	
		Live Births (<1500 grams)	4.0	4.0	4.0	_		
Number:	All Race/I		10	10	12	8	11	
		on-Hispanic	3	3	3	3	4	
	Hispanic		2	2	4	0	2	
		on-Hispanic	5	4	5	5	5	
Percent:	All Race/E		1.4	1.3	1.6	1.1	1.4	1.4
		on-Hispanic	3.4	2.5	2.5	2.7	3.3	2.9
	Hispanic		1.6	1.2	2.2	0.0	1.0	1.2
	White, N	on-Hispanic	1.1	8.0	1.2	1.3	1.3	1.1
Low Birthwe	eight Live I	Births (<2500 grams)						
Number:	All Race/I	Ethnicities	51	64	58	45	67	
	Black, No	on-Hispanic	14	17	13	18	23	
	Hispanic		8	11	16	6	13	
	White, No	on-Hispanic	28	34	26	20	24	
Percent:	All Race/E	Ethnicities	7.4	8.1	7.7	6.1	8.7	7.6
. 0.00	Black, Non-Hispanic		16.1	14.0	10.8	16.4	19.2	15.2
	Hispanic	-	6.5	6.7	8.9	3.1	6.2	6.2
		on-Hispanic	6.3	7.1	6.4	5.1	6.1	6.2
Entry Into P		re, by Trimester						
All Race/E		1st Trimester	474	546	558	576	560	
		2nd Trimester	169	176	151	117	169	
		3rd Trimester	37	49	25	27	31	
		None	11	19	17	13	11	
		Unknown	1	3	3	4	3	
		Percent Late or No Care	6.9	8.6	5.6	5.5	5.4	6.4
Disal N	. 1 11 1							0.4
Black, Nor	n-Hispanic:	1st Trimester	47	72	77	91	71	
		2nd Trimester	32	33	32	15	39	
		3rd Trimester	5	14	5	2	8	
		None	3	1	6	2	2	
		Unknown	0	1	0	0	0	
		Percent Late or No Care	9.2	12.5	9.2	3.6	8.3	8.6
Hispanic:		1st Trimester	78	92	118	128	136	
		2nd Trimester	30	50	46	49	58	
		3rd Trimester	11	14	11	10	12	
		None	4	6	4	3	2	
		Unknown	0	1	1	2	1	
		UTIKITUWIT	U			_		

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Highland Area, 1989-1993 [Zip Code: 92346]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	325	366	331	321	319	
	2nd Trimester	98	85	62	48	57	
	3rd Trimester	20	19	8	12	8	
	None Unknown	2 1	11 1	7 1	8 1	7 0	
	Percent Late or No Care	4.9	6.2	3.7	5.1	3.8	4.8
Live Births to Teenage		7.3	0.2	5.7	J. 1	3.0	4.0
All Race/Ethnicities:	17 and younger	27	39	31	45	52	
	18-19	56	55	49	63	58	
	Percent of Births to Mothers <18	3.9	4.9	4.1	6.1	6.7	5.2
	Percent of Births to Mothers <20	12.0	11.9	10.6	14.7	14.2	12.7
Black, Non-Hispanic:	17 and younger	3	8	10	7	9	
•	18-19	6	13	11	13	17	
	Percent of Births to Mothers <18	3.4	6.6	8.3	6.4	7.5	6.6
	Percent of Births to Mothers <20	10.3	17.4	17.5	18.2	21.7	17.4
Hispanic:	17 and younger	9	8	10	15	16	
	18-19	12	8	10	20	16	
	Percent of Births to Mothers <18	7.3	4.9	5.6	7.8	7.7	6.7
	Percent of Births to Mothers <20	17.1	9.8	11.1	18.2	15.3	14.3
White, Non-Hispanic:	17 and younger	14	23	10	18	24	
	18-19	37	34	25	27	20	
	Percent of Births to Mothers <18	3.1	4.8	2.4	4.6	6.1	4.2
	Percent of Births to Mothers <20	11.4	11.8	8.6	11.5	11.3	11.0
Infant Deaths		_	0	0	40	0	
Total Neonatal		5 2	3 2	8 5	10 7	8 6	
Post-Neonatal		3	1	3	3	2	
Percent of SBC I	nfant Deaths	1.52	0.91	2.61	3.55	3.14	2.27
Black, Non-Hispanic Neonatal		2 1	1 0	2 2	3 3	2 2	
Post-Neonatal		1	1	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	2.99	1.67	3.17	5.66	3.85	3.39
Hispanic		0	0	3	4	1	
Neonatal		0	0	2	1	1	
Post-Neonatal		0	0	1	3	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	3.03	3.70	1.06	1.58
White, Non-Hispanic	·	3	2	3	3	5	
Neonatal		1	2	1	3	3	
Post-Neonatal		2	0	2	0	2	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.95	1.24	2.22	2.78	4.85	2.42
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	9.1

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Lake Arrowhead Area, 1989-1993 [Zip Codes: 92317, 92321, 92326, 92352, 92385]

					YEAR						
			1989	1990	1991	1992	1993	Five-Year Rate(1)			
Live Births											
Total			128	150	137	142	138				
	f SBC Tota	I Live Births	0.42	0.45	0.41	0.43	0.43	0.43			
Black No	on-Hispanio		1	2	0	0	1				
		k, Non-Hispanic Live Births	0.04	0.07	0.00	0.00	0.03	0.03			
	. 020 2.00	.,,		32	28	40	32	0.00			
Hispanic Percent of	f SBC Hish	anic Live Births	20 0.21	0.29	0.22	0.31	0.23	0.25			
								0.20			
	on-Hispanio		105 0.63	116 0.65	107 0.68	102 0.69	99 0.72	0.67			
		e, Non-Hispanic Live Births						0.67			
Other/Un	known		2	0	2	0	6				
		Live Births (<1500 grams)									
Number:		Ethnicities	0	0	0	1	2				
		on-Hispanic	0	0	0	0	1				
	Hispanic	on-Hispanic	0 0	0 0	0 0	1 0	0 1				
5 .					_			0.4			
Percent:	All Race/E		0.0	0.0	0.0	0.7	1.4	0.4			
	Hispanic	on-Hispanic	0.0 0.0	0.0 0.0	0.0	 2.5	100.0 0.0	25.0 0.7			
		on-Hispanic	0.0	0.0	0.0	0.0	1.0	0.2			
l ow Birthw	-	Births (<2500 grams)									
Number:		Ethnicities	6	8	8	13	6				
		on-Hispanic	0	0	0	0	1				
	Hispanic	·	0	3	3	3	0				
	White, N	on-Hispanic	6	5	5	10	4				
Percent:	All Race/E	Ethnicities	4.7	5.3	5.8	9.2	4.3	5.9			
	Black, No	on-Hispanic	0.0	0.0			100.0	25.0			
	Hispanic		0.0	9.4	10.7	7.5	0.0	5.9			
		on-Hispanic	5.7	4.3	4.7	9.8	4.0	5.7			
		re, by Trimester									
All Race/E	thnicities:	1st Trimester 2nd Trimester	102 18	106 28	104 29	110 26	102 28				
		3rd Trimester	6	13	29 3	6	20 5				
		None	2	3	1	0	1				
		Unknown	0	0	0	Ö	2				
		Percent Late or No Care	6.3	10.7	2.9	4.2	4.4	5.8			
Diode Ma	o Lionania:		_				_	0.0			
DIACK, INOI	n-Hispanic:	1st Trimester 2nd Trimester	1 0	2 0	0 0	0 0	1 0				
		3rd Trimester	0	0	0	0	0				
		None	0	0	0	0	0				
		Unknown	0	0	0	0	0				
		Percent Late or No Care	0.0	0.0			0.0	0.0			
Hienonia		1st Trimester						0.0			
Hispanic:		2nd Trimester	10 6	13 9	13 12	24 12	15 12				
		3rd Trimester	3	10	2	4	4				
		None	1	0	1	0	0				
		Unknown	0	0	0	0	1				
				31.3	10.7						

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Lake Arrowhead Area, 1989-1993 [Zip Codes: 92317, 92321, 92326, 92352, 92385]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		89	91	89	86	83	
	2nd Trimester	12	19	17	14	15	
	3rd Trimester	3	3	1	2	0	
	None Unknown	1 0	3 0	0 0	0 0	1 0	
		_	_		_	_	
	Percent Late or No Care	3.8	5.2	0.9	2.0	1.0	2.6
Live Births to Teenage All Race/Ethnicities:	Mothers 17 and younger	4	5	3	2	7	
All Nace/Ethilicities.	18-19	4	13	7	12	13	
	Percent of Births to Mothers <18	2.1	3.3	2.2	1.4	5.1	3.0
	Percent of Births to Mothers < 20	3.1 6.3	3.3 12.0	7.3	9.9	14.5	10.1
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	
black, Nort-Hispanic.	18-19	0	0	0	0	0	
	Percent of Births to Mothers <18	0.0	0.0			0.0	0.0
	Percent of Births to Mothers <20	0.0	0.0			0.0	0.0
Hispanic:		0	2	1	1	1	0.0
пізрапіс.	17 and younger 18-19	2	6	5	3	5	
	Percent of Births to Mothers <18	0.0	6.3	3.6	2.5	3.1	3.3
	Percent of Births to Mothers <20	10.0	25.0	21.4	10.0	18.8	17.1
White, Non-Hispanic:	17 and younger	4	3	2	1	6	
writte, Mori-Frispariic.	18-19	2	7	2	9	7	
	Percent of Births to Mothers <18	3.8	2.6	1.9	1.0	6.1	3.0
	Percent of Births to Mothers <20	5.7	8.6	3.7	9.8	13.1	8.1
Infant Deaths							
Total		0	0	0	1	1	
Neonatal		0	0	0	0	1	
Post-Neonatal		0	0	0	1	0	
Percent of SBC I	nfant Deaths	0.00	0.00	0.00	0.35	0.39	0.13
Black, Non-Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00			0.00	0.00
Hispanic		0	0	0	1	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	1	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.93	0.00	0.20
White, Non-Hispanic		0	0	0	0	1	
Neonatal		0	0	0	0	1	
Post-Neonatal		0	0	0	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	0.97	0.15
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	2.9 '

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care. 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Loma Linda Area, 1989-1993 [Zip Codes: 92350, 92354, 92357]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Live Births							•
Total		276	286	307	302	282	
Percent of SBC Tota	LLive Births	0.90	0.86	0.93	0.92	0.87	0.90
							0.00
Black, Non-Hispanio	k, Non-Hispanic Live Births	12 0.43	13 0.45	18 0.58	23 0.73	21 0.69	0.58
	k, Non-i lispanic Live biitiis						0.50
Hispanic	ania Liva Dimba	51	62	60	61	61	0.40
Percent of SBC Hisp		0.53	0.56	0.48	0.47	0.44	0.49
White, Non-Hispanio		143	159	157	152	136	
Percent of SBC Whit	e, Non-Hispanic Live Births	0.85	0.89	1.00	1.03	1.00	0.95
Other/Unknown		70	52	72	66	64	
Very Low Birthweight	Live Births (<1500 grams)						
	Ethnicities	6	2	4	4	5	
	on-Hispanic	0	0	0	1	1	
Hispanic		1	0	0	0	0	
	on-Hispanic	3	1	2	3	3	
Percent: All Race/		2.2	0.7	1.3	1.3	1.8	1.4
	on-Hispanic	0.0	0.0	0.0	4.3	4.8	2.3
Hispanic	on-Hispanic	2.0 2.1	0.0 0.6	0.0 1.3	0.0 2.0	0.0 2.2	0.3 1.6
	•	2.1	0.0	1.3	2.0	2.2	1.0
Low Birthweight Live Number: All Race/	Ethnicities	21	17	17	22	18	
	on-Hispanic	0	17	0	1	2	
Hispanic	on inspanie	2	2	1	4	4	
-	on-Hispanic	8	10	11	11	7	
Percent: All Race/l	·	7.6	5.9	5.5	7.3	6.4	6.5
	on-Hispanic	0.0	7.7	0.0	4.3	9.5	4.6
Hispanic		3.9	3.2	1.7	6.6	6.6	4.4
White, N	on-Hispanic	5.6	6.3	7.0	7.2	5.1	6.3
Entry Into Prenatal Ca	re, by Trimester						
All Race/Ethnicities:	1st Trimester	199	218	239	247	217	
	2nd Trimester	60	48	52	40	46	
	3rd Trimester	11	14	13	9	13	
	None Unknown	6 0	6 0	3 0	3 3	3 3	
		_	_	_			
	Percent Late or No Care	6.2	7.0	5.2	4.0	5.7	5.6
Black, Non-Hispanic:	1st Trimester	7	10	15	13	14	
	2nd Trimester	5	2	2	8	6	
	3rd Trimester	0	1	0	1	0	
	None	0	0	1	0	1	
	Unknown	0	0	0	1	0	
	Percent Late or No Care	0.0	7.7	5.6	4.5	4.8	4.7
Hispanic:	1st Trimester	29	39	41	46	44	
	2nd Trimester	15	13	14	8	12	
	3rd Trimester	3	6	3	5	5	
	None	4	4	2	1	0	
	Unknown	0	0	0	1	0	
	Percent Late or No Care	13.7	16.1	8.3	10.0	8.2	11.2

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Loma Linda Area, 1989-1993 [Zip Codes: 92350, 92354, 92357]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		113	128	130	135	109	
	2nd Trimester	25	25	18	15	18	
	3rd Trimester None	4 1	5 1	9 0	1 1	5 2	
	Unknown	Ö	0	0	Ö	2	
	Percent Late or No Care	3.5	3.8	5.7	1.3	5.2	3.9
Live Births to Teenage	Mothers						
All Race/Ethnicities:	17 and younger	5	10	13	13	9	
	18-19	18	17	18	9	16	
	Percent of Births to Mothers <18	1.8	3.5	4.2	4.3	3.2	3.4
	Percent of Births to Mothers <20	8.3	9.4	10.1	7.3	8.9	8.8
Black, Non-Hispanic:	17 and younger	0	0	2	1	3	
	18-19	1	1	0	2	1	
	Percent of Births to Mothers <18	0.0	0.0	11.1	4.3	14.3	6.9
	Percent of Births to Mothers <20	8.3	7.7	11.1	13.0	19.0	12.6
Hispanic:	17 and younger	2	3	4	7	3	
	18-19	3	7	9	3	8	
	Percent of Births to Mothers <18	3.9	4.8	6.7	11.5	4.9	6.4
	Percent of Births to Mothers <20	9.8	16.1	21.7	16.4	18.0	16.6
White, Non-Hispanic:	17 and younger	2	5	5	3	2	
	18-19	10	9	5	4	6	
	Percent of Births to Mothers <18	1.4	3.1	3.2	2.0	1.5	2.3
	Percent of Births to Mothers <20	8.4	8.8	6.4	4.6	5.9	6.8
Infant Deaths Total		4	4	4	2	2	
Neonatal		3	2	3	0	1	
Post-Neonatal		1	2	1	2	1	
Percent of SBC I	nfant Deaths	1.22	1.22	1.31	0.71	0.78	1.07
Black, Non-Hispanic		0	0	1	1	0	
Neonatal		Ö	Ö	0	Ö	Ö	
Post-Neonatal		0	0	1	1	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	1.59	1.89	0.00	0.68
Hispanic		1	2	0	1	1	
Neonatal		1	0	0	0	0	
Post-Neonatal		0	2	0	1	1	
Percent of SBC I	Hispanic Infant Deaths	0.96	1.98	0.00	0.93	1.06	0.99
White, Non-Hispanic	:	2	1	1	0	0	
Neonatal		1	1	1	0	0	
Post-Neonatal		1	0	0	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	0.62	0.74	0.00	0.00	0.61
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	11.0 *

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Mentone Area, 1989-1993 [Zip Code: 92359]

					YEAR			Five-Yea		
			1989	1990	1991	1992	1993	Rate(1)		
Live Births										
Total	•		110	103	117	108	104			
	of SBC Tota	I Live Births	0.36	0.31	0.35	0.33	0.32	0.33		
Black N	on-Hispanio	_	1	2	2	4	1			
		k, Non-Hispanic Live Births	0.04	0.07	0.06	0.13	0.03	0.07		
		.,	22	26			31			
Hispanio		anic Live Births	0.23	0.24	37 0.30	24 0.18	0.23	0.23		
								0.20		
-	on-Hispanio	e, Non-Hispanic Live Births	84 0.50	73 0.41	76 0.49	77 0.52	70 0.51	0.48		
		e, Non-i lispanic Live Bittis						0.40		
Other/Ur			3	2	2	3	2			
		Live Births (<1500 grams)			_					
Number:		Ethnicities	0	1	2	0	1			
	Hispanic	on-Hispanic	0 0	0 1	0 1	0 0	0 0			
		on-Hispanic	0	0	1	0	1			
Doroont:	All Race/				-	_		0.7		
Percent:		etnnicities on-Hispanic	0.0 0.0	1.0 0.0	1.7 0.0	0.0 0.0	1.0 0.0	0.7		
	Hispanic		0.0	3.8	2.7	0.0	0.0	1.4		
		on-Hispanic	0.0	0.0	1.3	0.0	1.4	0.5		
Low Birthw		Births (<2500 grams)								
Number:		Ethnicities	4	4	10	2	11			
	Black, No	on-Hispanic	0	0	1	0	0			
	Hispanic		2	2	3	0	1			
	White, N	on-Hispanic	2	2	5	2	10			
Percent:	All Race/		3.6	3.9	8.5	1.9	10.6	5.7		
		on-Hispanic	0.0	0.0	50.0	0.0	0.0	10.0		
	Hispanic		9.1	7.7	8.1	0.0	3.2	5.7		
		on-Hispanic	2.4	2.7	6.6	2.6	14.3	5.5		
	P renatai Ca Ethnicities:	re, by Trimester 1st Trimester	76	73	93	83	85			
All Race/i	eumicides.	2nd Trimester	76 21	73 19	93 21	os 19	65 16			
		3rd Trimester	6	9	3	4	2			
		None	6	2	0	2	0			
		Unknown	1	0	0	0	1			
		Percent Late or No Care	11.0	10.7	2.6	5.6	1.9	6.3		
Black No	n-Hispanic:	1st Trimester	0	2	2	4	1			
2.300, 110	i noparno.	2nd Trimester	1	0	0	0	0			
		3rd Trimester	0	0	0	0	0			
		None	0	0	0	0	0			
		Unknown	0	0	0	0	0			
		Percent Late or No Care	0.0	0.0	0.0	0.0	0.0	0.0		
Hispanic:		1st Trimester	10	16	25	12	22			
•		2nd Trimester	7	7	10	10	8			
		3rd Trimester	2	3	2	2	1			
		None	2	0	0	0	0			
		Unknown	1	0	0	0	0			
		Percent Late or No Care	19.0	11.5	5.4	8.3	3.2	8.6		

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Mentone Area, 1989-1993 [Zip Code: 92359]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		64	53	64	64	60	
	2nd Trimester	12	12	11	9	8	
	3rd Trimester	4	6	1	2	1	
	None Unknown	4 0	2 0	0 0	2 0	0 1	
		_	11.0	_	5.2	·	E 0
Live Births to Teenage	Percent Late or No Care	9.5	11.0	1.3	3.2	1.4	5.8
All Race/Ethnicities:	17 and younger	1	1	5	1	5	
	18-19	9	9	9	5	5	
	Percent of Births to Mothers <18	0.9	1.0	4.3	0.9	4.8	2.4
	Percent of Births to Mothers <20	9.1	9.7	12.0	5.6	9.6	9.2
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	
, , , , , , , , , , , , , , , , , , , ,	18-19	0	0	0	0	0	
	Percent of Births to Mothers <18	0.0	0.0	0.0	0.0	0.0	0.0
	Percent of Births to Mothers <20	0.0	0.0	0.0	0.0	0.0	0.0
Hispanic:	17 and younger	1	0	4	1	1	
·	18-19	2	4	3	2	1	
	Percent of Births to Mothers <18	4.5	0.0	10.8	4.2	3.2	5.0
	Percent of Births to Mothers <20	13.6	15.4	18.9	12.5	6.5	13.6
White, Non-Hispanic:	17 and younger	0	1	1	0	4	
	18-19	7	4	6	3	4	
	Percent of Births to Mothers <18	0.0	1.4	1.3	0.0	5.7	1.6
	Percent of Births to Mothers <20	8.3	6.8	9.2	3.9	11.4	7.9
nfant Deaths							
Total		3	1	0	0	1	
Neonatal Post-Neonatal		1 2	1 0	0 0	0 0	0 1	
Percent of SBC I	nfant Dooths	0.91	0.30	0.00	0.00	0.39	0.33
							0.55
Black, Non-Hispanic		0 0	0 0	0 0	0 0	0 0	
Neonatal Post-Neonatal		0	0	0	0	0	
	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
	Sidon, Fron Friopi milant Boatile				_	_	0.00
Hispanic Neonatal		0 0	1 1	0 0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.99	0.00	0.00	0.00	0.20
White, Non-Hispanic	•	3	0	0	0	1	
Neonatal	•	1	0	0	0	0	
Post-Neonatal		2	0	0	0	1	
Percent of SBC	White, Non-Hisp. Infant Deaths	1.95	0.00	0.00	0.00	0.97	0.61
Infant Mortality Rate (p	er 1000 live hirths)	*	*	*	*	*	9.2

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Redlands Area, 1989-1993 [Zip Codes: 92373, 92374, 92375]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			1,080	1,151	1,067	1,041	978	
	f SBC Tota	I Live Births	3.53	3.45	3.23	3.17	3.03	3.28
Black No	on-Hispanio	•	59	63	54	63	35	
		k, Non-Hispanic Live Births	2.12	2.20	1.74	2.00	1.15	1.83
	obo biao	K, NOTT Hoparilo Live Births						1.00
Hispanic	t CDC Llian	onia Liva Dietha	296	299	300	323	332	2.50
	•	anic Live Births	3.10	2.71	2.39	2.46	2.41	2.58
	on-Hispanio		658	728	646	582	538	
Percent o	t SBC Whit	e, Non-Hispanic Live Births	3.92	4.06	4.12	3.95	3.94	4.00
Other/Un	known		67	61	67	73	73	
Very Low B	irthweight	Live Births (<1500 grams)						
Number:		Ethnicities	16	9	7	17	6	
		on-Hispanic	1	1	2	1	1	
	Hispanic		4	3	2	10	3	
	White, N	on-Hispanic	9	4	3	6	2	
Percent:	All Race/	Ethnicities	1.5	0.8	0.7	1.6	0.6	1.0
	Black, No	on-Hispanic	1.7	1.6	3.7	1.6	2.9	2.2
	Hispanic		1.4	1.0	0.7	3.1	0.9	1.4
	White, N	on-Hispanic	1.4	0.5	0.5	1.0	0.4	0.8
Low Birthw		Births (<2500 grams)						
Number:		Ethnicities	71	73	49	61	59	
		on-Hispanic	8	4	8	9	4	
	Hispanic		22	22	12	23	15	
	wnite, in	on-Hispanic	38	37	22	27	36	
Percent:		Ethnicities	6.6	6.3	4.6	5.9	6.0	5.9
		on-Hispanic	13.6	6.3	14.8	14.3	11.4	12.0
	Hispanic		7.4	7.4	4.0	7.1	4.5	6.1
		on-Hispanic	5.8	5.1	3.4	4.6	6.7	5.1
		re, by Trimester	004	000	000	050	705	
All Race/E	thnicities:	1st Trimester	831	868	826	853	735	
		2nd Trimester 3rd Trimester	189 40	202 42	187 30	139 30	181 41	
		None	17	34	22	11	10	
		Unknown	3	5	2	8	11	
								E 2
		Percent Late or No Care	5.3	6.6	4.9	4.0	5.3	5.2
Black, Nor	n-Hispanic:		38	43	38	48	30	
		2nd Trimester	15	15	12	10	3	
		3rd Trimester	5	3	1	2	1	
		None	1	2	3	1	0	
		Unknown	0	0	0	2	1	
		Percent Late or No Care	10.2	7.9	7.4	4.9	2.9	7.0
Hispanic:		1st Trimester	185	180	186	230	217	
•		2nd Trimester	73	71	82	69	86	
		3rd Trimester	25	30	23	16	19	
		None	12	17	8	6	5	
		Unknown	1	1	1	2	5	
		Percent Late or No Care	12.5	15.8	10.4	6.9	7.3	10.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Redlands Area, 1989-1993 [Zip Codes: 92373, 92374, 92375]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		551	600	545	522	433	
	2nd Trimester	94	104	84	44	80	
	3rd Trimester	8	7	6	10	18	
	None Unknown	4 1	15 2	10 1	3 3	5 2	
		-		-			0.7
Live Diethe to Toons	Percent Late or No Care	1.8	3.0	2.5	2.2	4.3	2.7
Live Births to Teenage All Race/Ethnicities:	17 and younger	39	36	37	46	48	
/ III / COO/ Etrinoides.	18-19	69	84	64	62	77	
	Percent of Births to Mothers <18	3.6	3.1	3.5	4.4	4.9	3.9
	Percent of Births to Mothers < 20	10.0	10.4	9.5	10.4	12.8	10.6
Black, Non-Hispanic:	17 and younger	3	5	1	1	1	
Black, Non Flispanio.	18-19	3	4	3	1	5	
	Percent of Births to Mothers <18	5.1	7.9	1.9	1.6	2.9	4.0
	Percent of Births to Mothers <20	10.2	14.3	7.4	3.2	17.1	9.9
Hispanic:	17 and younger	18	13	22	34	34	
	18-19	29	36	31	29	37	
	Percent of Births to Mothers <18	6.1	4.3	7.3	10.5	10.2	7.8
	Percent of Births to Mothers <20	15.9	16.4	17.7	19.5	21.4	18.3
White, Non-Hispanic:	17 and younger	15	17	14	11	12	
•	18-19	36	42	27	32	33	
	Percent of Births to Mothers <18	2.3	2.3	2.2	1.9	2.2	2.2
	Percent of Births to Mothers <20	7.8	8.1	6.3	7.4	8.4	7.6
Infant Deaths							
Total		7	9	10	6	3	
Neonatal Post-Neonatal		5 2	5 4	4 6	3 3	0 3	
	last and Daratha		•				0.00
Percent of SBC I	nrant Deaths	2.13	2.74	3.27	2.13	1.18	2.33
Black, Non-Hispanic		2	1	0	0	0	
Neonatal Post-Neonatal		2 0	1 0	0 0	0 0	0 0	
	Black, Non-Hisp. Infant Deaths	2.99	1.67	0.00	0.00	0.00	1.02
	Slack, Non-Hisp. Illiant Deaths						1.02
Hispanic Noonatal		1 0	4 1	3 1	5	0	
Neonatal Post-Neonatal		1	3	2	2 3	0	
	Hispanic Infant Deaths	0.96	3.96	3.03	4.63	0.00	2.57
	·				_		2.01
White, Non-Hispanic Neonatal	;	4 3	4 3	7 3	1 1	2 0	
Post-Neonatal		ა 1	ა 1	3 4	0	2	
	White, Non-Hisp. Infant Deaths	2.60	2.48	5.19	0.93	1.94	2.72
	·	۷.00					
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	6.6

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Rialto Area, 1989-1993 [Zip Codes: 92376, 92377]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			1,590	1,797	1,705	1,797	1,778	
	f SBC Tota	I Live Births	5.20	5.38	5.16	5.48	5.51	5.35
								0.00
	n-Hispanio		348 12.49	369 12.91	390 12.57	402 12.77	422 13.86	12.92
	I SDC DIAC	k, Non-Hispanic Live Births						12.92
Hispanic			528	646	689	830	799	
Percent of	f SBC Hisp	anic Live Births	5.53	5.86	5.49	6.33	5.81	5.82
White, No	n-Hispanio	C	648	716	564	499	493	
Percent of	f SBC Whit	e, Non-Hispanic Live Births	3.86	3.99	3.60	3.39	3.61	3.71
Other/Un	known		66	66	62	66	64	
		Live Birthe (4500 grams)	- 00	- 00	02	- 00	- 04	
Number:		Live Births (<1500 grams) Ethnicities	20	22	23	22	36	
ivullidel.		on-Hispanic	20 6	10	23 10	8	15	
	Hispanic	•	6	4	6	9	11	
		on-Hispanic	8	5	7	4	9	
Danser		·						
Percent:	All Race/E		1.3	1.2	1.3	1.2	2.0	1.4
		on-Hispanic	1.7	2.7	2.6	2.0	3.6	2.5
Hispanic White, No			1.1 1.2	0.6 0.7	0.9 1.2	1.1 0.8	1.4 1.8	1.0 1.1
L Di-di		•	1.2	0.1	1.2	0.0	1.0	1.1
		Births (<2500 grams)	100	440	440	400	404	
Number:		Ethnicities	103	116	112	130	121	
		on-Hispanic	30 30	33 37	47 33	42 51	40 47	
	Hispanic	on-Hispanic	30 40	37 39	30	30	31	
		•						
Percent:	All Race/E		6.5	6.5	6.6	7.2	6.8	6.7
		on-Hispanic	8.6	8.9	12.1	10.4	9.5	9.9
	Hispanic		5.7	5.7	4.8	6.1	5.9	5.7
		on-Hispanic	6.2	5.4	5.3	6.0	6.3	5.8
		re, by Trimester	1010	4.450		1000		
All Race/E	tnnicities:	1st Trimester	1040	1150	1177	1226	1157	
		2nd Trimester	408	482	386	435	459 77	
		3rd Trimester	93	116	92 24	77 21	77 54	
		None Unknown	43 6	44 5	34 16	31 28	54 31	
			_	_				
		Percent Late or No Care	8.6	8.9	7.5	6.1	7.5	7.7
Black, Nor	n-Hispanic:	1st Trimester	219	236	281	277	296	
	-	2nd Trimester	102	93	73	96	96	
		3rd Trimester	19	25	15	12	16	
		None	7	13	16	12	12	
		Unknown	1	2	5	5	2	
		Percent Late or No Care	7.5	10.4	8.1	6.0	6.7	7.7
Hispanic:		1st Trimester	323	366	434	540	455	
i iispailic.		2nd Trimester	323 143	205	434 184	221	249	
		3rd Trimester	41	203 57	55	42	49	
		None	18	17	10	14	25	
		Unknown	3	17	6	13	23	
				-				
		Percent Late or No Care	11.2	11.5	9.5	6.9	9.5	9.5

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Rialto Area, 1989-1993 [Zip Codes: 92376, 92377]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		454	506	421	365	361	
	2nd Trimester	151	165	116	103	99	
	3rd Trimester None	27 14	31 12	17 6	18 5	10 16	
	Unknown	2	2	4	8	7	
	Percent Late or No Care	6.3	6.0	4.1	4.7	5.3	5.4
Live Births to Teenage							
All Race/Ethnicities:	17 and younger	101	94	111	118	120	
	18-19	144	172	200	161	165	
	Percent of Births to Mothers <18	6.4	5.2	6.5	6.6	6.7	6.3
	Percent of Births to Mothers <20	15.4	14.8	18.2	15.5	16.0	16.0
Black, Non-Hispanic:	17 and younger	37	21	35	31	34	
	18-19	38	48	52	47	40	
	Percent of Births to Mothers <18	10.6	5.7	9.0	7.7	8.1	8.2
	Percent of Births to Mothers <20	21.6	18.7	22.3	19.4	17.5	19.8
Hispanic:	17 and younger	35	37	50	61	53	
	18-19	49	68	74	65	86	
	Percent of Births to Mothers <18	6.6	5.7	7.3	7.3	6.6	6.8
	Percent of Births to Mothers <20	15.9	16.3	18.0	15.2	17.4	16.6
White, Non-Hispanic:	17 and younger	25	35	25	21	30	
	18-19	52	56	73	43	35	
	Percent of Births to Mothers <18	3.9	4.9	4.4	4.2	6.1	4.7
	Percent of Births to Mothers <20	11.9	12.7	17.4	12.8	13.2	13.5
Infant Deaths							
Total		19	24	13	13	19	
Neonatal Post-Neonatal		11 8	12 12	9 4	11 2	12 7	
	nfant Daatha	_					5.86
Percent of SBC I		5.78	7.29	4.25	4.61	7.45	5.80
Black, Non-Hispanic		7	7	4	4	7	
Neonatal Post-Neonatal		4 3	5 2	3 1	4 0	4	
	Black, Non-Hisp. Infant Deaths	10.45	11.67	6.35	7.55	13.46	9.83
	Slack, North hop. Thank Deaths	_	_	_	_	_	0.00
Hispanic Neonatal		6 4	9 5	7 4	7 6	8 5	
Post-Neonatal		2	4	3	1	3	
	Hispanic Infant Deaths	5.77	8.91	7.07	6.48	8.51	7.31
White, Non-Hispanic	•	6	7	1	2	3	
Neonatal		3	2	1	1	2	
Post-Neonatal		3	5	0	1	1	
Percent of SBC \	White, Non-Hisp. Infant Deaths	3.90	4.35	0.74	1.85	2.91	2.87
Infant Mortality Rate (p	·	*	13.4	*	*	*	10.2

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Running Springs Area, 1989-1993 [Zip Codes: 92341, 92382]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			87	108	87	79	63	
	of SBC Tota	I Live Births	0.28	0.32	0.26	0.24	0.20	0.26
Black M	ercent of SBC Total Live Births lack, Non-Hispanic ercent of SBC Black, Non-Hispanic Live Births lispanic ercent of SBC Hispanic Live Births lite, Non-Hispanic ercent of SBC White, Non-Hispanic Live Births ether/Unknown y Low Birthweight Live Births (<1500 grams) lumber: All Race/Ethnicities Black, Non-Hispanic Hispanic White, Non-Hispanic		0	0	1	0	1	
			0.00	0.00	0.03	0.00	0.03	0.01
		.,						0.0.
-		anic Livo Rirths	2 0.02	7 0.06	7 0.06	8 0.06	6 0.04	0.05
	•							0.03
			84	100	78 0.50	71	55	0.40
		e, Non-Hispanic Live Births	0.50	0.56	0.50	0.48	0.40	0.49
Other/Ur	nknown		1	1	1	0	1	
Number:			1	5	0	0	0	
		-	0	0	0	0	0	
			0 1	1 4	0 0	0 0	0	
_		·		-	_			
Percent:			1.1	4.6	0.0	0.0	0.0	1.4
					0.0		0.0	0.0
			0.0 1.2	14.3 4.0	0.0 0.0	0.0 0.0	0.0 0.0	3.3 1.3
Low Dirthu		•	1.2	4.0	0.0	0.0	0.0	1.0
			6	15	6	5	4	
Mullibel.			0	0	0	0	1	
			0	1	0	1	0	
	•		6	14	5	4	3	
Percent:	All Race/l	- Ethnicities	6.9	13.9	6.9	6.3	6.3	8.5
i Giodiii.					0.0		100.0	50.0
		-	0.0	14.3	0.0	12.5	0.0	6.7
	White, N	on-Hispanic	7.1	14.0	6.4	5.6	5.5	8.2
Entry Into F	Prenatal Ca	re, by Trimester						
All Race/E	Ethnicities:		58	84	72	70	53	
			23	15	12	8	7	
		3rd Trimester	5	4	2	1	3	
		None Unknown	1 0	5 0	0 1	0 0	0	
			_	•	·		_	_
		Percent Late or No Care	6.9	8.3	2.3	1.3	4.8	5.0
Black, No	n-Hispanic:	1st Trimester	0	0	1	0	1	
		2nd Trimester	0	0	0	0	0	
		3rd Trimester	0	0	0	0	0	
		None	0	0	0	0	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care			0.0		0.0	0.0
Hispanic:		1st Trimester	2	5	5	7	4	
·		2nd Trimester	0	1	2	0	1	
		3rd Trimester	0	0	0	1	1	
		None	0	1	0	0	0	
		Unknown	0	0	0	0	0	
		Percent Late or No Care	0.0	14.3	0.0	12.5	16.7	10.0

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Running Springs Area, 1989-1993 [Zip Codes: 92341, 92382]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		55	78	65	63	47	
	2nd Trimester	23	14	10	8	6	
	3rd Trimester	5	4	2	0	2	
	None Unknown	1 0	4 0	0 1	0 0	0	
		_	•	-		_	
	Percent Late or No Care	7.1	8.0	2.6	0.0	3.6	4.7
Live Births to Teenage All Race/Ethnicities:	Mothers 17 and younger	3	4	0	3	1	
All Nace/Ethilicities.	18-19	7	9	4	3	5	
	Percent of Births to Mothers <18	3.4	3.7	0.0		1.6	2.6
	Percent of Births to Mothers < 20	3. 4 11.5	3. <i>1</i> 12.0	0.0 4.6	3.8 7.6	9.5	2.6 9.2
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	V
black, North IIspanic.	18-19	0	0	0	0	0	
	Percent of Births to Mothers <18			0.0		0.0	0.0
	Percent of Births to Mothers <20			0.0		0.0	0.0
Hispanic:	17 and younger	1	1	0	1	0	
r iispariic.	18-19	0	0	2	0	1	
	Percent of Births to Mothers <18	50.0	14.3	0.0	12.5	0.0	10.0
	Percent of Births to Mothers <20	50.0	14.3	28.6	12.5	16.7	20.0
White, Non-Hispanic:	17 and younger	2	3	0	2	1	
vvinte, rvoir i noparne.	18-19	7	8	2	3	4	
	Percent of Births to Mothers <18	2.4	3.0	0.0	2.8	1.8	2.1
	Percent of Births to Mothers <20	10.7	11.0	2.6	7.0	9.1	8.2
Infant Deaths							
Total		1	1	1	0	0	
Neonatal		1	1	0	0	0	
Post-Neonatal		0	0	1	0	0	
Percent of SBC I	nfant Deaths	0.30	0.30	0.33	0.00	0.00	0.20
Black, Non-Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	•••		0.00	•••	0.00	0.00
Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic		1	1	1	0	0	
Neonatal		1	1	0	0	0	
Post-Neonatal		0	0	1	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.65	0.62	0.74	0.00	0.00	0.45
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	7.1

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the San Bernardino Area, 1989-1993 [Zip Codes: 92401-92418, 92420, 92423, 92424, 92427]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			5,150	5,527	5,576	5,360	5,243	
	f SBC Tota	I Live Births	16.84	16.55	16.89	16.33	16.26	16.57
								10.01
•	n-Hispanio		921	854	909	848	847	20.24
Percent o	I SBC Blac	k, Non-Hispanic Live Births	33.05	29.87	29.29	26.94	27.83	29.31
Hispanic			2054	2207	2649	2592	2699	
Percent o	f SBC Hisp	anic Live Births	21.51	20.01	21.12	19.77	19.63	20.34
White, No	on-Hispanio		1935	2218	1772	1647	1424	
•	•	e, Non-Hispanic Live Births	11.53	12.37	11.31	11.17	10.43	11.42
Other/Un	known		240	248	246	273	273	
		Live Birthe (:1500 grams)	240	240	240	210	210	
Number:		Live Births (<1500 grams) Ethnicities	85	73	75	96	73	
NulliDEI.		on-Hispanic	30	73 19	73 27	38	73 24	
	Hispanic	•	32	25	24	35	28	
		on-Hispanic	22	25	22	20	19	
Dorosati								4 5
Percent:	All Race/E		1.7 3.3	1.3 2.2	1.3 3.0	1.8 4.5	1.4 2.8	1.5 3.2
	Hispanic	on-Hispanic	3.3 1.6	2.2 1.1	0.9	4.5 1.4	2.8 1.0	3.2 1.2
		on-Hispanic	1.0	1.1	1.2	1.4	1.0	1.2
ou Dirthu		•	1.1		1.2	1.2	1.0	1.2
ow Birthweight Liv e. Number: All Race		Ethnicities	458	422	405	461	397	
Mullibel.		on-Hispanic	142	94	120	118	112	
	Hispanic	•	152	160	152	179	164	
	•	on-Hispanic	149	153	120	141	104	
		·						
Percent:	All Race/E		8.9	7.6	7.3	8.6	7.6	8.0
		on-Hispanic	15.4	11.0	13.2	13.9	13.2	13.4
	Hispanic	on-Hispanic	7.4 7.7	7.2 6.9	5.7 6.8	6.9 8.6	6.1 7.3	6.6 7.4
		•	7.7	0.3	0.0	0.0	7.5	7.4
ntry Into P All Race/E		re, by Trimester 1st Trimester	2056	2060	2557	2520	2400	
All Nace/E	.u ii iicities.	2nd Trimester	3056 1444	3060 1665	3557 1438	3528 1323	3198 1439	
		3rd Trimester	392	528	345	281	343	
		None	233	259	198	159	169	
		Unknown	25	15	38	69	94	
		Percent Late or No Care						10.9
			12.2	14.3	9.8	8.3	9.9	10.9
Black, Nor	n-Hispanic:	1st Trimester	504	477	572	542	526	
		2nd Trimester	302	260	240	222	238	
		3rd Trimester	70	76	54	37	41	
		None	45	37	41	39	36	
		Unknown	0	4	2	8	6	
		Percent Late or No Care	12.5	13.3	10.5	9.0	9.2	10.9
Hispanic:		1st Trimester	1048	1003	1497	1544	1493	
,		2nd Trimester	663	772	819	754	837	
		3rd Trimester	208	288	198	179	223	
		None	119	140	108	75	94	
		Unknown	16	4	27	40	52	

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the San Bernardino Area, 1989-1993 [Zip Codes: 92401-92418, 92420, 92423, 92424, 92427]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:	1st Trimester	1367	1437	1340	1256	1012	
	2nd Trimester	414	555	309	288	290	
	3rd Trimester	95	146	74	50	65	
	None Unknown	54 5	75 5	45 4	39 14	35 22	
							7.0
Live Diethe to Toons	Percent Late or No Care	7.7	10.0	6.7	5.5	7.1	7.6
Live Births to Teenage All Race/Ethnicities:	17 and younger	351	378	396	394	395	
7 til 1 taoo/ Etrinoitics.	18-19	511	558	567	551	518	
	Percent of Births to Mothers <18	6.8	6.8	7.1	7.4	7.5	7.1
	Percent of Births to Mothers <20	16.7	16.9	17.3	17.6	17.4	17.2
Black, Non-Hispanic:	17 and younger	90	83	92	87	92	
Black, Non Hispanic.	18-19	105	121	117	109	105	
	Percent of Births to Mothers <18	9.8	9.7	10.1	10.3	10.9	10.1
	Percent of Births to Mothers <20	21.2	23.9	23.0	23.1	23.3	22.9
Hispanic:	17 and younger	178	179	216	230	236	
r noparno.	18-19	234	235	271	294	281	
	Percent of Births to Mothers <18	8.7	8.1	8.2	8.9	8.7	8.5
	Percent of Births to Mothers <20	20.1	18.8	18.4	20.2	19.2	19.3
White, Non-Hispanic:	17 and younger	78	106	78	73	52	
vviito, rvoir i noparno.	18-19	155	188	164	133	118	
	Percent of Births to Mothers <18	4.0	4.8	4.4	4.4	3.7	4.3
	Percent of Births to Mothers <20	12.0	13.3	13.7	12.5	11.9	12.7
Infant Deaths							
Total		71	74	66	59	58	
Neonatal Post-Neonatal		47 24	41	37	32 27	32 26	
			33	29			
Percent of SBC I	nfant Deaths	21.58	22.49	21.57	20.92	22.75	21.85
Black, Non-Hispanic		19	15	23	19	21	
Neonatal		13	8	14	11	15	
Post-Neonatal		6	7	9	8	6	00.00
Percent of SBC I	Black, Non-Hisp. Infant Deaths	28.36	25.00	36.51	35.85	40.38	32.88
Hispanic		32	25	24	21	19	
Neonatal Post-Neonatal		21	14	14	12	11	
		11	11	10	9	8	
	Hispanic Infant Deaths	30.77	24.75	24.24	19.44	20.21	23.91
White, Non-Hispanic	:	20	34	17	14	17	
Neonatal		13	19	8	5	6	
Post-Neonatal		7	15	9	9	11	
Percent of SBC \	White, Non-Hisp. Infant Deaths	12.99	21.12	12.59	12.96	16.50	15.43
Infant Mortality Rate (p	er 1000 live births)	13.8	13.4	11.8	11.0	11.1	12.2

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care. 4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Yucaipa Area, 1989-1993 [Zip Code: 92399]

			YEAR			Five-Year
	1989	1990	1991	1992	1993	Rate(1)
Live Births						•
Total	495	504	538	535	507	
Percent of SBC Total Live Births	1.62	1.51	1.63	1.63	1.57	1.59
Black, Non-Hispanic	2	5	1	3	3	
Percent of SBC Black, Non-Hispanic Live Births	0.07	0.17	0.03	0.10	0.10	0.09
Hispanic	87	96	92	96	109	
Percent of SBC Hispanic Live Births	0.91	0.87	0.73	0.73	0.79	0.80
White, Non-Hispanic	396	399	434	424	379	
Percent of SBC White, Non-Hispanic Live Births	2.36	2.23	2.77	2.88	2.77	2.58
Other/Unknown	10	4	11	12	16	
Very Low Birthweight Live Births (<1500 grams)	10			12	10	
Number: All Race/Ethnicities	1	3	6	4	1	
Black, Non-Hispanic	0	0	0	0	0	
Hispanic	0	1	0	0	0	
White, Non-Hispanic	1	2	4	2	1	
Percent: All Race/Ethnicities	0.2	0.6	1.1	0.7	0.2	0.6
Black, Non-Hispanic	0.0	0.0	0.0	0.0	0.0	0.0
Hispanic	0.0	1.0	0.0	0.0	0.0	0.2
White, Non-Hispanic	0.3	0.5	0.9	0.5	0.3	0.5
Low Birthweight Live Births (<2500 grams) Number: All Race/Ethnicities	24	39	45	27	25	
Black, Non-Hispanic	0	0	0	0	0	
Hispanic	5	8	8	1	5	
White, Non-Hispanic	19	31	35	24	19	
Percent: All Race/Ethnicities	4.8	7.7	8.4	5.0	4.9	6.2
Black, Non-Hispanic	0.0	0.0	0.0	0.0	0.0	0.0
Hispanic	5.7	8.3	8.7	1.0	4.6	5.6
White, Non-Hispanic	4.8	7.8	8.1	5.7	5.0	6.3
Entry Into Prenatal Care, by Trimester	274	050	440	400	070	
All Race/Ethnicities: 1st Trimester 2nd Trimester	374 96	356 109	418 82	428 81	376 103	
3rd Trimester	16	28	23	15	21	
None	8	10	14	9	3	
Unknown	1	1	1	2	4	
Percent Late or No Care	4.9	7.6	6.9	4.5	4.8	5.7
Black, Non-Hispanic: 1st Trimester	2	3	0	1	2	
2nd Trimester	0	1	1	2	0	
3rd Trimester	0	1	0	0	1	
None	0	0	0	0	0	
Unknown	0	0	0	0	0	
Percent Late or No Care	0.0	20.0	0.0	0.0	33.3	14.3
Hispanic: 1st Trimester	56	54	51	59	73	
2nd Trimester	20	23	23	26	25	
3rd Trimester	5	13	12	7	9	
None	6	6	6	3	1	
Unknown	0	0	0	1	1	
Percent Late or No Care	12.6	19.8	19.6	10.5	9.3	14.2

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Yucaipa Area, 1989-1993 [Zip Code: 92399]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		308	296	357	359	290	
	2nd Trimester	76	85	58	51	75	
	3rd Trimester	9	14	10	7	10	
	None Unknown	2 1	3 1	8 1	6 1	2 2	
		•		•	-		0.5
B.d. 4 T	Percent Late or No Care	2.8	4.3	4.2	3.1	3.2	3.5
Live Births to Teenage All Race/Ethnicities:	17 and younger	16	22	25	14	24	
All Nacc/Ethilicitics.	18-19	40	44	35	37	45	
	Percent of Births to Mothers <18	3.2	4.4	4.6	2.6	4.7	3.9
	Percent of Births to Mothers < 20	11.3	13.1	11.2	9.5	13.6	11.7
Black, Non-Hispanic:	17 and younger	0	0	0	1	0	
Black, Non Hispanic.	18-19	0	1	0	0	2	
	Percent of Births to Mothers <18	0.0	0.0	0.0	33.3	0.0	7.1
	Percent of Births to Mothers <20	0.0	20.0	0.0	33.3	66.7	28.6
Hispanic:	17 and younger	3	7	7	4	5	
r noparno.	18-19	7	12	7	10	12	
	Percent of Births to Mothers <18	3.4	7.3	7.6	4.2	4.6	5.4
	Percent of Births to Mothers <20	11.5	19.8	15.2	14.6	15.6	15.4
White, Non-Hispanic:	17 and younger	12	15	18	9	17	
vvinto, rvori i noparno.	18-19	33	31	28	27	31	
	Percent of Births to Mothers <18	3.0	3.8	4.1	2.1	4.5	3.5
	Percent of Births to Mothers <20	11.4	11.5	10.6	8.5	12.7	10.9
Infant Deaths							
Total		3	5	5	5	1	
Neonatal		1	3	3	4	1	
Post-Neonatal		2	2	2	1	0	
Percent of SBC I	nfant Deaths	0.91	1.52	1.63	1.77	0.39	1.27
Black, Non-Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
Hispanic		1	1	1	1	0	
Neonatal		1	1	1	1	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.96	0.99	1.01	0.93	0.00	0.79
White, Non-Hispanic	:	2	4	4	4	1	
Neonatal		0	2	2	3	1	
Post-Neonatal		2	2	2	1	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	1.30	2.48	2.96	3.70	0.97	2.27
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	7.4 *


⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial



San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Alta Loma Area, 1989-1993 [Zip Codes: 91701, 91737]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Live Births							
Total		772	898	892	778	804	
Percent of SBC Total Live Births		2.52	2.69	2.70	2.37	2.49	2.56
Black, Non-Hispanic		37	46	60	57	57	
Percent of SBC Black, Non-Hispan	nic Live Rirths	1.33	1.61	1.93	1.81	1.87	1.72
·	no Live Births						1.72
Hispanic	ha	133 1.39	133 1.21	161 1.28	153 1.17	145 1.05	1.21
Percent of SBC Hispanic Live Birth	15						1.21
White, Non-Hispanic	. I. D. (I	541	637	578	492	534	0.50
Percent of SBC White, Non-Hispa	nic Live Births	3.22	3.55	3.69	3.34	3.91	3.53
Other/Unknown		61	82	93	76	68	
Very Low Birthweight Live Births (<1500 grams)						
Number: All Race/Ethnicities		3	10	9	15	5	
Black, Non-Hispanic		0	1	0	3	0	
Hispanic		2 1	0	2	2 9	0	
White, Non-Hispanic			9	6		5	
Percent: All Race/Ethnicities		0.4	1.1	1.0	1.9	0.6	1.0
Black, Non-Hispanic		0.0	2.2	0.0	5.3	0.0	1.6
Hispanic White, Non-Hispanic		1.5 0.2	0.0 1.4	1.2 1.0	1.3 1.8	0.0 0.9	0.8 1.1
) arama)	0.2	1.7	1.0	1.0	0.9	1.1
Low Birthweight Live Births (<2500 Number: All Race/Ethnicities	grams)	46	54	51	37	41	
Black, Non-Hispanic		1	8	7	3	3	
Hispanic		6	5	7	7	5	
White, Non-Hispanic		37	34	29	24	28	
Percent: All Race/Ethnicities		6.0	6.0	5.7	4.8	5.1	5.5
Black, Non-Hispanic		2.7	17.4	11.7	5.3	5.3	8.6
Hispanic		4.5	3.8	4.3	4.6	3.4	4.1
White, Non-Hispanic		6.8	5.3	5.0	4.9	5.2	5.5
Entry Into Prenatal Care, by Trimes	ster						
All Race/Ethnicities: 1st Trimest		656	764	765	657	674	
2nd Trimes		87	123	109	100	104	
3rd Trimes	iter	21	6	14	15	21	
None Unknown		3 5	4 1	2 2	5 1	4 1	
			-		-	-	
	te or No Care	3.1	1.1	1.8	2.6	3.1	2.3
Black, Non-Hispanic: 1st Trimeste		31	33	48	49	47	
2nd Trimes		5	13	9	8	8	
3rd Trimes	ter	1	0	2	0	2	
None Unknown		0	0 0	0 1	0 0	0	
		•	-	·	_	•	
Percent La	te or No Care	2.7	0.0	3.4	0.0	3.5	2.0
Hispanic: 1st Trimest		102	107	131	125	110	
2nd Trime		20	24	26	25	29	
3rd Trimes	ter	9	2	3	3	4	
None Unknown		1 1	0 0	1	0 0	1 1	
		•	-	0	_	-	
Percent La	te or No Care	7.6	1.5	2.5	2.0	3.5	3.3

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Alta Loma Area, 1989-1993 [Zip Codes: 91701, 91737]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		473	556	510	420	458	
	2nd Trimester	53	75	60	59	62	
	3rd Trimester None	10 2	3 3	7 1	8 5	12 2	
	Unknown	3	0	0	0	0	
	Percent Late or No Care	2.2	0.9	1.4	2.6	2.6	1.9
Live Births to Teenage	Mothers						
All Race/Ethnicities:	17 and younger	23	15	18	21	25	
	18-19	32	33	41	51	43	
	Percent of Births to Mothers <18	3.0	1.7	2.0	2.7	3.1	2.5
	Percent of Births to Mothers <20	7.1	5.3	6.6	9.3	8.5	7.3
Black, Non-Hispanic:	17 and younger	0	0	2	2	2	
	18-19	2	2	8	4	5	
	Percent of Births to Mothers <18	0.0	0.0	3.3	3.5	3.5	2.3
	Percent of Births to Mothers <20	5.4	4.3	16.7	10.5	12.3	10.5
Hispanic:	17 and younger	10	6	7	7	7	
	18-19	6	5	6	21	11	
	Percent of Births to Mothers <18	7.5	4.5	4.3	4.6	4.8	5.1
	Percent of Births to Mothers <20	12.0	8.3	8.1	18.3	12.4	11.9
White, Non-Hispanic:	17 and younger	12	9	8	11	16	
	18-19	22	24	27	24	26	
	Percent of Births to Mothers <18	2.2	1.4	1.4	2.2	3.0	2.0
	Percent of Births to Mothers <20	6.3	5.2	6.1	7.1	7.9	6.4
Infant Deaths Total		7	0	7	0	F	
Neonatal		7 5	9 6	7 6	8 8	5 5	
Post-Neonatal		2	3	1	0	0	
Percent of SBC I	nfant Deaths	2.13	2.74	2.29	2.84	1.96	2.40
Black, Non-Hispanic		0	1	0	1	0	
Neonatal		0	i 1	0	i	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	1.67	0.00	1.89	0.00	0.68
Hispanic		1	2	3	2	0	
Neonatal		1	1	2	2	0	
Post-Neonatal		0	1	1	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.96	1.98	3.03	1.85	0.00	1.58
White, Non-Hispanic	:	4	6	3	4	5	
Neonatal		2	4	3	4	5	
Post-Neonatal		2	2	0	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	2.60	3.73	2.22	3.70	4.85	3.33
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.7

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Chino Area, 1989-1993 [Zip Codes: 91708, 91709, 91710]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			2,044	2,289	2,339	2,403	2,369	
	SBC Total	Live Births	6.68	6.85	7.08	7.32	7.35	7.06
			72	82	89	88	83	
Black, Noi	•	; κ, Non-Hispanic Live Births	2.58	82 2.87	2.87	2.80	2.73	2.77
	SDC Diaci	, Non-i lispanic Live Bittis						2.11
Hispanic	00011		579	696	849	905	993	0.74
Percent of	SBC Hispa	anic Live Births	6.06	6.31	6.77	6.90	7.22	6.71
White, No			1285	1339	1203	1161	1053	
Percent of	SBC White	e, Non-Hispanic Live Births	7.66	7.47	7.68	7.88	7.71	7.67
Other/Unk	nown		108	172	198	249	240	
Very Low Bir	rthweight I	Live Births (<1500 grams)						
Number:	All Race/E		33	15	22	14	21	
	Black, No	n-Hispanic	4	4	3	2	3	
	Hispanic		9	0	6	5	10	
	White, No	on-Hispanic	19	11	12	5	6	
Percent:	All Race/E	Ethnicities	1.6	0.7	0.9	0.6	0.9	0.9
	Black, No	on-Hispanic	5.6	4.9	3.4	2.3	3.6	3.9
	Hispanic		1.6	0.0	0.7	0.6	1.0	0.7
	White, No	on-Hispanic	1.5	0.8	1.0	0.4	0.6	0.9
Low Birthwe	ight Live E	Births (<2500 grams)						
Number:	All Race/E		111	107	104	118	106	
		on-Hispanic	8	12	13	9	7	
	Hispanic		29	35	26	49	49	
	White, No	on-Hispanic	69	49	56	49	39	
Percent:	All Race/E		5.4	4.7	4.4	4.9	4.5	4.8
		on-Hispanic	11.1	14.6	14.6	10.2	8.4	11.8
	Hispanic	an I l'annaite	5.0	5.0	3.1	5.4	4.9	4.7
		on-Hispanic	5.4	3.7	4.7	4.2	3.7	4.3
-		re, by Trimester	4504	4074	4005	1000	4000	
All Race/Et	innicities:	1st Trimester	1584	1871	1865	1966	1926	
		2nd Trimester 3rd Trimester	364 69	320 64	393 61	356 59	346 64	
		None	18	29	15	20	27	
		Unknown	9	5	5	2	6	
		Percent Late or No Care						2.7
			4.3	4.1	3.3	3.3	3.9	3.7
Black, Non-	-Hispanic:	1st Trimester	56	61	66	78	67	
		2nd Trimester	14	16	19	10	11	
		3rd Trimester	1	3	3	0	4	
		None Unknown	1 0	2 0	1 0	0 0	1	
			•	-				
		Percent Late or No Care	2.8	6.1	4.5	0.0	6.0	3.9
Hispanic:		1st Trimester	362	494	585	618	728	
		2nd Trimester	165	146	212	236	212	
		3rd Trimester	37	33	37	38	37	
		None	12	20	12	13	14	
		Unknown	3	3	3	0	2	
		Percent Late or No Care	8.5	7.6	5.8	5.6	5.1	6.3

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Chino Area, 1989-1993 [Zip Codes: 91708, 91709, 91710]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Care	e, by Trimester (continued)						
White, Non-Hispanic:		1075	1166	1040	1047	913	
•	2nd Trimester	169	139	144	88	109	
	3rd Trimester	30	26	16	18	20	
	None	5	7	2	7	9	
	Unknown	6	1	1	1	2	
	Percent Late or No Care	2.7	2.5	1.5	2.2	2.8	2.3
Live Births to Teenage		00	70	77	00	00	
All Race/Ethnicities:	17 and younger 18-19	63 133	76 148	77 137	88 128	63 156	
	Percent of Births to Mothers <18	3.1	3.3	3.3	3.7	2.7	3.2
	Percent of Births to Mothers <20	9.6	9.8	9.1	9.0	9.2	9.3
Black, Non-Hispanic:	17 and younger	3	5	3	3	2	
	18-19	7	6	5	2	6	
	Percent of Births to Mothers <18	4.2	6.1	3.4	3.4	2.4	3.9
	Percent of Births to Mothers <20	13.9	13.4	9.0	5.7	9.6	10.1
Hispanic:	17 and younger	38	34	48	48	44	
	18-19	47	75	74	74	94	
	Percent of Births to Mothers <18	6.6	4.9	5.7	5.3	4.4	5.3
	Percent of Births to Mothers <20	14.7	15.7	14.4	13.5	13.9	14.3
White, Non-Hispanic:	17 and younger	21	37	25	33	14	
	18-19	77	65	53	49	51	
	Percent of Births to Mothers <18	1.6	2.8	2.1	2.8	1.3	2.2
	Percent of Births to Mothers <20	7.6	7.6	6.5	7.1	6.2	7.0
Infant Deaths							
Total		20	7	15	17	8	
Neonatal Post-Neonatal		16 4	3 4	10 5	11	6 2	
		-	-		6		
Percent of SBC In	nfant Deaths	6.08	2.13	4.90	6.03	3.14	4.46
Black, Non-Hispanic		3	3	1	2	1	
Neonatal		2	2	0	2	1	
Post-Neonatal		1	1	1	0	0	
Percent of SBC E	Black, Non-Hisp. Infant Deaths	4.48	5.00	1.59	3.77	1.92	3.39
Hispanic		8	1	4	6	5	
Neonatal		7	0	3	4	4	
Post-Neonatal		1	1	1	2	1	
Percent of SBC F	Hispanic Infant Deaths	7.69	0.99	4.04	5.56	5.32	4.74
White, Non-Hispanic		9	2	9	7	1	
Neonatal		7	0	6	5	0	
Post-Neonatal		2	2	3	2	1	
Percent of SBC V	White, Non-Hisp. Infant Deaths	5.84	1.24	6.67	6.48	0.97	4.24

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Etiwanda Area, 1989-1993 [Zip Code: 91739]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Live Births							
Total		194	178	163	180	153	
Percent of SBC Total	Live Births	0.63	0.53	0.49	0.55	0.47	0.54
Black, Non-Hispanic		7	5	5	5	12	
· •	k, Non-Hispanic Live Births	0.25	0.17	0.16	0.16	0.39	0.23
Hispanic		27	36	32	38	42	
Percent of SBC Hispa	anic Live Births	0.28	0.33	0.26	0.29	0.31	0.29
White, Non-Hispanic	:	153	127	115	123	89	
	e, Non-Hispanic Live Births	0.91	0.71	0.73	0.83	0.65	0.77
Other/Unknown		7	10	11	14	10	
	ive Births (<1500 grams)						
Number: All Race/E		1	1	0	2	1	
	n-Hispanic	0	0	0	0	0	
Hispanic	an I lianania	1	1	0	0	0	
	on-Hispanic	0	0	0	2	1	
Percent: All Race/E		0.5	0.6	0.0	1.1	0.7	0.6
	n-Hispanic	0.0	0.0	0.0	0.0	0.0	0.0
Hispanic White No	on-Hispanic	3.7 0.0	2.8 0.0	0.0 0.0	0.0 1.6	0.0 1.1	1.1 0.5
Low Birthweight Live E	•	0.0	0.0	0.0	1.0		0.0
Number: All Race/E		6	4	6	9	4	
	n-Hispanic	0	0	0	0	1	
Hispanic		1	3	1	3	0	
White, No	on-Hispanic	5	1	3	4	2	
Percent: All Race/E		3.1	2.2	3.7	5.0	2.6	3.3
	n-Hispanic	0.0	0.0	0.0	0.0	8.3	2.9
Hispanic	on Hispania	3.7 3.3	8.3 0.8	3.1 2.6	7.9	0.0 2.2	4.6 2.5
	on-Hispanic	ა.ა	0.6	2.0	3.3	2.2	2.5
Entry Into Prenatal Car All Race/Ethnicities:	1st Trimester	172	148	139	148	131	
, ai raco, Etililottos.	2nd Trimester	19	23	20	26	131	
	3rd Trimester	2	6	2	4	7	
	None	0	0	0	1	1	
	Unknown	1	1	2	1	1	
	Percent Late or No Care	1.0	3.4	1.2	2.8	5.3	2.7
Black, Non-Hispanic:	1st Trimester	7	3	4	5	9	
	2nd Trimester	0	2	1	0	1	
	3rd Trimester	0	0	0	0	2	
	None Unknown	0	0	0	0	0	
		0	0	0	0	0	
	Percent Late or No Care	0.0	0.0	0.0	0.0	16.7	5.9
Hispanic:	1st Trimester	22	28	27	28	39	
	2nd Trimester	5	7	5	7	1	
	3rd Trimester None	0	1 0	0 0	2 1	2	
	Unknown	0	0	0	0	0	
	Percent Late or No Care	•	_	-	_	_	2.4
	reicent Late of NO Care	0.0	2.8	0.0	7.9	4.8	3.4

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Etiwanda Area, 1989-1993 [Zip Code: 91739]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		138	111	99	107	78	
	2nd Trimester	14	12	14	14	7	
	3rd Trimester None	1	4	1 1	1 1	2 1	
	Unknown	0 0	0 0	0	0	1	
	Percent Late or No Care	0.7	3.1	1.7	1.6	3.4	2.0
Live Births to Teenage		0.7	J. 1	1.7	1.0	3.4	2.0
All Race/Ethnicities:	17 and younger	1	5	2	2	4	
	18-19	8	9	6	6	5	
	Percent of Births to Mothers <18	0.5	2.8	1.2	1.1	2.6	1.6
	Percent of Births to Mothers <20	4.6	7.9	4.9	4.4	5.9	5.5
Black, Non-Hispanic:	17 and younger	0	0	0	0	0	
	18-19	0	0	0	0	0	
	Percent of Births to Mothers <18	0.0	0.0	0.0	0.0	0.0	0.0
	Percent of Births to Mothers <20	0.0	0.0	0.0	0.0	0.0	0.0
Hispanic:	17 and younger	1	4	1	0	3	
	18-19	1	3	2	3	3	
	Percent of Births to Mothers <18	3.7	11.1	3.1	0.0	7.1	5.1
	Percent of Births to Mothers <20	7.4	19.4	9.4	7.9	14.3	12.0
White, Non-Hispanic:	17 and younger	0	1	1	2	1	
	18-19	7	6	4	2	1	
	Percent of Births to Mothers <18	0.0	8.0	0.9	1.6	1.1	8.0
	Percent of Births to Mothers <20	4.6	5.5	4.3	3.3	2.2	4.1
Infant Deaths		0	0	0	0	4	
Total Neonatal		0 0	0 0	0 0	0 0	1 1	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	nfant Deaths	0.00	0.00	0.00	0.00	0.39	0.07
Black, Non-Hispanic		0	0	0	0	1	
Neonatal		0	Ö	Ö	Ö	i 1	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	1.92	0.34
Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
White, Non-Hispanic		0	0	0	0	0	
Neonatal		0	0	0	0	0	
Post-Neonatal		0	0	0	0	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	0.00	0.00	0.00	0.00	0.00	0.00
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	1.2 *

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

(**) The five-year infant mortality rate was calculated using fewer than 20 infant deaths and is unrelial

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Fontana Area, 1989-1993 [Zip Codes: 92334, 92335, 92336, 92337]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			3,030	3,370	3,322	3,274	3,304	
	f SBC Tota	I Live Births	9.91	10.09	10.06	9.98	10.25	10.06
	n-Hispanio		183	231	299	310	294	
•	•	k, Non-Hispanic Live Births	6.57	8.08	9.64	9.85	9.66	8.81
	1 ODO DIAO	K, NOTH IISPAING LIVE BITTIS						0.01
Hispanic			1272	1491	1636	1719	1911	40.00
Percent of	f SBC Hisp	anic Live Births	13.32	13.52	13.05	13.11	13.90	13.39
White, No	on-Hispanio	;	1454	1541	1256	1085	958	
Percent of	f SBC Whit	e, Non-Hispanic Live Births	8.66	8.60	8.02	7.36	7.01	7.99
Other/Un	known		121	107	131	160	141	
		Live Births (<1500 grams)						
Number:		Ethnicities	40	35	27	41	45	
		on-Hispanic	5	7	5	14	11	
	Hispanic	·	18	15	13	14	23	
		on-Hispanic	14	13	9	10	8	
Percent:	All Race/E	Ethnicities	1.3	1.0	0.8	1.3	1.4	1.2
i Groom.		on-Hispanic	2.7	3.0	1.7	4.5	3.7	3.2
	Hispanic	on inoparine	1.4	1.0	0.8	0.8	1.2	1.0
		on-Hispanic	1.0	0.8	0.7	0.9	0.8	0.9
Low Birthwe		Births (<2500 grams)						
Number:		Ethnicities	198	226	196	202	216	
		on-Hispanic	22	33	33	45	41	
	Hispanic	·	77	83	87	89	120	
	White, No	on-Hispanic	89	98	69	57	48	
Percent:	All Race/E	- - - - - - - - - - - - - - - - - - -	6.5	6.7	5.9	6.2	6.5	6.4
. 0.00111.		on-Hispanic	12.0	14.3	11.0	14.5	13.9	13.2
	Hispanic		6.1	5.6	5.3	5.2	6.3	5.7
		on-Hispanic	6.1	6.4	5.5	5.3	5.0	5.7
Entry Into P	renatal Ca	re, by Trimester						
All Race/E		1st Trimester	2014	2167	2236	2247	2170	
		2nd Trimester	749	868	772	752	826	
		3rd Trimester	175	238	199	152	190	
		None	82	87	91	76	87	
		Unknown	10	10	24	47	31	
		Percent Late or No Care	8.5	9.7	8.8	7.1	8.5	8.5
Black Nor	n-Hispanic:	1st Trimester	120	149	198	224	211	
214011, 1101	noparno.	2nd Trimester	47	71	74	65	64	
		3rd Trimester	10	6	17	8	10	
		None	6	5	9	6	8	
		Unknown	0	0	1	7	1	
		Percent Late or No Care	8.7	4.8	8.7	4.6	6.1	6.5
Lionania								0.0
Hispanic:		1st Trimester	766	836 457	1002	1076	1155	
		2nd Trimester 3rd Trimester	363 102	457 151	444 128	466 106	554 136	
		None	35	40	47	38	43	
		Unknown	6	7	15	33	23	
		Percent Late or No Care	10.8	12.9	10.8	8.5	9.5	10.4

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Fontana Area, 1989-1993 [Zip Codes: 92334, 92335, 92336, 92337]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		1047	1102	934	825	692	
	2nd Trimester	313	319	233	192	183	
	3rd Trimester	54	77	48	34	41	
	None Unknown	36 4	41 2	33 8	29 5	36 6	
	Percent Late or No Care	6.2	7.7	6.5	5.8	8.1	6.8
Live Births to Teenage		0.2	7.7	6.5	3.6	0.1	0.0
All Race/Ethnicities:	17 and younger	127	159	191	190	176	
	18-19	241	310	275	272	292	
	Percent of Births to Mothers <18	4.2	4.7	5.7	5.8	5.3	5.2
	Percent of Births to Mothers <20	12.1	13.9	14.0	14.1	14.2	13.7
Black, Non-Hispanic:	17 and younger	18	14	17	23	17	
	18-19	19	28	33	33	32	
	Percent of Births to Mothers <18	9.8	6.1	5.7	7.4	5.8	6.8
	Percent of Births to Mothers <20	20.2	18.2	16.7	18.1	16.7	17.8
Hispanic:	17 and younger	53	87	112	105	120	
•	18-19	118	138	140	149	194	
	Percent of Births to Mothers <18	4.2	5.8	6.8	6.1	6.3	5.9
	Percent of Births to Mothers <20	13.4	15.1	15.4	14.8	16.4	15.1
White, Non-Hispanic:	17 and younger	52	57	60	59	39	
•	18-19	96	142	101	85	62	
	Percent of Births to Mothers <18	3.6	3.7	4.8	5.4	4.1	4.2
	Percent of Births to Mothers <20	10.2	12.9	12.8	13.3	10.5	12.0
Infant Deaths							
Total		30	38	28	29	27	
Neonatal Post-Neonatal		20 10	25 13	20 8	18 11	19 8	
	nfort Dootho					_	40.40
Percent of SBC I	nrant Deaths	9.12	11.55	9.15	10.28	10.59	10.13
Black, Non-Hispanic		4	7	4	3	5	
Neonatal Post-Neonatal		3 1	4 3	3 1	2 1	5 0	
	Black, Non-Hisp. Infant Deaths	5.97	11.67	6.35	5.66	9.62	7.80
	Slack, Non-Hisp. Hilant Deaths						7.00
Hispanic Neonatal		14 12	10 7	11 9	15 7	19 12	
Post-Neonatal		2	3	2	8	7	
	Hispanic Infant Deaths	13.46	9.90	- 11.11	13.89	20.21	13.64
	·						13.04
White, Non-Hispanic Neonatal		12 5	20 13	13 8	11 9	3 2	
Post-Neonatal		7	7	5	2	1	
	White, Non-Hisp. Infant Deaths	7.79	12.42	9.63	10.19	2.91	8.93
	·						
Infant Mortality Rate (p	er 1000 live births)	9.9	11.3	8.4	8.9	8.2	9.3

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Montclair Area, 1989-1993 [Zip Code: 91763]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Live Births							
Total		612	598	692	692	667	
Percent of SBC Total Live B	Births	2.00	1.79	2.10	2.11	2.07	2.01
		60	69	75	58	46	
Black, Non-Hispanic Percent of SBC Black, Non	-Hisnanic Live Rirths	2.15	2.41	2.42	1.84	1.51	2.06
	Thopanio Live Birtho						2.00
Hispanic	vo Dirtho	268 2.81	264 2.39	374 2.98	414 3.16	433 3.15	2.02
Percent of SBC Hispanic Li	ve biitiis						2.92
White, Non-Hispanic	Tr. Tr. Bra	248	224	194	172	143	4.05
Percent of SBC White, Non	-Hispanic Live Births	1.48	1.25	1.24	1.17	1.05	1.25
Other/Unknown		36	41	49	48	45	
Very Low Birthweight Live B							
Number: All Race/Ethnici		9	12	1	9	7	
Black, Non-Hisp	panic	2	4	0	1	0	
Hispanic White, Non-His	ania.	4 1	7 1	0 1	6 2	6 1	
		•	-	-		-	
Percent: All Race/Ethnicit		1.5	2.0	0.1	1.3	1.0	1.2
Black, Non-Hisp	panic	3.3	5.8	0.0	1.7	0.0	2.3
Hispanic White, Non-His	aanic	1.5 0.4	2.7 0.4	0.0 0.5	1.4 1.2	1.4 0.7	1.3 0.6
		0.4	0.4	0.5	1.2	0.7	0.0
Low Birthweight Live Births Number: All Race/Ethnici		51	42	37	41	38	
Black, Non-Hisp		8	7	5	8	9	
Hispanic	, armo	22	19	22	22	23	
White, Non-His	panic	17	12	7	9	5	
Percent: All Race/Ethnicit	ies	8.3	7.0	5.3	5.9	5.7	6.4
Black, Non-Hisp		13.3	10.1	6.7	13.8	19.6	12.0
Hispanic		8.2	7.2	5.9	5.3	5.3	6.2
White, Non-His	panic	6.9	5.4	3.6	5.2	3.5	5.1
Entry Into Prenatal Care, by	Trimester						
	rimester	418	393	494	475	497	
	Trimester	156	155	154	178	129	
	Trimester	28	35	34	28	33	
Nor	ne nown	9 1	14 1	9 1	9 2	6 2	
		-		-			
Perc	ent Late or No Care	6.1	8.2	6.2	5.4	5.9	6.3
Black, Non-Hispanic: 1st T	rimester	40	44	52	43	36	
	Trimester	17	18	16	15	8	
	Trimester	2	6	4	0	2	
Nor		1	1	2	0	0	
	nown	0	0	1	0	0	
Perc	ent Late or No Care	5.0	10.1	8.1	0.0	4.3	5.9
Hispanic: 1st	Trimester	174	157	255	255	309	
2nd	Trimester	77	82	96	128	94	
	Trimester	13	18	21	22	25	
Nor		4	6	2	7	3	
	nown	0	1	0	2	2	
Perc	ent Late or No Care	6.3	9.1	6.1	7.0	6.5	6.9

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Montclair Area, 1989-1993 [Zip Code: 91763]

Table 1990 1991 1992 1993 1995					YEAR			Five-Year
White, Non-Hispanic: 1st Trimester 2nd Trimester 2nd Trimester 3nd Trimes			1989	1990		1992	1993	Rate(1)
White, Non-Hispanic: 1st Trimester 2nd Trimester 176 163 148 141 116 2nd Trimester 3nd Trimester None 11 10 5 6 5 None Percent Late or No Care 4	try Into Prenatal Care.	. by Trimester (continued)						
State		•	176	163	148	141	116	
None					37			
Unknown						_		
Percent Late or No Care 6.1 6.3 4.6 4.1 4.9			-		-			
All Race/Ethnicities:			_	_		_	-	
All Race/Ethnicities: 17 and younger 18-19 60 57 66 65 57 Percent of Births to Mothers <18 5.2 4.8 6.6 6.6 6.9 Percent of Births to Mothers <20 15.0 14.4 16.2 16.0 15.4 16.2 16.0 16.2 16.0 16.0 16.0 16.0 16.0 16.0 16.0 16.0			6.1	6.3	4.6	4.1	4.9	5.3
18-19			20	20	46	46	46	
Percent of Births to Mothers <18 5.2		•						
Percent of Births to Mothers <20								0.4
Black, Non-Hispanic: 17 and younger 18-19								6.1 15.5
18-19								10.0
Percent of Births to Mothers <18	-			_				
Percent of Births to Mothers < 20 23.3 21.7 16.0 24.1 19.6			_				·	
Hispanic: 17 and younger 19 15 27 36 32 18-19 26 30 36 43 44 44 Post-Neonatal Percent of SBC Infant Deaths Black, Non-Hispanic Neonatal Percent of SBC Black, Non-Hisp. Infant Deaths Neonatal Percent of SBC Hispanic Infant Deaths 18-19 1.52 2.13 1.59 0.00 1.67 1.59 0.00 Percent of SBC Hispanic Infant Deaths 19 1.52 2.13 1.59 0.00 1.00 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13 1.00 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13								8.8
18-19								20.8
Percent of Births to Mothers <18	-							
Percent of Births to Mothers < 20								
White, Non-Hispanic: 17 and younger 18-19 8 9 12 5 9 18-19 23 16 18 11 7 Percent of Births to Mothers <18				_				7.4
18-19 23 16 18 11 7								17.6
Percent of Births to Mothers <18 3.2 4.0 6.2 2.9 6.3 Percent of Births to Mothers <20 12.5 11.2 15.5 9.3 11.2 Infant Deaths Total 5 7 6 1 4 Neonatal 2 4 3 0 4 Post-Neonatal 3 3 3 1 0 Percent of SBC Infant Deaths 1.52 2.13 1.96 0.35 1.57 Black, Non-Hispanic 0 1 1 0 0 Neonatal 0 1 0 0 0 Post-Neonatal 0 1 0 0 0 Percent of SBC Black, Non-Hisp. Infant Deaths 0.00 1.67 1.59 0.00 0.00 Hispanic 3 4 1 1 2 Neonatal 2 2 1 0 2 Post-Neonatal 2 2 1 0 2 Post-Neonatal 1 2 0 1 0 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13			_			_		
Percent of Births to Mothers < 20 12.5 11.2 15.5 9.3 11.2								
Total								4.4
Total 5 7 6 1 4 Neonatal 2 4 3 0 4 Post-Neonatal 3 3 3 1 0 Percent of SBC Infant Deaths 1.52 2.13 1.96 0.35 1.57 Black, Non-Hispanic 0 1 1 0 0 Neonatal 0 1 1 0 0 Post-Neonatal 0 0 1 0 0 Hispanic 3 4 1 1 2 Neonatal 2 2 1 0 2 Post-Neonatal 1 2 0 1 0 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13		Percent of Births to Mothers <20	12.5	11.2	15.5	9.3	11.2	12.0
Neonatal 2 4 3 0 4 Post-Neonatal 3 3 3 1 0 Percent of SBC Infant Deaths 1.52 2.13 1.96 0.35 1.57 Black, Non-Hispanic 0 1 1 0 0 Neonatal 0 1 0 0 0 Post-Neonatal 0 0 1.67 1.59 0.00 0.00 Hispanic 3 4 1 1 2 Neonatal 2 2 1 0 2 Post-Neonatal 1 2 0 1 0 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13			5	7	6	1	1	
Post-Neonatal 3 3 3 1 0 Percent of SBC Infant Deaths 1.52 2.13 1.96 0.35 1.57 Black, Non-Hispanic Neonatal Post-Neonatal Neonatal Neonatal Neonatal Post-Neonatal Post-Neonatal Post-Neonatal Post-Neonatal Percent of SBC Hispanic Infant Deaths 0.00 1.67 1.59 0.00 0.00 Hispanic Neonatal Post-Neonatal Post-Neonatal Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13								
Black, Non-Hispanic 0 1 1 0 0 Neonatal 0 1 0 0 0 Post-Neonatal 0 0 1 0 0 Percent of SBC Black, Non-Hisp. Infant Deaths 0.00 1.67 1.59 0.00 0.00 Hispanic 3 4 1 1 2 Neonatal 2 2 1 0 2 Post-Neonatal 1 2 0 1 0 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13						_		
Black, Non-Hispanic 0 1 1 0 0 Neonatal 0 1 0 0 0 Post-Neonatal 0 0 1 0 0 Percent of SBC Black, Non-Hisp. Infant Deaths 0.00 1.67 1.59 0.00 0.00 Hispanic 3 4 1 1 2 Neonatal 2 2 1 0 2 Post-Neonatal 1 2 0 1 0 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13	Percent of SBC Inf	fant Deaths	1.52	2.13	1.96	0.35	1.57	1.53
Neonatal Post-Neonatal 0 1 0 0 0 Percent of SBC Black, Non-Hisp. Infant Deaths 0.00 1.67 1.59 0.00 0.00 Hispanic Neonatal Post-Neonatal Post-Neonatal Percent of SBC Hispanic Infant Deaths 2 2 1 0 2 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13								
Post-Neonatal 0 0 1 0 0 Percent of SBC Black, Non-Hisp. Infant Deaths 0.00 1.67 1.59 0.00 0.00 Hispanic 3 4 1 1 2 Neonatal 2 2 1 0 2 Post-Neonatal 1 2 0 1 0 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13								
Hispanic 3 4 1 1 2 Neonatal Post-Neonatal 2 2 1 0 2 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13								
Hispanic 3 4 1 1 2 Neonatal Post-Neonatal 2 2 1 0 2 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13	Percent of SBC BI	ack, Non-Hisp. Infant Deaths	0.00	1.67	1.59	0.00	0.00	0.68
Neonatal 2 2 1 0 2 Post-Neonatal 1 2 0 1 0 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13		,	3	4		1	2	
Post-Neonatal 1 2 0 1 0 Percent of SBC Hispanic Infant Deaths 2.88 3.96 1.01 0.93 2.13	-				=			
·					0	_		
·	Percent of SBC Hi	spanic Infant Deaths	2.88	3.96	1.01	0.93	2.13	2.17
	White, Non-Hispanic	•	2	2	4	0	2	
Neonatal 0 1 2 0 2	•					_		
Post-Neonatal 2 1 2 0 0				=				
Percent of SBC White, Non-Hisp. Infant Deaths 1.30 1.24 2.96 0.00 1.94	Percent of SBC W	hite, Non-Hisp. Infant Deaths	1.30	1.24	2.96	0.00	1.94	1.51
Infant Mortality Rate (per 1000 live births) * * * * * *		•	*					7.1

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Ontario Area, 1989-1993 [Zip Codes: 91761, 91762, 91764]

					YEAR			Five-Year
			1989	1990	1991	1992	1993	Rate(1)
Live Births								
Total			3,518	3,898	3,953	3,903	3,868	
	of SBC Tota	I Live Births	11.50	11.67	11.97	11.89	11.99	11.81
	on-Hispanio		252	234	275	272	260	
•	•	k, Non-Hispanic Live Births	9.04	8.18	8.86	8.64	8.54	8.65
		K, NOTH HSparite Live Births						0.00
Hispanic			1667	1963	2235	2354	2393	47.00
Percent o	of SBC Hisp	anic Live Births	17.46	17.80	17.82	17.95	17.40	17.69
•	on-Hispanio		1466	1545	1274	1115	1029	
Percent of	of SBC Whit	e, Non-Hispanic Live Births	8.73	8.62	8.13	7.56	7.53	8.16
Other/Un	known		133	156	169	162	186	
		Live Births (<1500 grams)						
Number:		Ethnicities	28	45	54	29	37	
		on-Hispanic	4	4	9	10	2	
	Hispanic	·	15	20	28	7	21	
	White, No	on-Hispanic	7	20	14	9	11	
Percent:	All Race/E	Ethnicities	0.8	1.2	1.4	0.7	1.0	1.0
		on-Hispanic	1.6	1.7	3.3	3.7	0.8	2.2
	Hispanic		0.9	1.0	1.3	0.3	0.9	0.9
		on-Hispanic	0.5	1.3	1.1	0.8	1.1	0.9
Low Birthw	eight Live I	Births (<2500 grams)						
Number:		Ethnicities	195	223	256	216	236	
	Black, No	on-Hispanic	31	21	46	41	31	
	Hispanic		81	99	115	107	125	
	White, No	on-Hispanic	79	94	86	57	68	
Percent:	All Race/E	Ethnicities	5.5	5.7	6.5	5.5	6.1	5.9
	Black, No	on-Hispanic	12.3	9.0	16.7	15.1	11.9	13.1
	Hispanic		4.9	5.0	5.1	4.5	5.2	5.0
	White, N	on-Hispanic	5.4	6.1	6.8	5.1	6.6	6.0
		re, by Trimester						
All Race/E	Ethnicities:	1st Trimester	2381	2592	2670	2743	2735	
		2nd Trimester	847	961	1004	904	848	
		3rd Trimester	192	233	199	188	195	
		None Unknown	85 12	103	74 6	61 7	80	
			13	9	6		10	
		Percent Late or No Care	7.9	8.6	6.9	6.4	7.1	7.4
Black, No	n-Hispanic:	1st Trimester	161	163	195	192	200	
		2nd Trimester	70	56	60	66	44	
		3rd Trimester	16	10	12	9	13	
		None	5	5	8	5	2	
		Unknown	0	0	0	0	1	
		Percent Late or No Care	8.3	6.4	7.3	5.1	5.8	6.6
Hispanic:		1st Trimester	973	1131	1319	1532	1566	
-1		2nd Trimester	501	586	713	634	616	
		3rd Trimester	124	168	155	142	145	
		None	63	73	45	41	60	
		Unknown	6	5	3	5	6	
		Percent Late or No Care	11.3	12.3	9.0	7.8	8.6	9.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Ontario Area, 1989-1993 [Zip Codes: 91761, 91762, 91764]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		1156	1188	1022	911	834	
	2nd Trimester	249	284	206	162	153	
	3rd Trimester	42	47	28	28	21	
	None Unknown	13 6	23 3	15 3	12 2	18 3	
	Percent Late or No Care	3.8	4.5	3.4	3.6	3.8	3.9
Live Births to Teenage		3.0	4.5	3.4	3.0	3.0	3.9
All Race/Ethnicities:	17 and younger	179	193	214	203	206	
	18-19	299	331	363	353	345	
	Percent of Births to Mothers <18	5.1	5.0	5.4	5.2	5.3	5.2
	Percent of Births to Mothers <20	13.6	13.4	14.6	14.2	14.2	14.0
Black, Non-Hispanic:	17 and younger	19	18	12	19	19	
	18-19	23	25	28	32	35	
	Percent of Births to Mothers <18	7.5	7.7	4.4	7.0	7.3	6.7
	Percent of Births to Mothers <20	16.7	18.4	14.5	18.8	20.8	17.8
Hispanic:	17 and younger	108	133	163	147	150	
	18-19	157	187	233	241	238	
	Percent of Births to Mothers <18	6.5	6.8	7.3	6.2	6.3	6.6
	Percent of Births to Mothers <20	15.9	16.3	17.7	16.5	16.2	16.6
White, Non-Hispanic:	17 and younger	50	40	35	32	34	
	18-19	112	112	99	75	64	
	Percent of Births to Mothers <18	3.4	2.6	2.7	2.9	3.3	3.0
	Percent of Births to Mothers <20	11.1	9.8	10.5	9.6	9.5	10.2
Infant Deaths Total		39	41	42	30	29	
Neonatal		19	26	27	13	16	
Post-Neonatal		20	15	15	17	13	
Percent of SBC I	nfant Deaths	11.85	12.46	13.73	10.64	11.37	12.06
Black, Non-Hispanic		5	8	5	6	3	
Neonatal		2	5	2	3	2	
Post-Neonatal		3	3	3	3	1	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	7.46	13.33	7.94	11.32	5.77	9.15
Hispanic		16	21	24	12	20	
Neonatal		9	13	17	5	11	
Post-Neonatal		7	8	7	7	9	
Percent of SBC I	Hispanic Infant Deaths	15.38	20.79	24.24	11.11	21.28	18.38
White, Non-Hispanic		18	12	13	11	5	
Neonatal		8	8	8	5	3	
Post-Neonatal		10	4	5	6	2	
Percent of SBC \	White, Non-Hisp. Infant Deaths	11.69	7.45	9.63	10.19	4.85	8.93
Infant Mortality Rate (p	er 1000 live births)	11.1	10.5	10.6	7.7	7.5	9.5

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Rancho Cucamonga Area, 1989-1993 [Zip Codes: 91729, 91730]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Live Births							
Total		1,035	1,079	1,140	1,076	1,079	
Percent of SBC Total	Live Births	3.38	3.23	3.45	3.28	3.35	3.34
Black, Non-Hispanio		75	78	95	89	95	
•	k, Non-Hispanic Live Births	2.69	2.73	3.06	2.83	3.12	2.89
	t, rterr neparne zive ziitie						2.00
Hispanic Percent of SBC Hispa	anic Livo Rirths	261 2.73	300 2.72	359 2.86	334 2.55	341 2.48	2.66
·							2.00
White, Non-Hispanic		635	641	606	560	557	0.04
	e, Non-Hispanic Live Births	3.78	3.58	3.87	3.80	4.08	3.81
Other/Unknown		64	60	80	93	86	
	Live Births (<1500 grams)						
Number: All Race/E		8	10	18	14	19	
	on-Hispanic	0	4	7	2	2	
Hispanic	on-Hispanic	5 3	1 4	4 3	4 3	3 11	
	•						
Percent: All Race/E		0.8	0.9	1.6	1.3	1.8	1.3
	on-Hispanic	0.0	5.1	7.4	2.2	2.1	3.5
Hispanic	on-Hispanic	1.9 0.5	0.3 0.6	1.1 0.5	1.2 0.5	0.9 2.0	1.1 0.8
	<u> </u>	0.5	0.0	0.5	0.5	2.0	0.0
Low Birthweight Live B Number: All Race/B		44	67	69	59	63	
	n-Hispanic	7	11	18	8	15	
Hispanic	in Thoparno	11	14	19	17	13	
-	on-Hispanic	22	36	24	21	28	
Percent: All Race/E	thnicities	4.3	6.2	6.1	5.5	5.8	5.6
	n-Hispanic	9.3	14.1	18.9	9.0	15.8	13.7
Hispanic	-1	4.2	4.7	5.3	5.1	3.8	4.6
White, No	on-Hispanic	3.5	5.6	4.0	3.8	5.0	4.4
Entry Into Prenatal Car	e, by Trimester						
All Race/Ethnicities:	1st Trimester	789	837	883	856	863	
	2nd Trimester	198	196	207	194	173	
	3rd Trimester	37	35	35	16	32	
	None Unknown	9 2	11 0	13 2	8 2	9 2	
			_				
	Percent Late or No Care	4.5	4.3	4.2	2.2	3.8	3.8
Black, Non-Hispanic:	1st Trimester	49	59	70	69	83	
	2nd Trimester	23	18	21	18	8	
	3rd Trimester	3	1	1	1	2	
	None	0	0	2	1	2	
	Unknown	0	0	1	0	0	
	Percent Late or No Care	4.0	1.3	3.2	2.2	4.2	3.0
Hispanic:	1st Trimester	170	200	237	270	247	
	2nd Trimester	69	74	94	58	77	
	3rd Trimester	15	18	18	2	13	
	None	6	8	10	3	4	
	Unknown	1	0	0	1	0	
	Percent Late or No Care	8.1	8.7	7.8	1.5	5.0	6.1

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Rancho Cucamonga Area, 1989-1993 [Zip Codes: 91729, 91730]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		525	532	514	451	468	
	2nd Trimester	92	95	79	96	70	
	3rd Trimester	15	12	11	8	14	
	None Unknown	2 1	2 0	1 1	4 1	3 2	
		-	_	•	-		2.4
Live Pirthe to Teenege	Percent Late or No Care	2.7	2.2	2.0	2.1	3.1	2.4
Live Births to Teenage All Race/Ethnicities:	17 and younger	23	25	46	44	40	
	18-19	65	77	80	68	78	
	Percent of Births to Mothers <18	2.2	2.3	4.0	4.1	3.7	3.3
	Percent of Births to Mothers <20	8.5	9.5	11.1	10.4	10.9	10.1
Black, Non-Hispanic:	17 and younger	3	0	8	4	2	
·	18-19	6	10	8	5	7	
	Percent of Births to Mothers <18	4.0	0.0	8.4	4.5	2.1	3.9
	Percent of Births to Mothers <20	12.0	12.8	16.8	10.1	9.5	12.3
Hispanic:	17 and younger	10	10	21	17	17	
	18-19	22	27	36	36	36	
	Percent of Births to Mothers <18	3.8	3.3	5.8	5.1	5.0	4.7
	Percent of Births to Mothers <20	12.3	12.3	15.9	15.9	15.5	14.5
White, Non-Hispanic:	17 and younger	10	15	16	23	18	
	18-19	32	39	34	22	33	
	Percent of Births to Mothers <18	1.6	2.3	2.6	4.1	3.2	2.7
	Percent of Births to Mothers <20	6.6	8.4	8.3	8.0	9.2	8.1
Infant Deaths Total		0	0	12	10	7	
Neonatal		9 5	8 5	4	6	7 3	
Post-Neonatal		4	3	8	4	4	
Percent of SBC I	nfant Deaths	2.74	2.43	3.92	3.55	2.75	3.06
Black, Non-Hispanic		0	0	7	1	1	
Neonatal		0	Ö	1	1	Ö	
Post-Neonatal		0	0	6	0	1	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	0.00	0.00	11.11	1.89	1.92	3.05
Hispanic		3	1	2	3	3	
Neonatal		2	0	1	2	1	
Post-Neonatal		1	1	1	1	2	
Percent of SBC I	Hispanic Infant Deaths	2.88	0.99	2.02	2.78	3.19	2.37
White, Non-Hispanic		6	6	2	5	3	
Neonatal		3	4	2	2	2	
Post-Neonatal		3	2	0	3	1	
Percent of SBC White, Non-Hisp. Infant Deaths		3.90	3.73	1.48	4.63	2.91	3.33
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	8.5

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Upland Area, 1989-1993 [Zip Codes: 91784, 91785, 91786]

				YEAR			Five-Year
		1989	1990	1991	1992	1993	Rate(1)
Live Births							
Total		1,113	1,163	1,163	1,127	1,106	
Percent of SBC To	al Live Births	3.64	3.48	3.52	3.43	3.43	3.50
Black, Non-Hispar		72	83	101	98	93	
•	ck, Non-Hispanic Live Births	2.58	2.90	3.25	3.11	3.06	2.99
	ick, North aparile Live Diffis						2.55
Hispanic	mania Liva Dintha	269	281	350	338	331	0.00
Percent of SBC His		2.82	2.55	2.79	2.58	2.41	2.62
White, Non-Hispar		708	721	624	590	582	
Percent of SBC Wh	ite, Non-Hispanic Live Births	4.22	4.02	3.98	4.00	4.26	4.09
Other/Unknown		64	78	88	101	100	
Very Low Birthweigh	t Live Births (<1500 grams)						
	e/Ethnicities	16	12	11	14	17	
	Non-Hispanic	1	0	1	2	3	
Hispani		3	7	3	4	5	
White,	Non-Hispanic	11	5	5	6	8	
Percent: All Race	/Ethnicities	1.4	1.0	0.9	1.2	1.5	1.2
Black, I	Non-Hispanic	1.4	0.0	1.0	2.0	3.2	1.6
Hispani		1.1	2.5	0.9	1.2	1.5	1.4
White,	Non-Hispanic	1.6	0.7	8.0	1.0	1.4	1.1
_	Births (<2500 grams)						
	e/Ethnicities	81	71	79	74	70	
	Non-Hispanic	1	9	11	11	12	
Hispani		20	20	16	27	19	
	Non-Hispanic	56	39	45	30	31	
	/Ethnicities	7.3	6.1	6.8	6.6	6.3	6.6
	Non-Hispanic	1.4	10.8	10.9	11.2	12.9	9.8
Hispani	c Non-Hispanic	7.4 7.9	7.1	4.6	8.0	5.7	6.5
·	<u> </u>	7.9	5.4	7.2	5.1	5.3	6.2
Entry Into Prenatal C		070	004	004	044	0.40	
All Race/Ethnicities	1st Trimester 2nd Trimester	873 181	884 230	894 209	911 179	846 213	
	3rd Trimester	32	37	41	27	30	
	None	18	11	17	9	12	
	Unknown	9	1	2	1	5	
	Percent Late or No Care	4.5	4.1	5.0	3.2	3.8	4.1
							4.1
Black, Non-Hispanio		51	61	74	77	64	
	2nd Trimester	17	16	21	17	22	
	3rd Trimester	2	6	4	3	5	
	None Unknown	2	0 0	2 0	1 0	0 2	
		•	-	-	•		
	Percent Late or No Care	5.6	7.2	5.9	4.1	5.5	5.6
Hispanic:	1st Trimester	177	179	236	251	230	
	2nd Trimester	67	83	87	72	80	
	3rd Trimester	16	13	17	11	13	
	None	8	6	8	4	7	
	Unknown	1	0	2	0	1	
	Percent Late or No Care	9.0	6.8	7.2	4.4	6.1	6.6

San Bernardino County, Department of Public Health Selected Live Birth and Infant Death Data for the Upland Area, 1989-1993 [Zip Codes: 91784, 91785, 91786]

				YEAR			Five-Year
	_	1989	1990	1991	1992	1993	Rate(1)
Entry Into Prenatal Car	e, by Trimester (continued)						
White, Non-Hispanic:		595	578	517	502	472	
	2nd Trimester	88	120	86	75	93	
	3rd Trimester None	11 7	17 5	15 6	9 4	10 5	
	Unknown	7	1	0	0	2	
	Percent Late or No Care	2.6	3.1	3.4	2.2	2.6	2.8
Live Births to Teenage	Mothers						
All Race/Ethnicities:	17 and younger	31	40	37	51	54	
	18-19	72	73	96	90	62	
	Percent of Births to Mothers <18	2.8	3.4	3.2	4.5	4.9	3.8
	Percent of Births to Mothers <20	9.3	9.7	11.4	12.5	10.5	10.7
Black, Non-Hispanic:	17 and younger	4	3	2	6	7	
	18-19	10	6	7	13	4	
	Percent of Births to Mothers <18	5.6	3.6	2.0	6.1	7.5	4.9
	Percent of Births to Mothers <20	19.4	10.8	8.9	19.4	11.8	13.9
Hispanic:	17 and younger	17	18	20	30	27	
	18-19	20	26	42	31	22	
	Percent of Births to Mothers <18	6.3	6.4	5.7	8.9	8.2	7.1
	Percent of Births to Mothers <20	13.8	15.7	17.7	18.0	14.8	16.1
White, Non-Hispanic:	17 and younger	10	18	15	14	17	
	18-19	39	41	43	41	32	
	Percent of Births to Mothers <18	1.4	2.5	2.4	2.4	2.9	2.3
	Percent of Births to Mothers <20	6.9	8.2	9.3	9.3	8.4	8.4
Infant Deaths Total		11	10	9	5	7	
Neonatal		4	6	8	4	7	
Post-Neonatal		7	4	1	1	0	
Percent of SBC I	nfant Deaths	3.34	3.04	2.94	1.77	2.75	2.80
Black, Non-Hispanic		3	0	0	1	1	
Neonatal		1	Ö	Ö	1	1	
Post-Neonatal		2	0	0	0	0	
Percent of SBC I	Black, Non-Hisp. Infant Deaths	4.48	0.00	0.00	1.89	1.92	1.69
Hispanic		4	5	2	1	2	
Neonatal		2	4	2	1	2	
Post-Neonatal		2	1	0	0	0	
Percent of SBC I	Hispanic Infant Deaths	3.85	4.95	2.02	0.93	2.13	2.77
White, Non-Hispanic		4	4	6	3	4	
Neonatal		1	2	5	2	4	
Post-Neonatal		3	2	1	1	0	
Percent of SBC \	White, Non-Hisp. Infant Deaths	2.60	2.48	4.44	2.78	3.88	3.18
Infant Mortality Rate (p	er 1000 live births)	*	*	*	*	*	7.4

⁽¹⁾ The five-year rate is cumulative and should not be confused with a five-year annual average

Notes: 1) Resident data. 2) Residence determined by zip code of residence as reported on the certificate of live birth and death certificate. 3) L prenatal care is defined as entering care in the 3rd trimester. The calculation of "Percent Late or No Care" excludes unknown entry into care.
4) Rates (or percentages) calculated using small numbers are unreliable. 5) Live birth data is by race/ethnicity of mot

^(...) Zero events in specified year.

(*) The annual infant mortality rate is not calculated for fewer than 20 death